


DIVE WITHOUT TANKS

POWERDIVE



ABOUT US



PowerDive was established in 1997 and is now regarded as the most advanced manufacturer of Surface Supply Diving Systems formally known as hookah diving. PowerDive has lead the way in innovating products for this market that clearly exists between snorkeling and the complete freedom of scuba dive. The technology in Hookah diving has come a long way from steel helmets and cumbersome dive suits. With the PowerDive system, even first time divers can be underwater in minutes!

PowerDive's range of diving systems are ideal for safe, fun, family diving, they are also the perfect tool for:

- Boat maintenance and emergencies
- Hull inspections
- Marina and mooring maintenance
- Diver training
- Resort introductory diving
- Marine science studies and research
- Pool maintenance



All PowerDive units are:

- Light, compact and portable
- Necessary equipment for emergency detangles, retrievals or repairs
- The ideal money-saving accessory for cleaning below the water line, improving performance, lowering fuel consumption and extending the frequency between slipping your boat
- Perfect for resort diving

PowerDive units range from deck mounted and free-floating units and are available in electric and petrol form. Electric units are more suited to families and fun, whilst petrol units are for more commercial applications. Please browse our catalogue to find the product you are looking for.






POWERSNORKEL

If you like snorkeling, you'll just love PowerDiving! With PowerDive's free-floating PowerSnorkel, you can buddy dive to 6 meters with family and friends for more than an hour on the 35 a/h battery. There are no tanks to carry, wear or refill and, after your dive, simply recharge or exchange the battery and do it all again!

In the PowerSnorkel, the pump and motor are housed in a floating surround which enables the PowerSnorkel to float around with the divers. With the PowerSnorkel you can dive from the shore or your vessel.

The PowerSnorkel is fantastic in any resort style diving operation. Just the sheer appearance and concept of PowerDive attracts people to the product. It's bright appearance and dive flag, makes it is easy to see where the divers are at all time. Training is minimal and inexperienced divers can be diving in minutes.

12m (40ft)	6m (20ft)



Unit Dimensions		Deflated
Width	720mm	400mm
Height	500mm	500mm
Depth	720mm	400mm

The complete package includes

PowerSnorkel Compressor Unit, Snorkel/Float/Flag, Air Reservoir, 2 Regulators with Dive Harness, Gear Bag and Battery

Hoses

- 1 m (pump to reservoir)
- 6 m (reservoir to y-piece)
- 6 m (Y-piece to diver 1)
- 6 m (Y-piece to diver 2)

Specifications

- Number of divers: One or Two
- Maximum depth*: 1 diver to 12 m (40 ft)
2 divers to 6 m (20 ft)
- Dive Duration: 50 - 70 mins
- Setup time: 2 - 3 mins
- Compressor size: 4 cfm
- Operating Pressure: 25 psi
- Operating Amps: 24 Amps
- Operating Voltage: 12 V
- Weight: 35kg including hoses and battery (77lbs)

Recommended Accessory

- 35 Amp Hour Battery with Connection Lead
- 6m running lead





DECKSNORKEL



All boat owners should have access to below the water line of their vessel for emergency detangles/retrievals, boat maintenance or hull/running gear cleaning. The PowerDive DeckSnorkel is a compact and affordable system to quickly achieve all of these functions. Simply connect to your ship's power, switch on and 45 seconds later; you are under your boat!

Not only is the DeckSnorkel perfect for any emergency or Do-It-Yourself boat maintenance task, this PowerDive unit is great for just having fun exploring the incredible marine world beneath the water line from your boat, dinghy or inflatable. If you want to buddy up with family or friends, consider investing in a two-person DoubleDeck or PowerSnorkel unit for double the fun!

The complete package includes


DeckSnorkel Compressor Unit, Air Reservoir, Regulator with Dive Harness, Gear Bag, 5m Power Cable with clips

Hoses

6m (pump to reservoir) 8.5m (reservoir to diver)

Specifications

Number of divers:	One
Maximum depth*:	1 diver to 7 m (23 ft)
Setup time:	2 mins
Compressor size:	2 cfm
Operating Pressure:	18 psi
Operating Amps:	12 Amps
Operating Voltage:	12 V
Weight:	13kg



Unit Dimensions	
Width	400mm
Height	220mm
Depth	200mm



Recommended Accessory

35 Amp Hour Battery
with Connection Lead
10m Hose



ACCESSORIES



35 amp battery
AGM without lead



35 amp battery
AGM with connection lead



Running lead for
Power Snorkel



Battery connection lead



Power Dive Bag

HOSES



10M Ext Hose
metal male & plastic female
fittings



20M Ext Hose
metal male & plastic female
fittings



50M Ext Hose
metal male & plastic female
fittings



100M Ext Hose
metal male & plastic female
fittings





For more information and video demonstrations visit us online at:

www.powerdive.com

5-6/634 Stirling Hwy, Mosman Park, Perth,
Western Australia 6012

Tel: +61 (0) 8 9385 6500

Fax: +61 (0) 8 9385 6522



LOCAL DEALER

Power Dive

5-6/634 Stirling Hwy, Mosman Park,
Perth, Western Australia 6012

www.powerdive.com
info@powerdive.com

Tel: +61 (0) 8 9385 6500
Fax: +61 (0) 8 9385 6522