

Marine Equipment

*CE certified • ISO-9001 certified
ISO-14001 certified*



MARINE EQUIPMENT



S
T
N
E
T
N
O
C

01	BILGE PUMPS
05	AUTOMATIC LOW PROFILE BILGE PUMP NEW PRODUCT
06—13	BILGE PUMPS, AUTO PUMPS, HANDY PUMPS & THRUHULL
14	FLOATING SWITCHES NEW PRODUCT
15	SAFETY PROTECTOR PANEL
16	CARAVAN PUMPS
17	DIAPHRAGM PUMP WASHING KITS NEW PRODUCT
18	AERATOR PUMPS
19	GALLEY PUMP, IN-LINE PUMP
20	HAND GALLEY PUMP & FOOT PUMP
21—22	WATER PUMPS
23	WATER PRESSURE PUMP
24	WATER INTAKE RINSE PUMP
25—26	WIPER MOTORS
27	WIPER MOTORS & ARMS, HAND WIPER COMPLETE SET
28	ELECTRONIC WIPER CONTROLLER
29—32	HEAVY-DUTY WIPER MOTORS, ARMS & BLADES
33	ELECTRIC GEAR PUMP, PORTABLE ELECTRIC OUTBOARD MOTOR FLUSHER, MOTOR FLUSHER ACCESSORIES
34	HYDRAULIC POWER TILT / TRIM MOTOR AND ACCESSORIES
35—36	BILGE BLOWERS, VENTILATORS & IN-LINE BLOWERS
37	MICRO ADJUSTED SPEED CONTROL OSCILLATING FANS NEW PRODUCT
38	MACERATOR PUMP, HAND PUMP & VENTED LOOP
39	SHOWER & SINK DRAIN PUMP & TOILET WASTE PUMP
40	ACCESSORIES & CERAMIC SINK WITH NANO TREATMENT
41—42	MANUAL TOILETS
43—44	ELECTRIC TOILETS, QUIET ELECTRIC TOILETS NEW PRODUCT
45—46	ELECTRIC TOILETS & SERVICE KITS
47	TOILET SERVICE KITS NEW PRODUCT
48	ELECTRIC TOILET FLUSH CONTROL
49	TOILET SERVICE KITS
50—56	TOILET SERVICE PARTS
57	TOILET INSTALLATION

MARINE HARDWARE



C O N T E N T S

59—62	ROCKER SWITCH PANEL
63—64	TOGGLE SWITCH PANNEL
65	TOGGLE SWITCH, PLUG, SOCKET, CIGARETTE LIGHTER
66	SWITCHES
67—71	LIGHTING
72	LIGHTING, SWITCH
73	RING PULL, LIFT PULL, DOOR PULL
74	HINGES
75—76	VENTILATORS
77	VENTILATORS, GAS TANK VENT
78	DECK PLATE, DECK CABLE, WATERPROOF CONNECTOR, CABLE OUTLET
79	CLEATS, HOOKS
80	ELBOW / STUD CATCH, BRACKET, HOOK
81	HATCH
82	SINK, CLEAT, STANCHION
83	ELECTRIC HORNS, DRINK HOLDER, FLAG POLE HOLDER
84	CONTROLS, ANTENNA BASES, OUTBOARD MOTOR BRACKET
85	STEERING WHEELS, CLOCKS
86	KEY RINGS
87	ROD HOLDER
88	RUBBER WARE, DRAIN PLUG, HAND OIL PUMP

TMC was established in 1971. With a sound financial support and an efficient management, **TMC** now operates in three divisions, namely Magent, Marine, and Machinery divisions. **TMC** factory occupies 6,600 square meters where 200 employees work daily.

TMC is an ISO 9001 & 14001 certified manufacturer. Customer satisfaction is the first **TMC** priority. Continuously improve in everything we do with a goal of error-free performance will be achieved through the active involvement of every employee. We are pleased to announce that the CE approved products are available from **TMC**. And **TMC's** products have been well accepted by various customers worldwide.

MAIN PRODUCTS IN TMC:


1. Ferrite Magnets
2. DC Motors
3. Marine Electric Equipment
4. Injection Moulding Machines
5. Powder Compacting Press



Production Sites & Facilities




CNC Coordinate Measuring Machine



Scooter Division /
Driving Condition Simulator




Torque Meter -
Transaxle Testing System



R&D Department



Q.C. Department



Injection Molding M/C Division



Electric-Powered
Forklift & Pallet Truck



Magnet Division



DC Motor & Marine Equipment Division



Marine

An advertisement for TMC marine toilets. The top half features two white ceramic toilets with their lids up. Below them are four white TMC pump units of different sizes, labeled 1500, 2000, 2500, and 3000. Each unit has a red and black wavy line graphic. The background is a blue-toned image of a harbor with buildings and boats. The word 'Marine' is written in a large, orange, cursive font at the top.

TMC Technology Corp.

Equipment



BILGE PUMPS - T20 SERIES



TMC-03303


MOTOR	:12V / 24V
CAPACITY	:500GPH (1890 LPH)
AMP DRAW	:4A (12V) / 2.5A (24V)
FUSE SIZE	:6A (12V) / 4A (24V)
HOSE DIA.	:3/4" (19mm)
DELIVERY HEAD	:13FT. (4M)
DIMENSION (LxWxH)	:114x88x135 mm (4.49"x3.47"x5.31")
PACKING	:24pcs/ctn/1.64cuft
WEIGHT	:16.9kgs/ctn
MIN Q'TY	:24pcs

ORDER NO. (COLOR-BOXED)

503-2005011	12V
503-2005012	24V

ORDER NO. (CLAM-PACKED)

503-200501188	12V
503-200501288	24V



TMC-03304


MOTOR	:12V / 24V
CAPACITY	:1000GPH (3786 LPH)
AMP DRAW	:5.5A (12V) / 2.8A (24V)
FUSE SIZE	:8A (12V) / 4A (24V)
HOSE DIA.	:1-1/8" (29mm)
DELIVERY HEAD	:13FT. (4M)
DIMENSION (LxWxH)	:114x88x135 mm (4.49"x3.47"x5.31")
PACKING	:24pcs/ctn/1.64cuft
WEIGHT	:23.3kgs/ctn
MIN Q'TY	:24pcs

ORDER NO. (COLOR-BOXED)

503-2010011	12V
503-2010012	24V

ORDER NO. (CLAM-PACKED)

503-201001188	12V
503-201001288	24V




TMC-03606

MOTOR	:12V / 24V
CAPACITY	:1500GPH (5676 LPH)
AMP DRAW	:8A (12V) / 4A (24V)
FUSE SIZE	:10A (12V) / 5A (24V)
HOSE DIA.	:1-1/8" (29mm)
DELIVERY HEAD	:10FT. (3M)
DIMENSION (LxWxH)	:144.3x120.5x164.5 mm (5.68"x4.74"x6.48")
PACKING	:12pcs/ctn/1.76cuft
WEIGHT	:17.6kgs/ctn
MIN Q'TY	:12pcs

ORDER NO.

503-2015011	12V
503-2015012	24V




TMC-03607

MOTOR	:12V / 24V
CAPACITY	:2000GPH (7572 LPH)
AMP DRAW	:10A (12V) / 5A (24V)
FUSE SIZE	:15A (12V) / 8A (24V)
HOSE DIA.	:1-1/8" (29mm)
DELIVERY HEAD	:13FT. (4M)
DIMENSION (LxWxH)	:144.3x120.5x164.5 mm (5.68"x4.74"x6.48")
PACKING	:12pcs/ctn/1.85cuft
WEIGHT	:18.6kgs/ctn
MIN Q'TY	:12pcs

ORDER NO.

503-2020011	12V
503-2020012	24V




BILGE PUMPS - T20 SERIES




TMC-06602

MOTOR	:12V / 24V
CAPACITY	:2500GPH (9462 LPH)
AMP DRAW	:15A (12V) / 7.5A (24V)
FUSE SIZE	:20A (12V) / 12A (24V)
HOSE DIA.	:1-1/4" (32mm)
DELIVERY HEAD	:15FT. (4.6M)
DIMENSION (LxWxH)	:166x132x195 mm (6.54"x5.2"x7.68")
PACKING	:6pcs/ctn/1.51cuft
WEIGHT	:15.2kgs/ctn
MIN Q'TY	:6pcs
ORDER NO.	
503-2025011	12V
503-2025012	24V



TMC-06604

MOTOR	:12V / 24V
CAPACITY	:3000GPH (11358 LPH)
AMP DRAW	:18A (12V) / 9A (24V)
FUSE SIZE	:20A (12V) / 10A (24V)
HOSE DIA.	:1-1/4" (32mm)
DELIVERY HEAD	:15FT. (4.6M)
DIMENSION (LxWxH)	:166x132x195 mm (6.54"x5.2"x7.68")
PACKING	:6pcs/ctn/1.51cuft
WEIGHT	:18.3kgs/ctn
MIN Q'TY	:6pcs
ORDER NO.	
503-2030011	12V
503-2030012	24V



T20 BILGE PUMP (CLAM-PACKED)



TMC-03303 (500GPH)	TMC-03304 (1000GPH)
ORDER NO.	ORDER NO.
503-200501188 12V	503-201001188 12V
503-200501288 24V	503-201001288 24V

R18 BILGE PUMP (CLAM-PACKED)



TMC-0236701 (500GPH)	TMC-0332901 (1000GPH)
ORDER NO.	ORDER NO.
503-180501188 12V	503-181001188 12V
503-180501288 24V	503-181001288 24V

Q17 BILGE PUMP (CLAM-PACKED)



TMC-0010101 (450GPH)	TMC-0010301 (900GPH)
ORDER NO.	ORDER NO.
503-170401188 12V	503-170901188 12V
503-170401288 24V	503-170901288 24V

* For automatic operation please refer to p14-15

BILGE PUMPS - R18 SERIES




TMC-0236701

MOTOR	:12V / 24V
CAPACITY	:500GPH (1890 LPH)
AMP DRAW	:2.5A (12V) / 1.5A (24V)
FUSE SIZE	:4A (12V) / 2A(24V)
HOSE DIA.	:3/4" (19mm)
DELIVERY HEAD	:10FT. (3M)
DIMENSION (LxWxH)	:80.5x73.5x94.5 mm (3.17"x2.89"x3.72")
PACKING	:48pcs/ctn/1.74cuft
WEIGHT	:19.8kgs/ctn
MIN Q'TY	:48pcs

ORDER NO.
(COLOR-BOXED)
503-1805011 12V
503-1805012 24V

ORDER NO.
(CLAM-PACKED)
503-180501188 12V
503-180501288 24V




TMC-0332901

MOTOR	:12V / 24V
CAPACITY	:1000GPH (3786 LPH)
AMP DRAW	:5A (12V) / 2.5A (24V)
FUSE SIZE	:7A (12V) / 4A(24V)
HOSE DIA.	:1-1/8"(29mm)
DELIVERY HEAD	:13FT. (4M)
DIMENSION (LxWxH)	:108.7x92.5x126.7 mm (4.28"x3.64"x4.98")
PACKING	:24pcs/ctn/1.87cuft
WEIGHT	:20.7kgs/ctn
MIN Q'TY	:24pcs

ORDER NO.
(COLOR-BOXED)
503-1810011 12V
503-1810012 24V


ORDER NO.
(CLAM-PAKCED)
503-181001188 12V
503-181001288 24V



TMC-0335301

MOTOR	:12V / 24V
CAPACITY	:1500GPH (5676 LPH)
AMP DRAW	:9A (12V) / 5A (24V)
FUSE SIZE	:12A (12V) / 7A(24V)
HOSE DIA.	:1-1/8"(29mm)
DELIVERY HEAD	:13FT. (4M)
DIMENSION (LxWxH)	:138.5x115x160.6 mm (5.45"x4.53"x6.32")
PACKING	:12pcs/ctn/1.51cuft
WEIGHT	:17.3kgs/ctn
MIN Q'TY	:12pcs


ORDER NO.
503-1815011 12V
503-1815012 24V



TMC-0366301

MOTOR	:12V / 24V
CAPACITY	:2000GPH (7572 LPH)
AMP DRAW	:15A (12V) / 8A (24V)
FUSE SIZE	:20A (12V) / 10A(24V)
HOSE DIA.	:1-1/4" (32mm)
DELIVERY HEAD	:13FT. (4M)
DIMENSION (LxWxH)	:143x115x186 mm (5.63"x4.54"x7.32")
PACKING	:9pcs/ctn/1.69cuft
WEIGHT	:17.7kgs/ctn
MIN Q'TY	:9pcs

ORDER NO.
503-1820011 12V
503-1820012 24V




BILGE PUMPS - Q17 SERIES



TMC-0010101

MOTOR	:12V / 24V
CAPACITY	:450GPH (1704 LPH)
AMP DRAW	:1.5A (12V) / 0.8A (24V)
FUSE SIZE	:2.5A (12V) / 1A(24V)
HOSE DIA.	:3/4" (19mm)
DELIVERY HEAD	:6.6FT. (2M)
DIMENSION (LxWxH)	:93x74x84 mm (3.66"x2.91"x3.31")
PACKING	:30pcs/ctn/1.31cuft
WEIGHT	:9.8kgs/ctn
MIN Q'TY	:30pcs




ORDER NO.
(COLOR-BOXED)
 503-1704011 12V
 503-1704012 24V

ORDER NO.
(CLAM-PACKED)
 503-170401188 12V
 503-170401288 24V



TMC-0010301

MOTOR	:12V / 24V
CAPACITY	:900GPH (3406 LPH)
AMP DRAW	:3.5A (12V) / 2A (24V)
FUSE SIZE	:5A (12V) / 2.5A(24V)
HOSE DIA.	:1-1/8" (29mm)
DELIVERY HEAD	:11.5FT. (3.5M)
DIMENSION (LxWxH)	:129x98x107 mm (5.08"x3.86"x4.21")
PACKING	:24pcs/ctn/1.99cuft
WEIGHT	:14.1kgs/ctn
MIN Q'TY	:24pcs




ORDER NO.
(COLOR-BOXED)
 503-1709011 12V
 503-1709012 24V

ORDER NO.
(CLAM-PACKED)
 503-170901188 12V
 503-170901288 24V



TMC-0010501

MOTOR	:12V / 24V
CAPACITY	:1250GPH (4734 LPH)
AMP DRAW	:5A (12V) / 3A (24V)
FUSE SIZE	:6A (12V) / 4.5A(24V)
HOSE DIA.	:1-1/8" (29mm)
DELIVERY HEAD	:11.5FT. (3.5M)
DIMENSION (LxWxH)	:160x122x116.5 mm (6.3"x4.8"x4.59")
PACKING	:16pcs/ctn/2.08cuft
WEIGHT	:16kgs/ctn
MIN Q'TY	:16pcs



ORDER NO.
 503-1712011 12V
 503-1712012 24V

TMC Float Switches for Purchasing Options / Safety Protector Panel



TMC-08121
 Order No. 502-8101011



TMC-0812202
 Order No. 502-8102020



TMC-0812201
 Order No. 502-8102010



TMC-0240301
 Order No. 502-2403011 12V
 502-2403012 24V

Caution:

- For bilge pumps that draws current above 10A, this float switch must be used in combination with - TMC panel switch model: 0240301 (sold separately).
- For bilge pumps that draws current below or equal 10A, TMC panel switch is optional for better protection.



AUTOMATIC LOW PROFILE BILGE PUMP

NEW
PRODUCT



TMC-430601

TMC-30801

AUTOMATIC LOW PROFILE BILGE PUMP

- BILGE PUMP DESIGNED FOR CONFINED OR TIGHT SPACE (UNDER ENGINES OR COCKPIT FLOORS)
- AUTOMATIC OPERATION WITH IC SENSOR DESIGN
- DRAINS DOWN AS LOW AS 10MM
- STRAINER CAN BE ROTATED & COVER CAN BE REMOVED FOR EASY CLEANING
- TOP BREATH HOLES TO PREVENT AIRLOCKS
- OUTLET PORT CAN BE ROATED FOR DIFFERENT INSTALLATION PURPOSE (VERTICAL OR HORIZONTAL MOUNTING)

MOTOR	:DC-12V
CAPACITY	:500GPH (1890 LPH)
AMP DRAW	:2.5A
FUSE SIZE	:4A
HOSE DIA.	:3/4"(19mm), 1"(25.4mm)
DELIVERY HEAD	:9FT.(2.5M)
DIMENSION (LxWxH)	:223.2x122.6x60mm (8.79"x4.83"x2.36")
PACKING	:24pcs/ctn/1.88cuft
WEIGHT	:18.3kgs/ctn





ORDER NO.

503-060511100 12V

TMC-430601

SERVICE KIT FOR TMC-30801
PORT FITTING & CHECK VALVE
ORDER NO. 504-030600100

WIRING DIAGRAM



BILGE PUMPS - AUTO-EYE SERIES



AUTO-EYE TECH. FULLY AUTOMATIC BILGE PUMPS


TMC AUTO-EYE SERIES OF SUBMERSIBLE BILGE PUMPS ARE EQUIPPED WITH BUILT-IN ELECTRONIC CONTROLLED REED SENSOR SYSTEM TO MAKE FULLY AUTOMATIC OPERATION EASY.

NO SEPARATE FLOAT SWITCH IS NEEDED AND RELAY LOOP DESIGN PROTECT THE PUMP AGAINST INSTANT HIGH CURRENT.

NO POWER USE UNTIL PUMP TURNS ON WHEN WATER RISES.

AUTO-EYE PUMPS ARE BUILT WITH COMPACT, EFFICIENT, LONG LIFE MOTOR, RUST AND CORROSION PROTECTED S.S. SHAFT, AND HIGH-IMPACT DURABLE PLASTIC HOUSING. QUICK RELEASE STRAINER FOR EASY CLEANING.

WIRING DIAGRAM




TMC-30605

MOTOR	:12V / 24V
CAPACITY	:500GPH (1890 LPH)
AMP DRAW	:1.6A (12V) / 0.8A (24V)
FUSE SIZE	:2.5A (12V) / 1.5A (24V)
HOSE DIA.	:3/4" (19mm)
DELIVERY HEAD	:9FT. (2.5M)
DIMENSION (LxWxH)	:136x82x110 mm (5.35"x3.22"x4.33")
PACKING	:30pcs/ctn/2.3cuft
WEIGHT	:16.8kgs/ctn
MIN Q'TY	:30pcs

ORDER NO.

503-0605011	12V
503-0605012	24V




BILGE PUMPS - AUTO-EYE SERIES



TMC-30610

MOTOR	:12V / 24V
CAPACITY	:1000GPH (3786 LPH)
AMP DRAW	:4.5A (12V) / 2.5A (24V)
FUSE SIZE	:6A (12V) / 4A (24V)
HOSE DIA.	:1-1/8" (29mm)
DELIVERY HEAD	:13FT. (4M)
DIMENSION (LxWxH)	:165x96x130 mm (6.49"x3.77"x5.12")
PACKING	:12pcs/ctn/1.51cuft
WEIGHT	:11.8kgs/ctn
MIN Q'TY	:12pcs


ORDER NO.	
503-0610011	12V
503-0610012	24V



TMC-30615

MOTOR	:12V / 24V
CAPACITY	:1500GPH (5676 LPH)
AMP DRAW	:9A (12V) / 4.5A (24V)
FUSE SIZE	:12A (12V) / 6A (24V)
HOSE DIA.	:1-1/8" (29mm)
DELIVERY HEAD	:13FT. (4M)
DIMENSION (LxWxH)	:190.7x108x150 mm (7.51"x4.25"x5.9")
PACKING	:12pcs/ctn/2.09cuft
WEIGHT	:17.7kgs/ctn
MIN Q'TY	:12pcs

ORDER NO.	
503-0615011	12V
503-0615012	24V



COMPUTERIZED FULLY AUTOMATIC BILGE PUMP




TMC-02310

THE FULLY AUTOMATIC 600 GPH PUMP OPERATES ON A COMPUTERIZED CYCLING SYSTEM THAT REQUIRES THE PUMP TO "TURN ON" EVERY 15 MINUTES THEN "SHUT OFF" WHEN WATER IS LOW AND LOAD AGAINST IMPELLER IS REDUCED. POWER FOR CHECKING IS MINIMUM.

MOTOR	:12V / 24V
CAPACITY	:600GPH (2274LPH)
AMP DRAW	:4A (12V) / 2.5A (24V)
FUSE SIZE	:5A (12V) / 3A (24V)
HOSE DIA.	:3/4" & 1-1/4" (19 & 32mm)
DELIVERY HEAD	:10FT. (3M)
DIMENSION (LxWxH)	:125.5x120x138.9 mm (4.94"x4.73"x5.47")
PACKING	:24pcs/ctn/3.6cuft
WEIGHT	:21kgs/ctn
MIN Q'TY	:24pcs

ORDER NO.	
503-1906011	12V
503-1906012	24V




BILGE PUMPS - S19 SERIES




TMC-02307

MOTOR	:12V / 24V
CAPACITY	:500GPH (1890LPH)
AMP DRAW	:3.5A (12V) / 1.8A (24V)
FUSE SIZE	:4A (12V) / 2A(24V)
HOSE DIA.	:3/4"(19mm)
DELIVERY HEAD	:10FT. (3M)
DIMENSION (LxWxH)	:112.5x106x102 mm (4.43"x4.16"x4.05")
PACKING	:45pcs/ctn/2.87cuft
WEIGHT	:22.9kgs/ctn
MIN Q'TY	:45pcs
ORDER NO.	
503-1905011	12V
503-1905012	24V




TMC-02308

MOTOR	:12V / 24V
CAPACITY	:700GPH (2652LPH)
AMP DRAW	:3.5A (12V) / 1.8A (24V)
FUSE SIZE	:4A (12V) / 2A (24V)
HOSE DIA.	:3/4"(19mm)
DELIVERY HEAD	:10FT. (3M)
DIMENSION (LxWxH)	:112.5x106x100 mm (4.43"x4.16"x4.33")
PACKING	:45pcs/ctn/2.87cuft
WEIGHT	:22.9kgs/ctn
MIN Q'TY	:45pcs
ORDER NO.	
503-1907011	12V
503-1907012	24V



THRUHULL



THRUHULL, PLASTIC

508-05080	1-1/2" x 4"	PACKING :50pcs/ctn/1.52cuft WEIGHT :9.5kgs/ctn
008-050720	1" x 3-1/2"	PACKING :250pcs/ctn/1.67cuft WEIGHT :18.5kgs/ctn
008-050710	3/4" x 3"	PACKING :250pcs/ctn/1.47cuft WEIGHT :10.5kgs/ctn
508-05070	5/8" x 3"	PACKING :200pcs/ctn/1cuft WEIGHT :7.6kgs/ctn
008-050730	1/2" x 3-1/4"	PACKING :200pcs/ctn/0.97cuft WEIGHT :5.6kgs/ctn
008-050740	1-1/4" X 3-5/8"	PACKING :100pcs/ctn/1.68cuft WEIGHT :9.5kgs/ctn
008-050750	1-1/8" X 3-5/8"	PACKING :100pcs/ctn/0.77cuft WEIGHT :6.5kgs/ctn


* For automatic operation please refer to p14-15

HANDY PUMPS




TMC-03305

MOTOR	:12V / 24V
CAPACITY	:1000GPH (3786LPH)
AMP DRAW	:4A (12V) / 2.5A (24V)
FUSE SIZE	:6A (12V) / 4A(24V)
HOSE DIA.	:1-1/8" & 3/4"(29 & 19mm)
DELIVERY HEAD	:8FT. (2.4M)
DIMENSION (LxWxH)	:107x88x165 mm (4.19"x3.46"x6.49")
PACKING	:24pcs/ctn/2.13cuft
WEIGHT	:26.3kgs/ctn
MIN Q'TY	:24pcs
ORDER NO.	
503-0810011	12V
503-0810012	24V




TMC-03608

MOTOR	:12V / 24V
CAPACITY	:1750GPH (6624LPH)
AMP DRAW	:10A (12V) / 5A (24V)
FUSE SIZE	:15A (12V) / 7A(24V)
HOSE DIA.	:1-1/8" (29mm)
DELIVERY HEAD	:13FT. (4M)
DIMENSION (LxWxH)	:140x121x194 mm (5.52"x4.74"x7.64")
PACKING	:12pcs/ctn/2.45cuft
WEIGHT	:21.4kgs/ctn
MIN Q'TY	:12pcs
ORDER NO.	
503-0817011	12V
503-0817012	24V



TMC-06605

MOTOR	:12V / 24V
CAPACITY	:2500GPH (9462LPH)
AMP DRAW	:18A (12V) / 9 (24V)
FUSE SIZE	:27A (12V) / 13A(24V)
HOSE DIA.	:1-1/4" & 1-1/8" (32 & 29mm)
DELIVERY HEAD	:13FT. (4M)
DIMENSION (LxWxH)	:157x132x239.2 mm (6.18"x5.2"x9.42")
PACKING	:6pcs/ctn/1.42cuft
WEIGHT	:18.6kgs/ctn
MIN Q'TY	:6pcs
ORDER NO.	
503-0825011	12V
503-0825012	24V



* For automatic operation please refer to p14-15

BILGE PUMPS - T02 SERIES




TMC-0230Z

MOTOR	:12V / 24V
CAPACITY	:400GPH (1512 LPH)
AMP DRAW	:3A (12V) / 1.8A (24V)
FUSE SIZE	:4A (12V) / 2A(24V)
HOSE DIA.	:3/4" (19mm)
DELIVERY HEAD	:12.5FT. (3.8M)
DIMENSION (LxWxH)	:102.5x81x134.5 mm (4.04"x3.19"x5.3")
PACKING	:40pcs/ctn/2.48cuft
WEIGHT	:22.8kgs/ctn
MIN Q'TY	:40pcs

ORDER NO.

503-0204011	12V
503-0204012	24V




TMC-0330Z

MOTOR	:12V / 24V
CAPACITY	:600GPH (2274 LPH)
AMP DRAW	:4A (12V) / 2.5A (24V)
FUSE SIZE	:5A (12V) / 4A(24V)
HOSE DIA.	:3/4" (19mm)
DELIVERY HEAD	:13.2FT. (4M)
DIMENSION (LxWxH)	:114x88x135 mm (4.49"x3.46"x5.31")
PACKING	:24pcs/ctn/1.64cuft
WEIGHT	:16.8kgs/ctn
MIN Q'TY	:24pcs

ORDER NO.

503-0206011	12V
503-0206012	24V




TMC-0360Z

MOTOR	:12V / 24V
CAPACITY	:1400GPH (5298 LPH)
AMP DRAW	:7A (12V) / 3A (24V)
FUSE SIZE	:10A (12V) / 4A(24V)
HOSE DIA.	:1-1/8" (29mm)
DELIVERY HEAD	:9FT. (2.7M)
DIMENSION (LxWxH)	:144.3x120.5x164.5 mm (5.68"x4.74"x6.48")
PACKING	:12pcs/ctn/1.85cuft
WEIGHT	:17.6kgs/ctn
MIN Q'TY	:12pcs

ORDER NO.

503-0214011	12V
503-0214012	24V




TMC-06601

MOTOR	:12V / 24V
CAPACITY	:2300GPH (8706 LPH)
AMP DRAW	:13A (12V) / 6A (24V)
FUSE SIZE	:20A (12V) / 8A(24V)
HOSE DIA.	:1-1/4" (32mm)
DELIVERY HEAD	:11.80FT(3.60M)
DIMENSION (LxWxH)	:166x132x195 mm (6.54"x5.2"x7.68")
PACKING	:6pcs/ctn/1.51cuft
WEIGHT	:15kgs/ctn
MIN Q'TY	:6pcs

ORDER NO.

503-0223011	12V
503-0223012	24V




* For automatic operation please refer to p14-15

BILGE PUMPS - T02 SERIES




TMC-03603

MOTOR	:12V / 24V
CAPACITY	:1750GPH (6624 LPH)
AMP DRAW	:10A (12V) / 5A (24V)
FUSE SIZE	:15A (12V) / 7A(24V)
HOSE DIA.	:1-1/8" (29mm)
DELIVERY HEAD	:13.5FT. (4.1M)
DIMENSION (LxWxH)	:144.3x120.5x164.5 mm (5.68"x4.74"x6.48")
PACKING	:12pcs/ctn/1.85cuft
WEIGHT	:18.5kgs/ctn
MIN Q'TY	:12pcs
ORDER NO.	
503-0217011	12V
503-0217012	24V




TMC-0360901

MOTOR	:12V / 24V
CAPACITY	:1100GPH (4164 LPH)
AMP DRAW	:7.4A (12V) / 3.3A (24V)
FUSE SIZE	:15A (12V) / 6A(24V)
HOSE DIA.	:1" (25mm)
DELIVERY HEAD	:10FT. (3M)
DIMENSION (LxWxH)	:151x105.5x168 mm (5.94"x4.15"x6.61")
PACKING	:12pcs/ctn/2.45cuft
WEIGHT	:20.2kgs/ctn
MIN Q'TY	:12pcs
ORDER NO.	
503-0211011	12V
503-0211012	24V



TMC-0360311

MOTOR	:12V / 24V
CAPACITY	:1500GPH (5676 LPH)
AMP DRAW	:10A (12V) / 5A (24V)
FUSE SIZE	:12A (12V) / 7A(24V)
HOSE DIA.	:1-1/8" (29mm)
DELIVERY HEAD	:10FT. (3M)
DIMENSION (LxWxH)	:178.5x119.3x191.5 mm (7.03"x4.7"x7.54")
PACKING	:12pcs/ctn/2.45cuft
WEIGHT	:22.6kgs/ctn
MIN Q'TY	:12pcs
ORDER NO.	
503-0215031	12V
503-0215032	24V



* For automatic operation please refer to p14-15

BILGE PUMPS - T01 SERIES



TMC-02301



MOTOR	:12V / 24V
CAPACITY	:400GPH (1514 LPH)
AMP DRAW	:3A (12V) / 2A (24V)
FUSE SIZE	:4A (12V) / 2.5A(24V)
HOSE DIA.	:3/4" (19mm)
DELIVERY HEAD	:12.5FT. (3.8M)
DIMENSION (LxWxH)	:108.2x89.5x106.5 mm (4.26"x3.52"x4.19")
PACKING	:40pcs/ctn/1.98cuft
WEIGHT	:20.9kgs/ctn
MIN Q'TY	:40pcs

ORDER NO.

503-0104011	12V
503-0104012	24V

COMES WITH MOUNTING BRACKET

503-0104021	12V
503-0104022	24V



TMC-02303


MOTOR	:12V / 24V
CAPACITY	:300GPH (1135 LPH)
AMP DRAW	:2A (12V) / 1A (24V)
FUSE SIZE	:3A (12V) / 1.5A (24V)
HOSE DIA.	:3/4" (19mm)
DELIVERY HEAD	:12.5FT.(3.8M)
DIMENSION (LxWxH)	:92.5x66x97.5 mm (3.64"x2.6"x3.84")
PACKING	:48pcs/ctn/1.74cuft
WEIGHT	:16kgs/ctn
MIN Q'TY	:48pcs

ORDER NO.

503-0103011	12V
503-0103012	24V

COMES WITH MOUNTING BRACKET

503-0103021	12V
503-0103022	24V



TMC Float Switches for Purchasing Options / Safety Protector Panel



TMC-08121
Order No. 502-8101011



TMC-0812202
Order No. 502-8102020



TMC-0812201
Order No. 502-8102010




TMC-0240301
Order No. 502-2403011 12V
502-2403012 24V

Caution:


- For bilge pumps that draws current above 10A, this float switch must be used in combination with - TMC panel switch model: 0240301 (sold separately).
- For bilge pumps that draws current below or equal 10A, TMC panel switch is optional for better protection.

BILGE PUMPS - T01 SERIES



TMC-03301

MOTOR	:12V / 24V
CAPACITY	:600GPH (2271 LPH)
AMP DRAW	:4A (12V) / 2.7A (24V)
FUSE SIZE	:6A (12V) / 4A(24V)
HOSE DIA.	:3/4" (19mm)
DELIVERY HEAD	:10FT. (3M)
DIMENSION (LxWxH)	:120.1x98x123 mm (4.73"x3.86"x4.84")
PACKING	:24pcs/ctn/1.64cuft
WEIGHT	:15.9kgs/ctn
MIN Q'TY	:24pcs
ORDER NO.	
503-0106011	12V
503-0106012	24V



TMC-03601


MOTOR	:12V / 24V
CAPACITY	:1400GPH (5299 LPH)
AMP DRAW	:7A (12V) / 3A (24V)
FUSE SIZE	:10A (12V) / 4A(24V)
HOSE DIA.	:1-1/8" (29mm)
DELIVERY HEAD	:9FT. (2.7M)
DIMENSION (LxWxH)	:149.1x129.5x163.5 mm (5.87"x5.1"x6.44")
PACKING	:12pcs/ctn/1.85cuft
WEIGHT	:16.6kgs/ctn
MIN Q'TY	:12pcs
ORDER NO.	
503-0114011	12V
503-0114012	24V

BATTERY SWITCH




TMC-02401

RATED AT 175A CONTINUOUS DUTY AT 12V, INTERMITTENT 300A.
USE WITH 6V-32V SYSTEMS.
5-1/2" DIA. ABS HOUSING W/ BRASS TERMINALS AND COPPER WASHERS
PACKING :24pcs/ctn/1.59 cuft
WEIGHT :10.2kgs/ctn
MIN Q'TY :24pcs
ORDER NO. 502-2401010



TMC-02402


RATED AT 175A CONTINUOUS DUTY AT 12V, INTERMITTENT 300A.
USE WITH 6V-32V SYSTEMS.
5-1/2" DIA. BAKELITE HOUSING W/ BRASS TERMINALS AND COPPER WASHERS
PACKING :24pcs/ctn/2.62 cuft
WEIGHT :18.6kgs/ctn
MIN Q'TY :24pcs
ORDER NO. 502-2402010



* For automatic operation please refer to p14-15

FLOAT SWITCH


NEW
PRODUCT



TMC-08123

- AUTOMATIC FLOAT SWITCH TO WORK WITH BILGE PUMPS DRAWING MAX.22A
- BUILT-IN MICRO SWITCH WITHOUT MERCURY
- CAN BE USED WITH DC-12V AND 24V SYSTEM


PACKING: 36pcs/ctn/1.34cuft/8.2kgs
ORDER NO. 502-810105000



TMC-08121

- AUTOMATIC FLOAT SWITCH TO WORK WITH BILGE PUMPS DRAWING UNDER 10 AMP.
- BUILT-IN MICRO SWITCH WITHOUT MERCURY.
- CAN BE USED WITH DC-12V AND 24V SYSTEM.

PACKING: 36pcs/ctn/1.34cuft/8.2kgs
ORDER NO. 502-8101011



TMC-0812202

- AUTOMATIC FLOAT SWITCH TO WORK WITH BILGE PUMPS DRAWING UNDER 10 AMP.
- BUILT-IN MICRO SWITCH WITHOUT MERCURY.
- CAN BE USED WITH DC-12V AND 24V SYSTEM.

PACKING: 36pcs/ctn/1.34cuft/8.2kgs
MIN Q'TY: 36pcs
ORDER NO. 502-8102020



TMC-0812201

AUTOMATIC SWITCH COMES WITH TRANSPARENT, HIGH-IMPACT RESISTANT GUARD OVER AGAINST DEBRIS AND JAMMING. PACKING: 24pcs/ctn/3.34cuft/14.9kgs
MIN Q'TY: 24pcs
ORDER NO. 502-8102010

SAFETY PROTECTOR PANEL



TMC-0240301

SAFETY PROTECTOR PANEL

- OPERATED BY 3-WAY ROCKER SWITCH (MANUAL, OFF, AUTOMATIC) TO CONTROL AND PROTECT ANY PUMP WORK WITH AN AUTOMATIC FLOAT SWITCH.
- EQUIPPED WITH A BUILT-IN RELAY THAT TAKES CURRENT UP TO 40 AMP. TO PREVENT IMPACT OF INTERMITTENT HIGH CURRENT.
- INTERCHANGEABLE FUSES FOR OPTIONS AND EASY REPLACEMENT.

PACKING: 36pcs/ctn/2.6cuft/17.8kgs

MIN Q'TY: 36pcs

ORDER NO.

502-2403011 12V C/W FUSE CASE: 5-10-15-20-25-30A ONE PIECE EACH.

502-2403012 24V C/W FUSE CASE: 5-10-15A TWO PIECES EACH.

COMPLETE PUMP PROTECTOR SET FULLY AUTOMATIC SYSTEM



TMC-0812205

TOTAL SOLUTION TO COMPLETE TMC PUMPS FOR THE FULLY AUTOMATIC SYSTEM.

PACKAGE INCLUDES FLOAT SWITCH WITH GUARD - MERCURY FREE, PANEL SWITCH WITH BUILT-IN RELAY AND TWO BOXES OF FUSES WITH VARIOUS AMPS. AVAILABLE IN DC12V AND DC24V SYSTEM.

PACKING: 12pcs/ctn/3.34cuft/15.4kgs


MIN Q'TY: 12pcs

ORDER NO.

502-8102041 12V

502-8102042 24V


WIRING DIAGRAM



Caution:

- For bilge pumps that draws current above 10A, this float switch must be used in combination with - TMC panel switch model: 0240301 (sold separately).
- For bilge pumps that draws current below or equal 10A, TMC panel switch is optional for better protection.

CARAVAN PUMPS




TMC-04301

CARAVAN PUMP

MOTOR	:12V / 24V
CAPACITY	:100GPH (378LPH)
AMP DRAW	:2A (12V) / 1A (24V)
FUSE SIZE	:3A (12V) / 1.5A (24V)
HOSE DIA.	:3/8" (10mm)
DELIVERY HEAD	:16FT. (5M)
DIMENSION (LxWxH)	:40.2x34x103.5 mm (1.58"x1.33"x4.07")
PACKING	:100pcs/ctn/1.69cuft
WEIGHT	:18.3kgs/ctn
MIN Q'TY	:100pcs

ORDER NO.

503-4300011 12V
503-4300012 24V



TMC-04302

CARAVAN PUMP

MOTOR	:12V / 24V
CAPACITY	:160GPH (606LPH)
AMP DRAW	:2.5A (12V) / 1A (24V)
FUSE SIZE	:4A (12V) / 1.5A (24V)
HOSE DIA.	:5/16" & 3/8" (8 & 10mm)
DELIVERY HEAD	:15FT. (4.6M)
DIMENSION (LxWxH)	:54.5x54.5x105 mm (2.15"x2.15"x4.14")
PACKING	:100pcs/ctn/1.69cuft
WEIGHT	:18.3kgs/ctn
MIN Q'TY	:100pcs

ORDER NO.

503-4300041 12V
503-4300042 24V



DIAPHRAGM PUMP WASHING KITS

**NEW
PRODUCT**



TMC-36503

DIAPHRAGM PUMP WASHING KIT

- SUITABLE FOR WATER TRANSFER, DECK SHOWER, DECK WASH OR FISH BOX CLEARING
- SELF-PRIMING 4.3 GPM (16.3 LPM) DIAPHRAGM PRESSURE PUMP 40 PSI
- BUILT-IN THERMAL OVERLOAD PROTECTION
- BUILT-IN CHECK VALVE TO PREVENT BACKFLOW
- CAN BE RUN DRY
- C/W PUMP, STRAINER, PORT FITTINGS (1/2"; 13MM), TRIGGER W/ ADJUSTABLE JET & LOCKABLE LEVER, AND 7M (25 FT.) SPRING COILED HOSE

MOTOR	:DC-12V / 24V
CAPACITY	:16.3 LPM (4.3 GPM)
AMP DRAW	:6A (12V) / 3A (24V)
FUSE SIZE	:15A (12V) / 8A (24V)
PRESSURE	:20 PSI / 1.4 BAR (CUT-IN; ON) 40PSI / 2.8 BAR (CUT-OUT; OFF)
PACKING	:4pcs/ctn/2.04cuft
WEIGHT	:17.1kgs/ctn

ORDER NO.

503-650301100 12V

503-650301200 24V

TMC-36501

WATER PRESSURE PUMP (REF. P21 FOR MORE DETAILS)

ORDER NO.

503-650101100 12V

503-650101200 24V

TMC-436501

STRAINER ONLY WITHOUT PORT FITTINGS

ORDER NO.

504-036500100

TMC-436515

TRIGGER W/ ADJUSTABLE JET & LOCKABLE LEVER

ORDER NO. 504-036501500

TMC-436516

SPRING COILED HOSE, 7M (25 FT.) LONG

ORDER NO. 504-036501600

TMC-436517

PORT FITTINGS FOR TMC-436516

ORDER NO. 504-036501700

AERATOR PUMPS



MULTI-PURPOSE AERATOR PUMP KIT

AERATOR CAN BE USED IN ANY COOLER, BAIT BUCKET OR LIVE WELL WITH A NON-POROUS SURFACE THAT IS FREE OF GREASE AND SAND WHERE SUCTION CUPS ARE TO BE MOUNTED.

TMC-02305


AERATOR PUMP

MOTOR	:12V
CAPACITY	:250GPH (948LPH)
AMP DRAW	:2A (12V)
FUSE SIZE	:3A (12V)
DELIVERY HEAD	:3.28FT (1.0M)
DIMENSION (LxWxH)	:129.8x75x298.7 mm (5.11"x2.95"x11.67")
PACKING	:24pcs/ctn/3.06cuf
WEIGHT	:15kgs/ctn
MIN Q'TY	:24pcs

ORDER NO.

503-1000031

12V



TMC-02306

AERATOR PUMP

MOTOR	:12V
CAPACITY	:450GPH (1704LPH)
AMP DRAW	:2.5A (12V)
FUSE SIZE	:3A (12V)
HOSE DIA.	:3/4" (19mm)
DELIVERY HEAD	:10FT. (3M)

DIMENSION (LxWxH)	:126.8x75x298.7 mm (4.99"x2.95"x11.67")
PACKING	:16pcs/ctn/3.56cuf
WEIGHT	:14.3kgs/ctn
MIN Q'TY	:16pcs

ORDER NO.

503-1004011

12V



TMC-00201

SPECIAL FEATURES


- WATERTIGHT AIR PUMP
- DC 3V
- LOW CURRENT MOTOR (1/3 AMP.)
- POWERED ON TWO ALKALINE "D" BATTERIES
- NEOPRENE WATER TIGHT SEALS
- WATERPROOF SWITCH
- S.S. ADJUSTABLE ATTACHMENT CLIP
- WEIGHTED AIR STONE WITH 30" AIR TUBE
- PACKING: 24pcs/ctn/0.86 cuf

MOTOR	:3V
DIMENSION (LxWxH)	:160x103x55 mm (6.3"x4.05"x2.17")
PACKING	:24pcs/ctn/2.15cuf
WEIGHT	:9.2kgs/ctn
MIN Q'TY	:24pcs

ORDER NO.

503-1000010

3V



GALLEY PUMP



TMC-06301

GALLEY PUMP COMPLETE WITH TAP, MOUNTING CLAMP

MOTOR	:12V / 24V
CAPACITY	:100GPH (378LPH)
AMP DRAW	:1.5A (12V) / 0.7A (24V)
FUSE SIZE	:2A (12V) / 1A (24V)
HOSE DIA.	:3/8" (10mm)
DELIVERY HEAD	:6.6FT. (2M)
DIMENSION (LxWxH)	:57.5x67.3x115 mm (2.26"x2.65"x4.53")
PACKING	:40pcs/ctn/2.52cuft
WEIGHT	:22.4kgs/ctn
MIN Q'TY	:40pcs

ORDER NO.

503-6300051 12V

503-6300052 24V



TMC-06302


GALLEY PUMP WITH MOUNTING CLAMP

PACKING	:50pcs/ctn/0.97cuft
WEIGHT	:15.7kgs/ctn
MIN Q'TY	:50pcs

ORDER NO.

503-6300021 12V

503-6300022 24V



IN-LINE PUMP



TMC-0430107


- NON-SELF PRIMING CENTRIFUGAL PUMP
- LIGHT-WEIGHTED TO SUSPEND IN THE PIPEWORK
- SONIC-WELDED SUBMERSIBLE UNIT
- INTERMITTENT OPERATION DESIGN
- DC-12V / 24V AVAILABLE

MOTOR	:12V / 24V
CAPACITY	:280GPH (1060 LPH)
AMP DRAW	:3A (12V) / 1.5A (24V)
FUSE SIZE	:5A (12V) / 2A (24V)
HOSE DIA.	:1/2" (13mm)
DELIVERY HEAD	:23.1FT. (7M)
DIMENSION (LxWxH)	:42.8x40.2x136.6 mm (1.69"x1.58"x5.38")
PACKING	:60pcs/ctn/1.04cuft
WEIGHT	:12.3kgs/ctn
MIN Q'TY	:60pcs

ORDER NO.

503-4300061 12V

503-4300062 24V



HAND GALLEY PUMP




TMC-71602

HAND GALLEY PUMP WITH BUILT-IN CHECK VALVE
CHROME-PLATED DIE CAST TOP WITH BODY

CAPACITY	:60GPH (228LPH)
HOSE DIA.	:3/8" (10mm)
DIMENSION (LxWxH)	:166.2x98.5x259 mm (6.54"x3.88"x10.2")
PACKING	:20pcs/ctn/2.49cuf
WEIGHT	:12.6kgs/ctn
MIN Q'TY	:20pcs

ORDER NO

503-7000030



TMC-7162RK

REPLACEMENT SELF-PRIMING UNIT

ORDER NO.

504-0301013

FOOT PUMP



TMC-70701

DIAPHRAGM FOOT PUMP

SELF-PRIMING & DOUBLE ACTING.

CAPACITY :240GPH (908LPH)

HOSE DIA. : 1/2" (13mm)

DIMENSION :236.8x152.6x123.5 mm

(LxWxH) (9.32"x6"x4.86")

PACKING :12pcs/ctn/2.31cuft/15.5kgs



MIN Q'TY :12pcs

ORDER NO. 503-7000010


TMC-707RK

DIAPHRAGM REPAIR KITS (DIAPHRAGM+VALVE+JOINTS)


ORDER NO. 504-0301008



Applications:



WATER PUMPS




TMC-06203 WATER PUMP

MOTOR :12V / 24V
CAPACITY :400GPH (1512LPH)
AMP DRAW :8A (12V) / 4A (24V)
FUSE SIZE :15A (12V) / 8A (24V)
HOSE DIA. :1"(25mm)
DELIVERY HEAD :13FT. (4M)

DIMENSION :172x128x97.1 mm
(6.78"x5.04"x3.83")
PACKING :8pcs/ctn/1.26cuft
WEIGHT :22.4kgs/ctn
MIN Q'TY :8pcs

ORDER NO.
503-6204031 12V
503-6204032 24V



TMC-06204 WATER PUMP

MOTOR :12V / 24V
CAPACITY :400GPH (1512LPH)
AMP DRAW :8A (12V) / 4A (24V)
FUSE SIZE :15A (12V) / 8A (24V)
HOSE DIA. :1"(25mm)
EXTERNAL THREAD :3/4" BSPF(W/12TPI)

DELIVERY HEAD :13FT. (4M)
DIMENSION :172x128x97.1 mm
(6.78"x5.04"x3.83")
PACKING :8pcs/ctn/1.26cuft/22.4kgs
MIN Q'TY :8pcs

ORDER NO.
503-6204041 12V
503-6204042 24V



TMC-06211

REPLACEMENT IMPELLER FOR
WATER PUMPS

TMC-06201, 06202, 06203,
06204, 06205

MATERIAL :NBR (NITRIL RUBBER)
HARDNESS :60 $\pm$ 5 $\frac{5}{0}$
THICKNESS :22.1 $\pm$ 0.1mm
IMPELLER DIA :50.7mm

ORDER NO. 504-0362007



TMC-00006


PRESSURE SWITCH
FOR 06201, 06202

PACKING :30pcs/ctn/1.62cuft

WEIGHT :8.2kgs/ctn

ORDER NO. 504-0301006

WATER PUMPS



TMC-06201 WATER PUMP

MOTOR :12V / 24V
CAPACITY :400GPH (1512LPH)
AMP DRAW :8A (12V) / 4A (24V)
FUSE SIZE :15A (12V) / 8A (24V)
HOSE DIA. :1" (25mm)
DELIVERY HEAD :13FT. (4M)
DIMENSION :168.6x120x97.1 mm
(LxWxH) (6.64"x4.73"x3.83")

PACKING :8pcs/ctn/1.26cuft
MIN Q'TY :8pcs
WEIGHT :24.8kgs/ctn

THREAD OPTION 1

Internal thread:1/2"BSPT(w/14TPI)
External thread:3/4"BSPF(w/12TPI)

ORDER NO.

503-6204011 12V
503-6204012 24V


THREAD OPTION 2

Internal thread:1/2"BSPT(w/14TPI)
External thread:3/4"BSPF(w/14TPI)

ORDER NO.

503-6204071 12V
503-6204072 24V

- BSPT:British Standard Pipe Taper Thread
- BSPF/BSPP: British Standard Pipe Parallel Thread
- TPI:Thread per inch




TMC-06202 WATER PUMP WITH PRESSURE SWITCH

MOTOR :12V / 24V
CAPACITY :400GPH (1512LPH)
AMP DRAW :8A (12V) / 4A (24V)
FUSE SIZE :15A (12V) / 8A (24V)
HOSE DIA. :1" (25mm)

DELIVERY HEAD :13FT. (4M)
DIMENSION :168.6x201x97.1 mm
(LxWxH) (6.64"x7.93"x3.83")
PACKING :8pcs/ctn/1.45cuft/26.8kgs
MIN Q'TY :8pcs

ORDER NO.

503-6204021 12V
503-6204022 24V



WATER PUMP

TMC-06202 WIRING DIAGRAM

WATER PUMP WITH PRESSURE SWITCH WHEN
WATER PRESSURE IS LOWER THAN 0.3Kg-cm²
"SWITCH IS ON" ; WATER PRESSURE IS HIGHER
THAN 0.4Kg-cm², "SWITCH IS OFF"

REMARK: WHEN ASSEMBLING THIS PUMP, PLEASE PUT
THE O-RING IN THE PRESSURE CONTROL SWITCH FIRST,
THEN ENCASE THE LOCK-OUT IN AND TURN TIGHTLY.

WATER PRESSURE PUMP



TMC-36501




- 4-CHAMBER DIAPHRAGM DESIGN
- SERVE UP TO 3 - 4 OUTLETS
- SMOOTH CONSTANT FLOW
- BUILT-IN CHECK VALVE TO PREVENT BACKFLOW
- SNAP-IN PORT FITTINGS 1/2"(13MM) INCLUDED
- BUILT-IN THERMAL OVERLOAD PROTECTION
- SELF-PRIMING & CAN BE RUN DRY

MOTOR : 12V / 24V
 CAPACITY : 16.3 LPM (4.3 GPM)
 AMP DRAW : 6A (12V) / 3A (24V)
 FUSE : 15A (12V) / 8A (24V)
 PRESSURE : 20 PSI / 1.4 BAR (CUT-IN; ON) ;
 40 PSI / 2.8 BAR (CUT-OUT; OFF)
 PACKING : 6pcs/ctn/1.03cuft
 WEIGHT : 16.7kgs/ctn

ORDER NO.

503-650101100 12V

503-650101200 24V



INSTALLATION

Fig.1





Fig.2 Installation illustration



WATER INTAKE RINSE PUMP



TMC-36502





- 4-CHAMBER DIAPHRAGM DESIGN
- INTAKE RAW SEA, RIVER OR LAKE WATER FOR FLUSHING
- BUILT-IN CHECK VALVE TO PREVENT BACKFLOW
- SNAP-IN PORT FITTINGS 3/4" (19MM) INCLUDED
- BUILT-IN THERMAL OVERLOAD PROTECTION
- SELF-PRIMING & CAN BE RUN DRY

MOTOR : 12V / 24V
 CAPACITY : 16.3 LPM (4.3 GPM)
 AMP DRAW : 6A(12V) / 3A(24V)
 FUSE : 10A(12V) / 5A(24V)
 PACKING : 6pcs/ctn/0.90cuf
 WEIGHT : 16.7kgs/ctn

ORDER NO.

503-650201100 12V


503-650201200 24V



TMC-436505

1/2" HOSE BARB
STRAIGHT

Order No.
504-036500500



TMC-436507

1/2" HOSE BARB
90° ELBOW


Order No.
504-036500700



TMC-436506

1/2" THREADED
STRAIGHT

Order No.
504-036500600



TMC-436508

1/2" THREADED
90° ELBOW


Order No.
504-036500800



TMC-436509

3/4" HOSE BARB
STRAIGHT

Order No.
504-036500900



TMC-436511

3/4" HOSE BARB
90° ELBOW


Order No.
504-036501100



TMC-436510

3/4" THREADED
STRAIGHT

Order No.
504-036501000



TMC-436512

3/4" THREADED
90° ELBOW

Order No.
504-036501200

TMC-436502 Order No.: 504-036500200

Strainer w/ 1/2" port fittings (barb+threaded, straight+elbow) 1pc each;
Including TMC-436501+436505+ 436506+ 436507+436508

TMC-436503 Order No.: 504-036500300

Strainer w/ 3/4" port fittings (barb+threaded, straight+elbow) 1pc each;
Including TMC-436501+436509+ 436510+ 436511+436512

TMC-436504 Order No.: 504-036500400

Strainer w/ all port fittings (1/2"+3/4", barb+threaded, straight+elbow) 1pc each;
Including TMC-436501+436505+ 436506+ 436507+436508+436509+ 436510+
436511+436512

TMC-436501


Strainer only without port fittings.

Order No.:

504-036500100



WIPER MOTORS



TMC-00301/00302

SELF-PARKING MARINE WIPER MOTOR

WHITE PAINTING COATED HOUSING

SWEEPING ANGLE: 90° / 110°

MOTOR :12V / 24V

AMP DRAW :1.0A (12V) / 0.5A (24V)

FUSE SIZE :1.5A (12V) / 1A (24V)

PACKING :24pcs/ ctn/1.58cuft/21.5kgs


ORDER NO.

502-0310011 (00301) 12V 90°

502-0310012 (00301) 24V 90°

502-0320011 (00302) 12V 110°

502-0320012 (00302) 24V 110°



TMC-00301 COMPLETE WIPER SET (INCLUDING MOTOR, ARM AND BLADE)

TMC-00020

SWEEPING DEGREE 90°; 11" ARM & BLADE

(TMC-00301 + TMC-00007 + TMC-00014)

ORDER NO.

502-0311011 12V

502-0311012 24V

PACKING: 20pcs/ctn/3.00cuft/19.5kgs

TMC-00022

SWEEPING DEGREE 90°; 14" ARM & BLADE

(TMC-00301 + TMC-00008 + TMC-00015)

ORDER NO.

502-0311021 12V

502-0311022 24V

PACKING: 20pcs/ctn/3.00cuft/23.3kgs

TMC-00302 COMPLETE WIPER SET (INCLUDING MOTOR, ARM AND BLADE)

TMC-00019

SWEEPING DEGREE 110°; 11" ARM & BLADE

(TMC-00302 + TMC-00007 + TMC-00014)

ORDER NO.

502-0321011 12V

502-0321012 24V

PACKING: 20pcs/ctn/3.00cuft/19.5kgs

TMC-00021

SWEEPING DEGREE 110°; 14" ARM & BLADE

(TMC-00302 + TMC-00008 + TMC-00015)

ORDER NO.

502-0321021 12V

502-0321022 24V

PACKING: 20pcs/ctn/3.00cuft/23.3kgs

ADJUSTABLE WIPER ARMS (SUS304)

ORDER NO.

508-0500007 (00007) 11" (155m/m to 255m/m)

508-0500008 (00008) 14" (195m/m to 330m/m)

WIPER BLADES (SUS304)


ORDER NO.

508-0500014 (00014) 11"

508-0500015 (00015) 14"



WIPER MOTORS



TMC-00801/00802

SELF-PARKING MARINE WIPER MOTOR
S.S. HOUSING

SWEEPING ANGLE: 90° / 110°

MOTOR :12V / 24V

AMP DRAW :1.0A (12V) / 0.5A (24V)

FUSE SIZE :1.5A (12V) / 1A (24V)

PACKING :30pcs/ctn/1.62cuft/21.4kgs


ORDER NO.

502-0810011 (00801) 12V 90°

502-0810012 (00801) 24V 90°

502-0820011 (00802) 12V 110°

502-0820012 (00802) 24V 110°



TMC-00801 S.S. HOUSING COMPLETE WIPER SET (INCLUDING MOTOR, ARM AND BLADE)

TMC-00024

SWEEPING DEGREE 90°; 11" ARM & BLADE
(TMC-00801 + TMC-00007 + TMC-00014)

ORDER NO.

502-0811011 12V

502-0811012 24V

PACKING: 20pcs/ctn/3.00cuft/19.5kgs

TMC-00026

SWEEPING DEGREE 90°; 14" ARM & BLADE
(TMC-00801 + TMC-00008 + TMC-00015)

ORDER NO.

502-0811021 12V

502-0811022 24V

PACKING: 20pcs/ctn/3.00cuft/23.3kgs

TMC-00802 S.S. HOUSING COMPLETE WIPER SET (INCLUDING MOTOR, ARM AND BLADE)

TMC-00023

SWEEPING DEGREE 110°; 11" ARM & BLADE
(TMC-00802 + TMC-00007 + TMC-00014)

ORDER NO.

502-0821011 12V

502-0821012 24V

PACKING: 20pcs/ctn/3.00cuft/19.5kgs

TMC-00025

SWEEPING DEGREE 110°; 14" ARM & BLADE
(TMC-00802 + TMC-00008 + TMC-00015)

ORDER NO.

502-0821021 12V

502-0821022 24V

PACKING: 20pcs/ctn/3.00cuft/23.3kgs

ADJUSTABLE WIPER ARMS (SUS304)

ORDER NO.

508-0500007 (00007) 11" (155m/m to 255m/m)

508-0500008 (00008) 14" (195m/m to 330m/m)

WIPER BLADES (SUS304)

ORDER NO.

508-0500014 (00014) 11"

508-0500015 (00015) 14"



WIPER MOTORS & ARMS




TMC-00803/00804

WATERPROOF TYPE
SELF-PARKING MARINE WIPER MOTOR
WITH PLASTIC COVER
SWEEPING ANGLE: 90°/ 110°
MOTOR :12V / 24V
AMP DRAW :1.0A (12V) / 0.5A (24V)
FUSE SIZE :1.5A (12V) / 1A (24V)
PACKING :30pcs/ctn/1.87cuft/22.2kgs

ORDER NO.

502-0810021 (00803) 12V 90°
502-0810022 (00803) 24V 90°
502-0820021 (00804) 12V 110°
502-0820022 (00804) 24V 110°




TMC-00603/00604

SELF-PARKING WIPER MOTOR
PLASTIC BLACK COLOR HOUSING.
SWEEPING ANGLE: 90°/ 110°
MOTOR :12V / 24V
AMP DRAW :1.0A (12V) / 0.5A (24V)
FUSE SIZE :1.5A (12V) / 1.0A (24V)
PACKING :30pcs/ctn/1.62cuft/20.2kgs

ORDER NO.

502-0610011 (00603) 12V 90°
502-0610012 (00603) 24V 90°
502-0620011 (00604) 12V 110°
502-0620012 (00604) 24V 110°



ADJUSTABLE WIPER ARMS (SUS304)

ORDER NO.

508-0500007 (00007) 11" (155m/m to 255m/m)
508-0500008 (00008) 14" (195m/m to 330m/m)

WIPER BLADES (SUS304)

ORDER NO.

508-0500014 (00014) 11"
508-0500015 (00015) 14"

TMC-SS11

11" WIPER ARM + BLADE SET
INCLUDING TMC-00007 + TMC-00014
ORDER NO. 508-0501306

TMC-SS14

14" WIPER ARM + BLADE SET
INCLUDING TMC-00008 + TMC-00015
ORDER NO. 508-0501307

HAND WIPER COMPLETE SET



TMC-00033/ 00034

TMC-00033
11" HAND WIPER COMPLETE SET
ORDER NO. 508-0501403

TMC-00034
14" HAND WIPER COMPLETE SET
ORDER NO. 508-0501404



ELECTRONIC WIPER CONTROLLER





TMC-2240501

- WORK WITH TMC-009 SERIES HEAVY DUTY WIPER MOTORS
- CAN BE USED WITH DC-12V AND 24V SYSTEM
- POWER CONSUMPTION: MAX. 4A PER WIPER MOTOR
- FUSE SIZE: 15A
- BASED ON MICROPROCESSOR
- RANGE OF 5 TIMING REGULATIONS
- FROM 1-3 WIPERS CONFIGURATION
- SMART TOUCH PANEL
- LED INTERFACE
- CAN BE SWITCHED ON INDIVIDUALLY OR IN ANY COMBINATION
- SELECTED FUNCTION MODE VISUALIZED BY 5 LED LIGHTS
- RELAY BOX WITH PLUG-IN CABLE

PACKING :36pcs/ctn/1.25cuft

WEIGHT :9.64kgs/ctn

ORDER NO. 502-240501000



SPECIFICATIONS


Key Position	Function	Description
1	Power	On/off
2	Wiper LED lamp	LED on - wiper on LED off - wiper off
3	Single wiper motor key	On/off
4	Time key (go left)	Decrease time interval
5	Time key (go right)	Increase time interval
6	Time key LED lamp	LED on - time key on LED off - time key off

LED State	Time Interval	Operation Mode
+C	Low speed or Fast speed	Continuous
+5	5 Seconds	Intermittent
+10	10 Seconds	Intermittent
+15	15 Seconds	Intermittent
+20	20 Seconds	Intermittent

- When the power is on, LED lamp of key #2 & #6 will be on. The LED lamp state will remain the same as your last operation mode.

INSTALLATIONS

- Cut a square hole by size 58mm x 58mm (2.28" x 2.28")
- Fit for wall thickness between 6mm to 25mm (0.24" - 0.25")



HEAVY-DUTY WIPER MOTORS



TMC-00901

HEAVY-DUTY MARINE WIPER MOTOR

1.0" SHAFT, 2-SPEED, LEFT SELF-PARKING

SHAFT : 1.0"

PRESET SELF PARKING : LEFT


MOTOR : 12V / 24V

STALL TORQUE : 100kg-cm

HIGH SPEED AMP : 1.5A (12V) / 1.0A(24V)

LOW SPEED AMP : 1.0A (12V) / 0.5A (24V)

PACKING : 12pcs/ctn/2.10cuft/18.8kgs



■ SWEEPING DEGREE : 83°-100°-110°-120° INTERCHANGEABLE

ORDER NO. (PRESET: 110°)

502-0920011 12V

502-0920012 24V

■ SWEEPING DEGREE : 60°-70°-80°-90° INTERCHANGEABLE

ORDER NO. (PRESET: 60°)

502-0930041 12V

502-0930042 24V

■ SWEEPING DEGREE : 40°-45°-50°-55° INTERCHANGEABLE

ORDER NO. (PRESET: 45°)

502-0990011 12V

502-0990012 24V



TMC-00902

HEAVY-DUTY MARINE WIPER MOTOR


2.0" SHAFT, 2-SPEED, LEFT SELF-PARKING

SHAFT : 2.0"

THE REST SPECIFICATIONS ARE SAME AS TMC-00901

ORDER TIPS:

- TO EASE YOUR WORKS, PLEASE INDICATE
 - SWEEPING DEGREE
 - SELF PARKING POSITION (LEFT OR RIGHT) WHEN PLACING ORDERS IN ORDER TO DO THE PRESETTING AT OUR FACTORY
- ARMS & BLADES CAN BE FOUND ON PAGE 30



■ SWEEPING DEGREE : 83°-100°-110°-120° INTERCHANGEABLE

ORDER NO. (PRESET: 110°)

502-0920021 12V

502-0920022 24V

■ SWEEPING DEGREE : 60°-70°-80°-90° INTERCHANGEABLE

ORDER NO. (PRESET: 60°)

502-0930071 12V

502-0930072 24V


■ SWEEPING DEGREE : 40°-45°-50°-55° INTERCHANGEABLE

ORDER NO. (PRESET: 45°)

502-0990031 12V

502-0990032 24V

WATERPROOF HEAVY-DUTY WIPER MOTORS



TMC-00905

WATER PROOF TYPE HEAVY-DUTY MARINE WIPER MOTOR
WITH PLASTIC COVER

1.0\"SHAFT, 2-SPEED, LEFT SELF-PARKING

SHAFT : 1.0\"
PRESET SELF PARKING : LEFT
MOTOR : 12V / 24V
STALL TORQUE : 100kg-cm
HIGH SPEED AMP : 1.5A (12V) / 1.0A(24V)
LOW SPEED AMP : 1.0A (12V) / 0.5A (24V)
PACKING : 8pcs/ctn/1.84cuft/14.9kgs

■ SWEEPING DEGREE : 83°-100°-110°-120° INTERCHANGEABLE

ORDER NO. (PRESET: 110°)

502-0920031 12V

502-0920032 24V

■ SWEEPING DEGREE : 60°-70°-80°-90° INTERCHANGEABLE

ORDER NO. (PRESET: 60°)

502-1930011 12V


502-1930012 24V

■ SWEEPING DEGREE : 40°-45°-50°-55° INTERCHANGEABLE

ORDER NO. (PRESET: 45°)

502-1990011 12V

502-1990012 24V



TMC-00906

WATER PROOF TYPE HEAVY-DUTY MARINE WIPER MOTOR
WITH PLASTIC COVER

2.0\"SHAFT, 2-SPEED, LEFT SELF-PARKING

PACKING : 8PCS/CTN/1.86CUFT/15KGS

THE REST SPECIFICATIONS ARE SAME AS TMC-00905

ORDER TIPS:

- TO EASE YOUR WORKS, PLEASE INDICATE
 - SWEEPING DEGREE
 - SELF PARKING POSITION (LEFT OR RIGHT) WHEN PLACING ORDERS IN ORDER TO DO THE PRESETTING AT OUR FACTORY
- ARMS & BLADES CAN BE FOUND ON PAGE 30

■ SWEEPING DEGREE : 83°-100°-110°-120° INTERCHANGEABLE

ORDER NO. (PRESET: 110°)

502-0920041 12V

502-0920042 24V

■ SWEEPING DEGREE : 60°-70°-80°-90° INTERCHANGEABLE

ORDER NO. (PRESET: 60°)

502-1930031 12V

502-1930032 24V

■ SWEEPING DEGREE : 40°-45°-50°-55° INTERCHANGEABLE

ORDER NO. (PRESET: 45°)

502-1990031 12V

502-1990032 24V

SCREW-ON HEAVY DUTY WIPER MOTOR



TMC-0091101

SCREW-ON TYPE HEAVY-DUTY MARINE WIPER MOTOR

2-1/3" SHAFT, 2-SPEED, LEFT SELF-PARKING

SHAFT	: 2.-1/3"
PRESET SELF PARKING	: LEFT
MOTOR	: 12V / 24V
STALL TORQUE	: 100kg-cm
HIGH SPEED AMP	: 1.5A (12V) / 1.0A(24V)
LOW SPEED AMP	: 1.0A (12V) / 0.5A (24V)
PACKING	: 12pcs/ctn/1.99cuft/18.8kgs

ORDER TIPS:

- TO EASE YOUR WORKS, PLEASE INDICATE
 - SWEEPING DEGREE
 - SELF PARKING POSITION (LEFT OR RIGHT) WHEN PLACING ORDERS IN ORDER TO DO THE PRESETTING AT OUR FACTORY

■ SWEEPING DEGREE : 83°-100°-110°-120° INTERCHANGEABLE

ORDER NO. (PRESET: 83°)

502-0920061 12V 502-0920062 24V

■ SWEEPING DEGREE : 60°-70°-80°-90° INTERCHANGEABLE


ORDER NO. (PRESET: 60°)

502-2930011 12V 502-2930012 24V

■ SWEEPING DEGREE : 40°-45°-50°-55° INTERCHANGEABLE

ORDER NO. (PRESET: 45°)

502-2990011 12V 502-2990012 24V



ADJUSTABLE WIPER ARMS

FOR USE WITH SCREW-ON TYPE WIPER MOTOR TMC-0091101 ONLY.

SINGEL ADJUSTABLE WIPER ARM (SS304) FOR TMC-0091101 SCREW-ON WIPER MOTOR ONLY.

ORDER NO.

508-0500009H (00009H) 11" (220mm-300mm)

508-0500010H (00010H) 14" (270mm-365mm)

508-0500047H (00047H) 16" (330mm-425mm)



00009H 00010H 00047H

PARALLEL ADJUSTABLE WIPER ARMS (SS304) FOR TMC-0091101 SCREW-ON WIPER MOTOR ONLY.

ORDER NO.

508-0500011H (00011H) 14" (270mm-365mm)

508-0500012H (00012H) 16" (330mm-425mm)

508-050101-21H (0101-21H) 22" (470mm-550mm)



00011H 00012H 0101-21H

TMC-0091101
SCREW-ON HD
WIPER MOTOR



BRACKET FOR PARALLEL WIPER ARMS FOR TMC-0091101 SCREW ON TYPE ONLY.

ORDER NO.


508-0501502 (00013H)



00013H

HEAVY-DUTY ADJUSTABLE WIPER ARMS & BLADES


- FOR USE WITH TMC-00901,00902, 00905 & 00906 HEAVY DUDY WIPER MOTORS, EXCEPT SCREW ON TYPE TMC-0091101.
- STAINLESS STEEL (SS304) ADJUSTABLE WIPER ARMS.
- ARM HAS ARTICULATING / BEND-BACK FEATURE.



SINGEL ADJUSTABLE WIPER ARM (SS304)

ORDER NO.


508-00009A (00009A) 9-1/4" ~ 12-3/8" (235mm~315mm)
508-00009LA (00009LA) 11-1/4" ~ 15" (285mm~380mm)



SINGEL ADJUSTABLE WIPER ARM (SS304)

ORDER NO.

508-00010A (00010A) 11-1/4" ~ 15" (285mm~380mm)
508-0501304A (0501304A) 13-1/2" ~ 17-3/8" (345mm~440mm)



PARALLEL ADJUSTABLE WIPER ARMS (SS304)

ORDER NO.

508-00011A (00011A) 11-1/4" ~ 15" (285mm~380mm)
508-00012A (00012A) 13-1/2" ~ 17-3/8" (345mm~440mm)
508-0101-18A (0101-18A) 16-3/8" ~ 19-1/2" (415mm~495mm)
508-0101-21A (0101-21A) 19-1/2" ~ 22-5/8" (495mm~575mm)

BRACKET FOR PARALLEL WIPER ARMS

ORDER NO.

508-0501501 (00013)




HEAVY DUTY WIPER BLADES



00016 00017 00018

(SUS 304)



011BP-12 011BP-14 011BP-16

(Black Plastic)

HEAVY-DUTY WIPER BLADES

FOR TMC-00901/00902, 00905/00906 & 0091101

ORDER NO.

(SUS 304)

508-0500016 (00016) 11" SUS304
508-0500017 (00017) 14" SUS304
508-0500018 (00018) 16" SUS304

(Black Plastic)

508-05011BP-12 (011BP-12) 12" BLACK PLASTIC
508-05011BP-14 (011BP-14) 14" BLACK PLASTIC
508-05011BP-16 (011BP-16) 16" BLACK PLASTIC
508-05011BP-18 (011BP-18) 18" BLACK PLASTIC

ELECTRIC GEAR PUMP



TMC-6010101

SELF-PRIMING, BRONZE GEAR
PUMPING ELEMENTS INSIDE
MOTOR :12V / 24V
AMP DRAW :15A (12V) / 8A (24V) FOR
GENERAL LIQUID
FUSE SIZE :35A (12V) / 15A (24V)
HOSE DIA :5/8" (16mm)

DIMENSION :161.6x183.5x171.5 mm
(LxWxH) (6.36"x7.22"x6.75")
PACKING :6pcs/ctn/1.69cuft
WEIGHT :28kgs/ctn
MIN Q'TY :6pcs

ORDER NO.
503-6004011 12V
503-6004012 24V

PERFORMANCE FOR ENGINE OIL

Engine Oil Type	Voltage	Amp	Fuse	Capacity		Self-priming(wet) Vertical Lift	Self-priming(Dry) Vertical Lift
				LPH	GPH		
SAE 10W/40	12V	22.5A	35A	999	264	2.5M (8.2FT)	0.8M (2.6FT)
SAE 15W/40	12V	28.0A	35A	868	229	2.5M (8.2FT)	0.8M (2.6FT)
SAE 20W/50	12V	27.5A	35A	700	185	2.5M (8.2FT)	0.8M (2.6FT)

Caution: Do not use where flammable vapor are present.

PORTABLE ELECTRIC OUTBOARD MOTOR FLUSHER



TMC-06207

MOTOR :12V
CAPACITY :400GPH (1512LPH)
AMP DRAW :12A
FUSE SIZE :20A
DELIVERY HEAD :32.5FT.(10M)
DIMENSION :430x180x260 mm
(LxWxH) (16.93"x7.09"x10.24")
PACKING :3pcs/ctn/3.08cuft
MIN Q'TY :3pcs
WEIGHT :20.4kgs/ctn
ORDER NO.
503-6204061 12V



MOTOR FLUSHER ACCESSORIES



008-06190 ROUND CUPS MOTOR FLUSHER
008-06191 ROUND CUPS, HEAVY DUTY, DUAL FLOW, MOTOR FLUSHER
008-06192 RECTANGULAR CUPS, HEAVY DUTY, DUAL FLOW MOTOR FLUSHER
508-0619001= 008-06190 + 3/4" BSP ADAPTER
508-0619101= 008-06191 + 3/4" BSP ADAPTER
508-0619201= 008-06192 + 3/4" BSP ADAPTER

12V POWER TILT / TRIM MOTOR / RESERVOIR / PUMP UNIT



TMC-6010501

- 12V 3-WIRE POWER TRIM / TILT HYDRAULIC PUMP UNIT
- COME WITH PUMP / MOTOR / LEFT SIDE FILL RESERVOIR
- PUMP COMES WITH A GEAR SET, LOW FLOW / HIGH CAPACITY

DIMENSION :172.8x150.8x274.1mm

(LxWxH) (6.8"x5.94"x10.79")

PACKING :4pcs/ctn/1.60cuft

WEIGHT :18.8kgs/ctn

MIN Q'TY :4pcs

ORDER NO. 502-600602100



TMC-00060

- 12V 3-WIRE TILT / TRIM MOTOR

DIMENSION :95.8x95.8x176.3mm

(LxWxH) (3.77"x3.77"x6.94")

PACKING :6pcs/ctn/0.58cuft

WEIGHT :19.7kgs/ctn

MIN Q'TY :6pcs

ORDER NO. 504-0260004

HYDRAULIC VALVE BODY & LEFT SIDE FILL RESERVOIR



TMC-00062

- HYDRAULIC VALVE BODY & LEFT SIDE RESERVOIR
- PORT SIZES ARE 1/8" NPT
- COMES WITH STAINLESS STEEL FITTINGS

DIMENSION :172.8x150.8x127.7mm

(LxWxH) (6.8"x5.94"x5.03")

PACKING :12pcs/ctn/1.88cuft

WEIGHT :15.4kgs/ctn

MIN Q'TY :12pcs

ORDER NO. 504-0260002



TMC-00063

- HDPE LEFT SIDE FILL OIL RESERVOIR
- 4 SCREW MOUNT
- SUPPLIED WITH O-RING, FILL CAP WITH SCREEN

DIMENSION :172.8x150.8x101mm

(LxWxH) (6.8"x5.94"x3.98")


PACKING :24pcs/ctn/2.92cuft

WEIGHT :9.3kgs/ctn

MIN Q'TY :24pcs

ORDER NO. 504-0260001

BILGE BLOWERS




TMC-0370201

BILGE BLOWER WITH BRACKET

MOTOR :12V / 24V
AIR :90CFM (2.53CMM)
AMP DRAW :3A (12V) / 1.5A (24V)
FUSE SIZE :4A (12V) / 2A (24V)
INTAKE PIPE :3" (76mm)

DIMENSION :188x143x160mm
(LxWxH) (7.41"x5.63"x6.29")
PACKING :12pcs/ctn/2.62cuft
MIN Q'TY :12pcs
WEIGHT :10.6kgs/ctn

ORDER NO.
502-3702021 12V
502-3702022 24V
502-3702011 12V BLOWER ONLY (90 CFM)
502-3702012 24V BLOWER ONLY (90 CFM)
504-0237001 MOUNTING CLAMP & COLLAR SET



TMC-0370203

BILGE BLOWER WITH BRACKET

MOTOR :12V / 24V
AIR :130CFM (3.67CMM)
AMP DRAW :5A (12V) / 2.5A (24V)
FUSE SIZE :8A (12V) / 4A (24V)
INTAKE PIPE :3" (76mm)

DIMENSION :188x143x160mm
(LxWxH) (7.41"x5.63"x6.29")
PACKING :12pcs/ctn/2.62cuft
MIN Q'TY :12pcs
WEIGHT :13.2kgs/ctn

ORDER NO.
502-3702041 12V
502-3702042 24V
502-3702031 12V BLOWER ONLY (130 CFM)
502-3702032 24V BLOWER ONLY (130 CFM)
504-0237002 MOUNTING CLAMP & COLLAR SET

VENTILATORS



TMC-72001 VENTILATOR WITH PLASTIC COVER
ORDER NO. 502-7200010, 20pcs/3.28cuft/10.5kgs


TMC-721 PLASTIC COVER ONLY
ORDER NO. 022-0700010

TMC-72002 VENTILATOR WITH S.S. COVER
ORDER NO. 502-7200020, 20pcs/3.28cuft/12.9kgs

TMC-1723 S.S. COVER ONLY
ORDER NO. 023-0700010

TMC-733 VENTILATOR, PLASTIC
195mm(L) x 150mm(W) x 128mm(H)
ORDER NO. 008-01733

IN-LINE BLOWERS




TMC-03703

MOTOR :12V / 24V
AIR :123CFM (3.47CMM)
AMP DRAW :3A (12V) / 1.5A (24V)
FUSE SIZE :4A (12V) / 2A (24V)
INTAKE PIPE :3" (76mm)

DIMENSION :210x135x111.5 mm
(LxWxH) (8.27"x5.31"x4.39")
PACKING :24pcs/ctn/3.91cuft
WEIGHT :15.4kgs/ctn
MIN Q'TY :24pcs

ORDER NO.
502-3701011 12V
502-3701012 24V




TMC-03705

MOTOR :12V / 24V
AIR :230CFM (6.49CMM)
AMP DRAW :10A (12V) / 5A (24V)
FUSE SIZE :15A (12V) / 10A (24V)
INTAKE PIPE :4" (105mm)

DIMENSION :204x152x131 mm
(LxWxH) (8.03"x5.98"x5.16")
PACKING :12pcs/ctn/2.53cuft
WEIGHT :11.9kgs/ctn
MIN Q'TY :12pcs

ORDER NO.
502-3703011 12V
502-3703012 24V

VARIOUS MOUNTING POSITIONS FOR BILGE BLOWERS



MICRO ADJUSTED SPEED CONTROL DC OSCILLATING FAN

**NEW
PRODUCT**



TMC-03405 (DC)


- DC POWERED OSCILLATING FAN
- FIXED WIRE FOR SIMPLE DC OPERATION
- MICRO ADJUSTED SPEED CONTROL
- 7-1/2" PLASTIC FAN GUARD
- SWEEP/TILT/BEND ANGLES CAN BE ADJUSTED
- CAN BE INSTALLED BY SURFACE MOUNT / CEILING MOUNT / WALL MOUNT

MOTOR	:12V/24V
AIR VELOCITY	:100-300 m/min
AIR DISPLACEMENT	:64.4-193.4 CFM
AMP DRAW	:1.2A (12V) / 0.6A (24V)
FUSE SIZE	:2A (12V) / 1A (24V)
DIMENSION (LxWxH)	:182.4x182x267.8mm (7.18"x7.16"x10.54")
PACKING	:12pcs/ctn/6.18cuft
WEIGHT	:14.7kgs/ctn

ORDER NO.


502-340609100 12V

502-340609200 24V



MICRO ADJUSTED SPEED CONTROL DC/AC COMPATIBLE OSCILLATING FAN

**NEW
PRODUCT**



TMC-03406 (DC/AC)

- DC / AC COMPATIBLE OSCILLATING FAN
- IDEAL FOR OUTDOOR & HOME USE
- BUILT-IN AC TO DC CONVERTER
- PLUG-IN TYPE OF WIRE ARRANGEMENT
- 100-240 VAC ADAPTER/PLUG INCLUDED
- DC WIRES INCLUDED
- MICRO ADJUSTED SPEED CONTROL
- LED LIGHT AS POWER INDICATOR
- 7-1/2" PLASTIC FAN GUARD
- SWEEP/TILT/BEND ANGLES CAN BE ADJUSTED
- CAN BE INSTALLED BY SURFACE MOUNT / CEILING MOUNT / WALL MOUNT
- AC PLUG OF CATEGORY "A" & EURO PLUG OF CATEGORY "E" INCLUDED.

MOTOR	:DC-12V
AIR VELOCITY	:100-300 m/min
AIR DISPLACEMENT	:64.4-193.4 CFM
AMP DRAW	:1.2A (12V)
FUSE SIZE	:2A (12V)
DIMENSION (LxWxH)	:182.4x182x267.8mm (7.18"x7.16"x10.54")
PACKING	:12pcs/ctn/6.18cuft
WEIGHT	:14.7kgs/ctn


ORDER NO.

502-340610100 12V


TMC-423402 (OPTION)

CIGARETTE LIGHTER PLUG

ORDER NO. 504-023400200



MACERATOR PUMP



TMC-06205 MACERATOR PUMP

MOTOR :12V / 24V

CAPACITY :700GPH (2646LPH)

AMP DRAW :12A (12V) / 6A (24V)

FUSE SIZE :20A (12V) / 9A (24V)

DELIVERY HEAD :16FT. (5M)

HOSE DIA. :1-1/2"(38mm)—INLET

:1.0" (25mm)—OUTLET

DIMENSION :282.5x119.1x97.1 mm

(LxWxH) (11.13"x4.69"x3.83")

PACKING :6pcs/ctn/1.44cuft/17.9kgs

MIN Q'TY :6pcs

ORDER NO.

503-6207011 12V

503-6207012 24V

DIAPHRAGM HAND PUMP



TMC-71601

DIAPHRAGM HAND PUMP WITH TWO POSITION HANDLE

SELF-PRIMING

CAPACITY :720GPH (2724LPH)

HOSE DIA. :1-1/4" (32mm)

DIMENSION :272.5x140x140 mm

(LxWxH) (10.73"x5.51"x5.51")

PACKING :12pcs/ctn/3.18cuft

WEIGHT :12.4kgs/cnt

MIN Q'TY :12pcs

ORDER NO. 503-7000020

TMC-716D


DIAPHRAGM ONLY

ORDER NO. 721-0140040

TMC-716RK

DIAPHRAGM REPAIR KITS
(DIAPHRAGM+VALVE+JOINTS)

ORDER NO. 504-0301011



VENTED LOOPS



508-0604301

CONNECTIONS FOR 1.0" (25mm) S.S.

508-06SK638

CONNECTIONS FOR 3/4" (19mm) PP



508-06SK639

CONNECTIONS FOR 1-1/2" (38mm) PP

508-06SK642

CONNECTIONS FOR 1" (25.4mm) PP

SHOWER & SINK DRAIN PUMP




TMC-0620911 GREY WASTE PUMP

- SINGLE DIAPHRAGM PUMP SUITABLE FOR GALLEY OR SHOWER GREY WASTE PUMPING.
- SELF-PRIMING PUMP AND CAN BE RUN DRY.
- NON-CHOKE VALVE, NO FILTER REQUIRED.
- CAN PUMP A MIXTURE OF AIR AND WATER.
- ADJUSTABLE CLAMPING RING ALLOWS THE HEAD ASSEMBLY TO BE ROTATED 360° TO ACCOMMODATE PLUMBING POSITION.

MOTOR	:12V / 24V
CAPACITY	:22 LPM
AMP DRAW	:7A (12V) / 3.5A (24V)
FUSE SIZE	:10A (12V) / 5A (24V)
HOSE DIA.	:3/4"(19mm)
DELIVERY HEAD	:65FT (20M)
DIMENSION	:336x168x144mm
(LxWxH)	(13.24"x6.62"x5.69")
PACKING	:6pcs/ctn/2.40cuft
WEIGHT	:24kgs/ctn
MIN Q'TY	:6pcs

ORDER NO.	
503-6209011	12V
503-6209012	24V

TOILET WASTE PUMP




TMC-0620921 BLACK WASTE PUMP

- SINGLE DIAPHRAGM PUMP DESIGNED TO HANDLE UNMACERATED TOILET WASTE / BLACK WATER.
- SELF-PRIMING PUMP AND CAN BE RUN DRY.
- NON-CHOKE VALVE, NO FILTER REQUIRED.
- CAN PUMP A MIXTURE OF AIR AND WATER.
- IN-LINED INLET/OUTLET VALVES TO ALLOW THE FREE FLOW OF DEBRIS.
- DOUBLE OUTLET VALVES TO ENSURE CONTINUOUS FLOW.
- ADJUSTABLE CLAMPING RING ALLOWS THE HEAD ASSEMBLY TO BE ROTATED 360° TO ACCOMMODATE PLUMBING POSITION.

MOTOR	:12V / 24V
CAPACITY	:20 LPM
AMP DRAW	:7A (12V) / 3.5A (24V)
FUSE SIZE	:10A (12V) / 5A (24V)
HOSE DIA.	:1-1/2"(38mm)
DELIVERY HEAD	:55FT(17M)
DIMENSION	:369x168x144mm
(LxWxH)	(14.54"x6.62"x5.69")
PACKING	:6pcs/ctn/2.40cuft
WEIGHT	:24kgs/ctn
MIN Q'TY	:6pcs

ORDER NO.	
503-6209021	12V
503-6209022	24V

ACCESSORIES



TMC-00070

ADAPTER - M39 THREAD, NYLON
FOR TMC-0620921 2pcs/pair
ORDER NO. 504-0362002

TMC-00071

ADAPTER - 1-1/2" (38mm) HOSE BARB, NYLON
FOR TMC-0620921 2pcs/pair
ORDER NO. 504-0362003

TMC-00072

ADAPTER - 3/4" (19mm) HOSE BARB, NYLON
FOR TMC-0620911 2pcs/pair
ORDER NO. 504-0362004


TMC-00073

VAVLE - NBR70" 2pcs/pair
FOR TMC-0620911 & TMC-0620921
ORDER NO. 504-0362005

TMC-00085

DIAPHRAGM
ORDER NO. 504-0362006

CERAMIC SINK WITH NANO TREATMENT



TMC-9910051

- CERAMIC WITH NANOMETER (NANO) TREATMENT, $\phi 9"$ (236mm)
- NANO CERAMIC GLAZE CONTAINS SILVER ION TO SERVE AS ANTI-DIRT & ANTI-BACTERIA PURPOSE (ABBR. "ADB" )
- SURFACE FEATURE: DELICATE SMOOTH, HIGH HARDNESS, FRICTION DURABLE AND CHEMICAL RESISTANT
- CAN BE CLEANED WITH VERY LIMITED TIME AND WATER
- EQUIPPED WITH A PUSH BUTTON SINK SEAL
- COME WITH A METAL BARBED PIPE ADAPTOR, NECK 1" (25.4mm) O.D.

DIMENSION : $\phi 316 \times 239 \text{mm}$
($\phi \text{ D} \times \text{H}$) ($\phi 12.44" \times 9.41"$)
PACKING : 2pcs/ctn/3.16cuft/11.2kgs
WEIGHT : 4.9kgs/ctn
MIN Q'TY : 1pcs

ORDER NO.
502-9910051

MANUAL TOILETS



TMC-29940 (SIZE 99901)

MANUAL MARINE TOILET

W/ SMALL CERAMIC BOWL (SIZE 99901)

W/ COMPACT SLOW-CLOSE SEAT & COVER

FITTING :3/4" (19mm) ID inlet hose

1-1/2"(38mm) ID discharge hose

PACKING :1pc/ctn/3.74cuft


12pcs/wood pallet

WEIGHT :13.5kgs/pc (29.7lbs)

MIN. Q'TY :12pcs/wood pallet/52.99cuft

ORDER NO.

502-994001000



TMC-29941 (SIZE 99903)

MANUAL MARINE TOILET

W/ LARGE CERAMIC BOWL (SIZE 99903)

W/ DELUXE SLOW-CLOSE SEAT & COVER

FITTING :3/4" (19mm) ID inlet hose

1-1/2"(38mm) ID discharge hose

PACKING :1pc/ctn/4.70cuft


12pcs/wood pallet

WEIGHT :16kgs/pc (34.32lbs)

MIN. Q'TY :12pcs/wood pallet/65.38cuft

ORDER NO.

502-9941010000



TMC-29942 (SIZE 99905)

MANUAL MARINE TOILET

W/ SMALL CERAMIC BOWL (SIZE 99905)

W/ COMPACT SLOW-CLOSE SEAT & COVER

W/ ERGONOMIC HAND PUMP DESIGN

FITTING :3/4" (19mm) ID inlet hose

1-1/2"(38mm) ID discharge hose

PACKING :1pc/ctn/4.70cuft


12pcs/wood pallet

WEIGHT :14.2kgs/pc (31.24lbs)

MIN. Q'TY :12pcs/wood pallet/65.38cuft

ORDER NO.

502-994201000



MANUAL TOILETS



TMC-29943 (SIZE 99913)

MANUAL MARINE TOILET

W/ LARGE CERAMIC BOWL (SIZE 99913)

W/ DELUXE SLOW-CLOSE SEAT & COVER

W/ ERGONOMIC HAND PUMP DESIGN

FITTING :3/4" (19mm) ID inlet hose

1-1/2"(38mm) ID discharge hose

PACKING :1pc/ctn/4.70cuft


12pcs/wood pallet

WEIGHT :16kgs/pc (36.3lbs)

MIN. Q'TY :12pcs/wood pallet/65.38cuft

ORDER NO.

502-994301000



TMC-29944 (SIZE 9990103)

MANUAL MARINE TOILET

W/ SMALL CERAMIC BOWL (SIZE 9990103)

W/ COMPACT SLOW-CLOSE SEAT & COVER

W/ ANGLED HAND PUMP DESIGN

FITTING :3/4" (19mm) ID inlet hose

1-1/2"(38mm) ID discharge hose

PACKING :1pc/ctn/3.74cuft


12pcs/wood pallet

WEIGHT :15.2kgs/pc (33.44lbs)

MIN. Q'TY :12pcs/wood pallet/52.99cuft

ORDER NO.

502-994401000



TMC-29945 (SIZE 9990305)

MANUAL MARINE TOILET

W/ LARGE CERAMIC BOWL (SIZE 9990305)

W/ DELUXE SLOW-CLOSE SEAT & COVER

W/ ANGLED HAND PUMP DESIGN

FITTING :3/4" (19mm) ID inlet hose

1-1/2"(38mm) ID discharge hose

PACKING :1pc/ctn/5.08cuft


12pcs/wood pallet

WEIGHT :17.9kgs/pc (39.46lbs)

MIN. Q'TY: 12pcs/wood pallet/67.00cuft

ORDER NO.

502-994501000




ELECTRIC TOILETS



TMC-29922 (SIZE 99909)

ELECTRIC MARINE TOILET
W/ SMALL SKIRTED CERAMIC BOWL (SIZE 99909)
W/ COMPACT SLOW-CLOSE SEAT & COVER
SWITCH BOX INCLUDED
MOTOR :12V / 24V
AMP DRAW :18A (12V) / 9A (24V)
FUSE SIZE :30A (12V) / 15A (24V)
FITTING :3/4" (19mm) ID inlet hose
1"(25mm) ID discharge hose
PACKING :1pc/ctn/4.25cuft
12pcs/wood pallet
WEIGHT :23.5kgs/pc (51.7lbs)
MIN. Q'TY :12pcs/wood pallet/56.15cuft
ORDER NO. (c/w SWITCH BOX)
502-992201100 12V
502-992201200 24V




ORDER NO. (c/w PANEL SWITCH)
502-992202100 12V
502-992202200 24V



TMC-29923 (SIZE 99910)

ELECTRIC MARINE TOILET
W/ MEDIUM SKIRTED CERAMIC BOWL (SIZE 99910)
W/ DELUXE SLOW-CLOSE SEAT & COVER
SWITCH BOX INCLUDED
MOTOR :12V / 24V
AMP DRAW :18A (12V) / 9A (24V)
FUSE SIZE :30A (12V) / 15A (24V)
FITTING :3/4" (19mm) ID inlet hose
1"(25mm) ID discharge hose
PACKING :1pc/ctn/4.95cuft
12pcs/wood pallet
WEIGHT :27.5kgs/pc (60.5lbs)
MIN. Q'TY :12pcs/wood pallet/71.15cuft
ORDER NO. (c/w SWITCH BOX)
502-992301100 12V
502-992301200 24V




ORDER NO. (c/w PANEL SWITCH)
502-992302100 12V
502-992302200 24V



TMC-29931 (SIZE 99907)

ELECTRIC MARINE TOILET
W/ LARGE SKIRTED CERAMIC BOWL (SIZE 99907)
W/ DELUXE SLOW-CLOSE SEAT & COVER
SWITCH BOX INCLUDED
MOTOR :12V / 24V
AMP DRAW :18A (12V) / 9A (24V)
FUSE SIZE :30A (12V) / 15A (24V)
FITTING :3/4" (19mm) ID inlet hose
1"(25mm) ID discharge hose
PACKING :1pc/ctn/5.75cuft
12pcs/wood pallet
WEIGHT :28.1kgs/pc (61.82lbs)
MIN. Q'TY :12pcs/wood pallet/81.62cuft
ORDER NO. (c/w SWITCH BOX)
502-993101100 12V
502-993101200 24V



ORDER NO. (c/w PANEL SWITCH)
502-993102100 12V
502-993102200 24V



QUIET ELECTRIC TOILETS

**NEW
PRODUCT**



TMC-29822 (SIZE 99909)


ELECTRIC MARINE TOILET W/ QUIET OPERATION
W/ SMALL SKIRTED CERAMIC BOWL (SIZE 99909)
W/ COMPACT SLOW-CLOSE SEAT & COVER
INTAKE RINSE PUMP & STRAINER INCLUDED
CAN BE REMOTE MOUNTED TO BRING RAW, SEA,
RIVER OR LAKE WATER FOR QUIET FLUSHING
4-WAY FLUSH CONTROL PANEL INCLUDED
ECO FLUSH-FULL FLUSH-WATER ONLY-EMPTY ONLY

MOTOR :12V / 24V
FITTING :3/4"(19mm) ID inlet hose
1"(25mm) ID discharge hose
AMP DRAW :9A(12V) / 4.5A(24V)
FUSE SIZE :15A(12V) / 8A(24V)
PACKING :1pc/ctn/4.95cuf
WEIGHT :25.7kgs/ctn (56.66lbs)
MIN Q'TY :12pcs/pallet/71.15cuf

ORDER NO.

502-982202100 12V

502-982202200 24V



**NEW
PRODUCT**



TMC-29823 (SIZE 99910)


ELECTRIC MARINE TOILET W/ QUIET OPERATION
W/ MEDIUM SKIRTED CERAMIC BOWL (SIZE 99910)
W/ DELUXE SLOW-CLOSE SEAT & COVER
INTAKE RINSE PUMP & STRAINER INCLUDED
CAN BE REMOTE MOUNTED TO BRING RAW, SEA,
RIVER OR LAKE WATER FOR QUIET FLUSHING
4-WAY FLUSH CONTROL PANEL INCLUDED
ECO FLUSH-FULL FLUSH-WATER ONLY-EMPTY ONLY

MOTOR :12V / 24V
FITTING :3/4"(19mm) ID inlet hose
1"(25mm) ID discharge hose
AMP DRAW :9A(12V) / 4.5A(24V)
FUSE SIZE :15A(12V) / 8A(24V)
PACKING :1pc/ctn/4.95cuf
WEIGHT :29.7kgs/ctn (66.81lbs)
MIN Q'TY :12pcs/pallet/71.15cuf

ORDER NO.

502-982302100 12V

502-982302200 24V



**NEW
PRODUCT**



TMC-29824 (SIZE 99907)


ELECTRIC MARINE TOILET W/ QUIET OPERATION
W/ LARGE SKIRTED CERAMIC BOWL (SIZE 99907)
W/ DELUXE SLOW-CLOSE SEAT & COVER
INTAKE RINSE PUMP & STRAINER INCLUDED
CAN BE REMOTE MOUNTED TO BRING RAW, SEA,
RIVER OR LAKE WATER FOR QUIET FLUSHING
4-WAY FLUSH CONTROL PANEL INCLUDED
ECO FLUSH-FULL FLUSH-WATER ONLY-EMPTY ONLY

MOTOR :12V / 24V
FITTING :3/4"(19mm) ID inlet hose
1"(25mm) ID discharge hose
AMP DRAW :9A(12V) / 4.5A(24V)
FUSE SIZE :15A(12V) / 8A(24V)
PACKING :1pc/ctn/5.38cuf
WEIGHT :27.1kgs/ctn (59.75lbs)
MIN Q'TY :12pcs/pallet/76.50cuf

ORDER NO.

502-982402100 12V

502-982402200 24V



ELECTRIC TOILETS & SERVICE KITS



TMC-29920 (SIZE 99902)


ELECTRIC MARINE TOILET
W/ SMALL CERAMIC BOWL (SIZE 99902)
W/ COMPACT SLOW-CLOSE SEAT & COVER
SWITCH BOX INCLUDED

MOTOR :12V / 24V
AMP DRAW :18A (12V) / 9A (24V)
FUSE SIZE :30A (12V) / 15A (24V)
FITTING :1" (25mm) ID inlet hose
1"(25mm) ID discharge hose
PACKING :1pc/ctn/3.15cft
12pcs/wood pallet
WEIGHT :16.4kgs/pc (35.2lbs)
MIN. Q'TY :12pcs/wood pallet/49.80cft

ORDER NO. (c/w SWITCH BOX)

502-992001100 12V

502-992001200 24V



ORDER NO. (c/w PANEL SWITCH)

502-992002100 12V

502-992002200 24V



PANEL SWITCH



TMC-29921 (SIZE 99904)


ELECTRIC MARINE TOILET
W/ LARGE CERAMIC BOWL (SIZE 99904)
W/ DELUXE SLOW-CLOSE SEAT & COVER
SWITCH BOX INCLUDED

MOTOR :12V / 24V
AMP DRAW :18A (12V) / 9A (24V)
FUSE SIZE :30A (12V) / 15A (24V)
FITTING :1" (25mm) ID inlet hose
1"(25mm) ID discharge hose
PACKING :1pc/ctn/3.90cft
12pcs/wood pallet
WEIGHT :20.9kgs/pc (36.3lbs)
MIN. Q'TY :12pcs/wood pallet/63.67cft

ORDER NO. (c/w SWITCH BOX)

502-992101100 12V

502-992101200 24V



ORDER NO. (c/w PANEL SWITCH)

502-992102100 12V

502-992102200 24V



PANEL SWITCH



TMC-00036

PUMP UNIT FOR TMC ELECTRIC TOILET

MOTOR :12V / 24V
AMP DRAW :18A (12V) / 9A (24V)
FUSE SIZE :30A (12V) / 15A (24V)
HOSE DIA. :1" (25.4mm)
PACKING :8pcs/ctn/1.44cft
WEIGHT :23.3kgs/ctn
MIN Q'TY :8pcs

ORDER NO.

504-0299036 12V

504-0299037 24V



TMC-00040

CONVERSION KITS FOR ELECTRIC TOILET

MODEL # 29920, 29921

WITHOUT CERAMIC BODY, SEAT AND COVER (W/O#1-10)

PACKING: 6pcs/ctn/2.43cft/25.6kgs

ORDER NO.

504-0299401 12V

504-0299402 24V

ELECTRIC TOILETS & SERVICE KITS



TMC-29930 (SIZE 99902)

ELECTRIC MARINE TOILET
W/ SMALL CERAMIC BOWL (SIZE 99902)
W/ COMPACT SLOW-CLOSE SEAT & COVER
SWITCH BOX INCLUDED

MOTOR :12V / 24V

AMP DRAW :18A (12V) / 9A (24V)

FUSE SIZE :30A (12V) / 15A (24V)

FITTING :W/ THREADED-ON HOSE CONNECTION

1" (25mm) ID inlet hose

1"(25mm) ID discharge hose

PACKING :1pc/ctn/3.15cuft

12pcs/wood pallet


WEIGHT :16.4kgs/pc (35.2lbs)

MIN. Q'TY: 12pcs/wood pallet/49.80cuft

ORDER NO. (c/w SWITCH BOX)

502-993001100 12V

502-993001200 24V



ORDER NO.(c/w PANEL SWITCH)

502-993002100 12V

502-993002200 24V



PANEL SWITCH



TMC-29932 (SIZE 99904)

ELECTRIC MARINE TOILET
W/ LARGE CERAMIC BOWL (SIZE 99904)
W/ DELUX SLOW-CLOSE SEAT & COVER
SWITCH BOX INCLUDED

MOTOR :12V / 24V

AMP DRAW :18A (12V) / 9A (24V)

FUSE SIZE :30A (12V) / 15A (24V)

FITTING :W/ THREADED-ON HOSE CONNECTION

1" (25mm) ID inlet hose

1"(25mm) ID discharge hose

PACKING :1pc/ctn/3.90cuft

12pcs/wood pallet


WEIGHT :20.9kgs/pc (36.3lbs)

MIN. Q'TY :12pcs/wood pallet/63.67cuft

ORDER NO. (c/w SWITCH BOX)

502-993201100 12V

502-993201200 24V



ORDER NO.(c/w PANEL SWITCH)

502-993202100 12V

502-993202200 24V




PANEL SWITCH



TMC-429958

TMC-499123



TMC-429959

TMC-429958

PUMP UNIT W/ THREADED INLET PORT;
FIT WITH TOILET

MODEL #29930 & 29932

PACKING: 8pcs/ctn/1.44cuft/23.3kgs

ORDER NO.

504-0299581 12V

504-0299582 24V

TMC-499123

CONNECTION KIT FOR THREADED INLET
PORT OF TOILET PUMP (#TMC-429958)

ORDER NO.: 504-0299123

TMC-429959

CONVERSION KITS FOR ELECTRIC TOILET MODEL #29930 &
29932 (W/ THREADED PUMP INLET PORT)

WITHOUT CERAMIC BODY, SEAT & COVER (W/O #1-10)

PACKING: 6pcs/ctn/2.43cuft/25.6kgs

ORDER NO.

504-0299591 12V

504-0299592 24V

MARINE TOILET SERVICE KITS

**NEW
PRODUCT**



TMC-429952

SEAT & COVER W/ SLOW-CLOSE FEATURE
(COMPACT SIZE)

FIT WITH MODEL #29940, 29942, 29944,
29920, 29930, 29922 & 29822

PACKING:

ORDER NO.
504-0299520

**NEW
PRODUCT**



TMC-429953

SEAT & COVER W/ SLOW-CLOSE FEATURE
(DELUX SIZE)

FIT WITH MODEL #29941, 29943, 29945,
29921, 29932,
29923, 29931, 29823 & 29824

PACKING:

ORDER NO.
504-0299530



TMC-00046

CONVERSION KITS FOR ELECTRIC
TOILET

MODEL # 29922, 29923, 29931
WITHOUT CERAMIC BODY, SEAT AND
COVER (W/O#1-10)

PACKING: 6pcs/ctn/2.43cuft/24.5kgs

ORDER NO.

504-0299461 12V
504-0299462 24V



TMC-00038



TMC-00045

TMC-00038

BASE UNIT FOR ELECTRIC TOILET

MODEL # 29920, 29921, 29930, 29932
INCLUDE PARTS ET22, 23, 37, 39 & 42

ORDER NO.

504-0299038

TMC-00045

BASE UNIT FOR ELECTRIC TOILET MODEL
29922, 29923, 29931

INCLUDE PARTS ET22-1, 23, 37, 39, 42 & 64

ORDER NO.

504-0299045

ELECTRIC TOILET FLUSH CONTROL



TMC-0240401

ELECTRIC TOILET FLUSH CONTROL

- COMES WITH BOXED FUSE PACKAGE
- ONE TOUCH CONTROL PANEL
- BUILT-IN MICRO IC CONTROL SYSTEM ALLOWS

TWO FLUSH OPTIONS:

HALF FLUSH - LASTS FOR 5 SECONDS AND DELIVERS 2 LITERS OF WATER.

FULL FLUSH - LASTS FOR 10 SECONDS AND DELIVERS 4 LITERS OF WATER.

- EQUIPPED WITH SEALS FOR WATER - SPLASH PROOF
- BUILT-IN MAX. 40 AMP. RELAY CIRCUIT LOOP DESIGN TO PROTECT THE OPERATION AGAINST HIGH CURRENT.

- WORKS GREAT WITH TMC ELECTRIC TOILETS



PACKING: 36pcs/ctn/2.6cuft/17.8kgs

MIN Q'TY: 36pcs

ORDER NO.

502-2404011 12V

502-2404012 24V




TMC-429806

4-WAY FLUSH CONTROL PANEL

FOR QUIET ELECTRIC TOILET ONLY (PLEASE REFER TO P44)

- COMPLETE WITH CONTROL PANEL, CONTROL BOX, CABLE & CONNECTORS
- 4 SMART TOUCH CONTROLS
- ELECTRONIC CONTROL BOX CAN BE INSTALLED REMOTELY
- PREWIRED CONNECTIONS
- DC-12V/24V AVAILABLE
- FUSE SIZE 12V/15A, 24V/9A

TOUCH CONTROL FUNCTION



ECO-FLUSH

- PRESS TO START TIMED FLUSH CYCLE
- INLET PUMP WILL RUN FOR ABOUT 5 SECONDS TO GIVE
- WATER 1.35L AND WILL FLUSH FOR ABOUT 3 SECONDS

FULL-FLUSH

- PRESS TO START TIMED FLUSH CYCLE
- INLET PUMP WILL RUN FOR ABOUT 10 SECONDS TO GIVE
- WATER 2.7L AND WILL FLUSH FOR ABOUT 6 SECONDS

WATER ONLY

- PRESS TO ADD WATER TO THE BOWL (1.35L IN ABOUT 5 SECONDS)

EMPTY ONLY

- PRESS TO EMPTY THE BOWL (FLUSH TO RUN FOR ABOUT 3 SECONDS)

ORDER NO.

504-029806100 12V

504-029806200 24V



TMC-999025

STANDARD SWITCH BOX ASSEMBLY FOR ELECTRIC TOILET W/ SPRING ROCKER SWITCH

ORDER NO.

302-0020100 12V

302-0020200 24V

MARINE TOILET SERVICE KITS



TMC-0002801

PUMP UNIT FOR MANUAL TOILET
MODEL# 29940, 29941
PACKING: 12pcs/ctn/2.77cuft/12.8kgs
ORDER NO. 504-0299281




TMC-0002802

NEW ERGONOMIC PUMP UNIT FOR
MANUAL TOILET MODEL# 29942, 29943
PACKING: 12pcs/ctn/4.83cuft/17.4kgs
ORDER NO. 504-0299282



TMC-0002803

NEW ANGLED PUMP UNIT FOR
MANUAL TOILET MODEL# 29944, 29945
PACKING: 12pcs/ctn/4.01cuft/14kgs
ORDER NO. 504-0299283



TMC-00032

REPAIR KITS FOR MANUAL MARINE TOILET
MODEL# 29940, 29941, 29942, 29943
INCLUDING MT16, 17, 24,30, 32, 33, 38, 40,
42, 43 & 44
ORDER NO. 504-0299032



TMC-00031

BASE UNIT FOR MANUAL TOILET
MODEL# 29940, 29941, 29942, 29943
INCLUDE PARTS MT39, 40, 41, 42 & 43
PACKING: 15pcs/ctn/2.48cuft/10.2kgs
ORDER NO. 504-0299031




TMC-0003102

BASE UNIT FOR MANUAL TOILET
MODEL# 29944, 29945
INCLUDE PARTS MT39, 40, 41
PACKING: 12pcs/ctn/2.67cuft/13kgs
ORDER NO. 504-0299033



Service Parts For TMC Manual Toilet Model 29942, 29943(size 99905, 99913)



KEY	DESCRIPTION
1	Closestool Body(99901)
2	Seat Cushion(99901)
3	Closestool Cover(99901)
1-1	Closestool Body(99903)
2-1	Seat Cushion(99903)
3-1	Closestool Cover(99903)
16	Seal
17	Seal
19-1	Shaft
21-1	Pump Housing
23-1	Grip
24	O Ring
30	Inlet Valve

KEY	DESCRIPTION
32	Valve Cover Tapping Screw
33	Bowl Valve
36	Flat Washer
38	Valve Flap
40	O Ring
42	Plug Packing
43	Drain Plug
44	Base Packing
46	Plastic Washer
57	Rod Link
58	Nut Lock
59	Bolt Set
60	Cooper Sleeve

TMC-429952

SEAT & COVER W/ SLOW-CLOSE
FEATURE (COMPACT SIZE)
ORDER NO. 504-0299520

TMC-429953

SEAT & COVER W/ SLOW-CLOSE
FEATURE (DELUX SIZE)
ORDER NO. 504-0299530

TMC-429960

HINGE SET FOR TMC-429952
(W/ SLOW-CLOSE FEATURE)
ORDER NO. 504-0299600

TMC-429962

HINGE SET FOR TMC-429953
(W/ SLOW-CLOSE FEATURE)
ORDER NO. 504-0299620

TMC-0002802

PUMP UNIT, ERGONOMIC
FOR MANUAL TOILET
INCLUDE PARTS
429947, 429948, 429949, 19-1, 21-1,
23-1, 57, 58, 59 & 60
ORDER NO. 504-0299282

TMC-429949

PUMP INLET KITS
FOR MANUAL TOILET
ORDER NO. 504-0299490

TMC-429947

PUMP OUTLET KITS
FOR MANUAL TOILET
ORDER NO. 504-0299470

TMC-429948

PUMP SEAL & VALVE KITS
FOR MANUAL TOILET
ORDER NO. 504-0299480

TMC-MT9919

PIPE JOINTS FOR
MANUAL TOILET
ORDER NO. 504-0299019

TMC-00031

BASE UNIT FOR MANUAL TOILET
ORDER NO. 504-0299031

TMC-429955

BASE GASKET KITS
FOR MANUAL TOILET
ORDER NO. 504-0299550

TMC-00032


REPAIR KITS FOR MANUAL TOILET
INCLUDE PARTS MT16, 17, 24, 30,
32, 33, 36, 38, 40, 42, 43, 44 & 46
ORDER NO. 504-0299032

TMC-0003502

CONVERSION KITS FOR MANUAL
TOILET WITH ERGONOMIC PUMP
W/O PARTS NO. 1-8
ORDER NO. 504-0299352

- TMC TOILET SERVICE PARTS ARE SOLD BY PACKAGE.
- INDIVIDUAL PART LIST IS FOR REFERENCE ONLY.

Service Parts For TMC Electric Toilet Model 29931(size 99907)



KEY	DESCRIPTION
1-2	Closestool Body
2-1	Seat Cushion
3-1	Closestool Cover
16	Wearplate
18	Centrifugal Impeller
19	Macerator Housing
20	Razor Blade
22-1	Base
25	Adaptor
25-1	Adaptor

KEY	DESCRIPTION
27	Body
29	Flexible Impeller
31	Motor
35	Set Screw
39	Hexagon Nut
47-2	Hose
54	Hose
59	Clamp
66	Inner Pipe Joint
68	Adaptor

TMC-429953

SEAT & COVER W/ SLOW-CLOSE
FEATURE (DELUX SIZE)
ORDER NO. 504-0299530

TMC-429962

HINGE SET FOR TMC-429953
(W/ SLOW-CLOSE FEATURE)
ORDER NO. 504-0299620

TMC-00036

PUMP UNIT FOR ELECTRIC TOILET
INCLUDE PARTS
ET3627, 19, 39, 20, 18, 35, 16, 29, 27, 31
ORDER NO.
504-0299036 12V
504-0299037 24V

TMC-ET3626

PUMP RAZOR KTIS
FOR ELECTRIC TOILET
ORDER NO. 504-0299026

TMC-ET3627

PUMP GASKET KITS
FOR ELECTRIC TOILET
ORDER NO. 504-0299027

TMC-ET3628

PUMP BODY KITS
FOR ELECTRIC TOILET
INCLUDE PARTS ET3634, 21, 27
ORDER NO. 504-0299028

TMC-ET3634

PUMP IMPELLER KITS
FOR ELECTRIC TOILET
ORDER NO. 504-0299034

TMC-ET9921

PIPE JOINTS FOR
ELECTRIC TOILET
ORDER NO. 504-0299021

TMC-00045

BASE UNIT FOR ELECTRIC TOILET
INCLUDE PARTS ET4530, 22-1
ORDER NO. 504-0299045

TMC-ET4530

BASE PORT KITS
FOR ELECTRIC TOILET
ORDER NO. 504-0299030

TMC-ET4535

BASE GASKET KITS
FOR ELECTRIC TOILET
ORDER NO. 504-0299035

TMC-00046

CONVERSION KITS FOR
ELECTRIC TOILET
(W/O #1-2, 2-1, 3-1, TT9924)
ORDER NO.
504-0299461 12V
504-0299462 24V

TMC-99902S


STANDARD SWITCH BOX ASSEMBLY
FOR ELECTRIC TOILET
ORDER NO.
302-0020100 12V
302-0020200 24V

TMC-0240401

DELUXE PANEL SWITCH WITH FUSE
PACKAGE. OPTIONAL ORDER FOR
ELECTRIC TOILET
ORDER NO.
502-2404011 12V
502-2404012 24V

- TMC TOILET SERVICE PARTS ARE SOLD BY PACKAGE.
- INDIVIDUAL PART LIST IS FOR REFERENCE ONLY.

Service Parts For TMC Electric Toilet Model 29922, 29923(size 99909, 99910)



KEY	DESCRIPTION
1-4	Closestool Body(99909)
2	Seat Cushion(99909)
3	Closestool Cover(99909)
1-3	Closestool Body(99910)
2-1	Seat Cushion(99910)
3-1	Closestool Cover(99910)
16	Wearplate
18	Centrifugal Impeller
19	Macerator Housing
20	Razor Blade
22-1	Base
25	Adaptor

KEY	DESCRIPTION
25-1	Adaptor
27	Body
29	Flexible Impeller
31	Motor
35	Set Screw
39	Hexagon Nut
47-2	Hose
54	Hose
59	Clamp
66	Inner Pipe Joint
68	Adaptor
72	Hose

TMC-429952

SEAT & COVER W/ SLOW-CLOSE
FEATURE (COMPACT SIZE)
ORDER NO. 504-0299520

TMC-429953

SEAT & COVER W/ SLOW-CLOSE
FEATURE (DELUX SIZE)
ORDER NO. 504-0299530

TMC-429960

HINGE SET FOR TMC-429952
(W/ SLOW-CLOSE FEATURE)
ORDER NO. 504-0299600

TMC-429962

HINGE SET FOR TMC-429953
(W/ SLOW-CLOSE FEATURE)
ORDER NO. 504-0299620

TMC-00036

PUMP UNIT FOR ELECTRIC TOILET
INCLUDE PARTS
ET3627,19,39,20,18,35,16,29,27,31
ORDER NO.
504-0299036 12V
504-0299037 24V

TMC-ET3626

PUMP RAZOR KTIS
FOR ELECTRIC TOILET
ORDER NO. 504-0299026

TMC-ET3627

PUMP GASKET KITS
FOR ELECTRIC TOILET
ORDER NO. 504-0299027

TMC-ET3628

PUMP BODY KITS
FOR ELECTRIC TOILET
INCLUDE PARTS ET3634,21,27
ORDER NO. 504-0299028

TMC-ET3634

PUMP IMPELLER KITS
FOR ELECTRIC TOILET
ORDER NO. 504-0299034

TMC-ET9921

PIPE JOINTS FOR
ELECTRIC TOILET
ORDER NO. 504-0299021

TMC-00045

BASE UNIT FOR ELECTRIC TOILET
INCLUDE PARTS ET4530,22-1
ORDER NO. 504-0299045

TMC-ET4530

BASE PORT KITS
FOR ELECTRIC TOILET
ORDER NO. 504-0299030

TMC-ET4535

BASE GASKET KITS
FOR ELECTRIC TOILET
ORDER NO. 504-0299035

TMC-99902S


STANDARD SWITH BOX ASSEMBLY
FOR ELECTRIC TOILET
ORDER NO.
302-0020100 12V
302-0020200 24V

TMC-0240401


DELUXE PANEL SWITCH WITH FUSE
PACKAGE. OPTIONAL ORDER FOR
ELECTRIC TOILET
ORDER NO.
502-2404011 12V
502-2404012 24V

- TMC TOILET SERVICE PARTS ARE SOLD BY PACKAGE.
- INDIVIDUAL PART LIST IS FOR REFERENCE ONLY.


Service Parts For TMC Electric Toilet




TMC-429960
HINGE SET FOR
TMC-429952
(W/ SLOW-CLOSE
FEATURE)
ORDER NO.
504-0299600




TMC-429962
HINGE SET FOR
TMC-429953
(W/ SLOW-CLOSE
FEATURE)
ORDER NO.
504-0299620




TMC-ET3626
PUMP RAZOR KTIS
FOR ELECTRIC TOILET
ORDER NO.
504-0299026



TMC-ET3627
PUMP GASKET KITS
FOR ELECTRIC TOILET
ORDER NO.
504-0299027




TMC-ET3628
PUMP BODY KITS
FOR ELECTRIC TOILET
ORDER NO.
504-0299028




TMC-ET3634
PUMP IMPELLER KITS
FOR ELECTRIC TOILET
ORDER NO.
504-0299034


For Model **29920, 29921**




TMC-ET9920
PIPE JOINTS FOR
ELECTRIC TOILET
ORDER NO.
504-0299020




TMC-ET9921
PIPE JOINTS FOR
ELECTRIC TOILET
ORDER NO.
504-0299021




TMC-ET3825
BASE PORT KITS
FOR ELECTRIC TOILET
ORDER NO.
504-0299025



TMC-ET4530
BASE PORT KITS
FOR ELECTRIC TOILET
ORDER NO.
504-0299030



TMC-ET3822
BASE GASKET KITS
FOR ELECTRIC TOILET
ORDER NO.
504-0299022




TMC-ET4535
BASE GASKET KITS
FOR ELECTRIC TOILET
ORDER NO.
504-0299035


- TMC TOILET SERVICE PARTS ARE SOLD BY PACKAGE.
- INDIVIDUAL PART LIST IS FOR REFERENCE ONLY.

TOILET INSTALLATION

ABOVE THE WATERLINE



BELOW THE WATERLINE



- ALL TMC TOILETS CAN BE MOUNTED BOTH ABOVE AND BELOW THE WATER LINE.
- CONSULT WITH A QUALIFIED MARINE PLUMBER IS RECOMMENDED.
- CONSULT WITH THE COAST GUARD FOR WASTE DICHARGE RULES ON WATERWAYS WHERE YOU WILL BE OPERATING.




TMC TECHNOLOGY CORP.



www.tmcintl.com

ROCKER SWITCH PANEL




039721

FRAME CENTRAL ELEMENT, USED WITH 039731

039731

FRAME TERMINAL ELEMENT (RIGHT/LEFT)



EXTRACTOR

039601

101.50mm(L) x 25mm(W) x 2.5mm(H)

PLUG

FOR FRAME W/O SWITCH

039751



039741

INDEPENDENT FRAME

OPTIONAL SYMBOL LIST FOR ACTUATOR


Item No.	Description	
039901	Navigation Lights	
039902	Mooring Lights	
039903	Horn	
039904	Flap	
039905	Aspirator	
039906	Windshield Wiper	
039907	Bilge Pump	
039908	Water Pressure System	
039909	Neutral, without symbol	
039910	Bilge Pump "2"	
039911	Console Lights	
039912	Stereo	
039913	Cockpit and Cabin Lights	
039914	Anchor Winch Control	
039915	Hatch Opener	
039916	Parallel Battery	
039917	Refrigerator	
039918	Deep Light	
039919	Depth Sounder	
039920	Auto-Pilot	
039921	Gangway Rise/Low	
039922	Gangway Extension	
039923	Gasoline Pump	

ROCKER SWITCH PANEL


MODULAR SWITCH

WATER TIGHT IP56 ROCKER SWITCH.


MAX. CAPACITY AT DC-12V / 25A ; DC-24V / 15A



(008-03980120)




(008-03980360)




(008-03980430)

Item No.	Switch Feature	Working Feature	Application
03980120	2 terminals	On-Off (auto stay)	
03980220	2 terminals	On-Off (manual stay; w/spring back off)	horns, electric, toilet, etc
03980360	6 terminals 6 lines	On-Off-On (manual stay; w/spring back off)	flaps, trims, hydraulic gangways, anchors, winches, etc
03980430	3 terminals 2 circuits	On-Off-On (mixed manual/ auto stay)	navigation lights, mast head, bilge, pumps, manual/auto




(008-03980131)




(008-03980231)


Item No.	Switch Feature	Working Feature	Application
03980131	3 terminals, 1 LED	On-Off (auto stay)	
03980231	3 terminals, 1 LED	On-Off (manual stay; w/spring back off)	horns, electric, toilet, etc



(008-03980362)



(008-03980442)



(008-03980542)

Item No.	Switch Feature	Working Feature	Application
03980362	6 terminals 2 lines, 2 LED	On-Of-On (manual stay; w/center spring back)	flaps, trims, hydraulic gangways, anchors, winches, etc
03980442	4 terminals 2 circuits, 2 LED	On-Of-On (auto stay)	navigation lights, mast head, bilge, pumps, manual/auto
03980542	4 terminals, 2 LED	On-Of-On (manual stay; w/center spring back)	


ROCKER SWITCH PANEL



SWITCH PANEL


ALUMINUM PLATE WITH ILLUMINATED ROCKER SWITCHES

- 500** 12V, 3-Gang, 165mm(L) x 115mm(W) x 1mm(T)
With battery test switch, cigarette lighter & fuse holders
- 523** 12V, 3-Gang, 165mm(L) x 115mm(W) x 1mm(T)
Battery switch, rubber push switch & fuse holders
- 501** 12V, 1-Gang, 82mm(L) x 63mm(W) x 0.8mm(T)
Battery test switch



ALUMINUM PLATE

- 525** 12V, 6-Gang, 165mm(L) x 115mm(W) x 1mm(T)
illuminated rocker switches
- 525-1** 12V, 6-Gang, 165mm(L) x 115mm(W) x 1mm(T)
illuminated rocker switches with white cover
- 526** 12V, 6-Gang, 165mm(L) x 115mm(W) x 1mm(T)
illuminated rocker switches & circuit breakers
- 521** 12V, 6-Gang, 165mm(L) x 115mm(W) x 1mm(T)
with circuit breakers
- 517** 12V, 6-Gang, 167mm(L) x 116mm(W) x 1mm(T)
illuminated rocker switches & fuse holders




SWITCH PANEL

ALUMINUM PLATE WITH ILLUMINATED ROCKER SWITCHES

COLOR: SILVER, BLACK

- 522** 12V, 6-Gang, 116mm(L) x 167mm(W) x 2mm(T)
with fuse holders
- 511** 12V, 3-Gang, 117mm(L) x 97mm(W) x 2mm(T)
with fuse holders
- 512** 12V, 4-Gang, 115mm(L) x 127mm(W) x 2mm(T)
with fuse holders

ROCKER SWITCH PANEL




SWITCH PANEL, ALUMINUM PLATE

02511Q 12V, 2-Gang, 70mm(L) x 88mm(W) x 0.8mm(T)
illuminated rocker switches & fuse holders

0259Q 12V, 4-Gang, 70mm(L) x 110mm(W) x 0.8mm(T)
illuminated rocker switches & fuse holders

02510Q 12V, 3-Gang, 70mm(L) x 88mm(W) x 0.8mm(T)
illuminated rocker switches & fuse holders

0258Q 12V, 6-Gang, 70mm(L) x 154mm(W) x 0.8mm(T)
illuminated rocker switches & fuse holders



SWITCH PANEL

ALUMINUM PLATE WITH ILLUMINATED ROCKER SWITCHES
COLOR: BLACK, WOODGRAIN

02511 12V, 2-Gang, 70mm(L) x 88mm(W) x 0.8mm(T), black
02511A -ditto- woodgrain

02510 12V, 3-Gang, 70mm(L) x 88mm(W) x 0.8mm(T), black
02510A -ditto- woodgrain

0259 12V, 4-Gang, 70mm(L) x 110mm(W) x 0.8mm(T), Black
0259A -ditto- woodgrain

0258 12V, 6-Gang, 70mm(L) x 154mm(W) x 0.8mm(T), black
0258A -ditto-, woodgrain



SWITCH PANEL

0255 12V, 3-Gang, 140mm(L) x 75mm(W) x 1.5mm(T)
with manual fuses, illuminated rocker switches.

0256 12V, 15A, 3-Gang, 140mm(L) x 75mm(W) x 1.5mm(T)
with manual fuses, illuminated rocker switches & socket.

0257 12V, 15A, 6-Gang, 165mm(L) x 140mm(W) x 1.5mm(T)
with manual fuses, illuminated rocker switches & socket.



SWITCH PANEL

0255S 12V, 15A, ILLUMINATED
ROCKERSWITCH FOR 0255

0255FH FUSE HOLDER FOR 0255

TOGGLE SWITCH PANNEL



SWITCH PANEL

WATERPROOF WITH FUSE HOLDER & TOGGLE SWITCHES

503 12V, 3-Gang, 102mm(L) x 100mm(W) x 1mm(T)

504 12V, 4-Gang, 125mm(L) x 100mm(W) x 1mm(T)

505 12V, 5-Gang, 150mm(L) x 100mm(W) x 1mm(T)

506 12V, 6-Gang, 170mm(L) x 100mm(W) x 1mm(T)



SWITCH PANEL

ALUMINUM PLATE WATERPROOF
ILLUMINATED TOGGLE SWITCHES
96mm(L) x 107mm(W) x 2mm(T)

537 12V, 4-Gang

538 12V, 6-Gang



SWITCH PANEL

ALUMINUM PLATE, CIGARETTE LIGHTER, FUSE HOLDERS & TOGGLE
SWITCHES W/ WHITE PROTECTING COVER
90mm(L) x 157mm(W) x 1mm(T)

515-1 12V, 5-Gang Black color


515-2 12V, 5-Gang Silver color

ALUMINUM PLATE, FUSE HOLDERS & TOGGLE SWITCHES W/ WHITE
PROTECTING COVER

90mm(L) x 170mm(W) x 1mm(T)

516-1 12V, 6-Gang black color

516-2 12V, 6-Gang silver color



SWITCH PANEL

ALUMINUM PLATE WITH TOGGLE SWITCHES
96mm(L) x 107mm(W) x 2mm(T)

507 12V, 4-Gang, silver

507-B 12V, 4-Gang, black

508 12V, 6-Gang, black

508-S 12V, 6-Gang, silver



SWITCH PANEL

BLACK BAKELITE PLATE & FUSE HOLDERS, TOGGLE SWITCHES

0251(5A) 12V, 5A, 3-Gang, 95mm(L) x 115mm(W) x 4mm(T)

0251(15A) 12V, 15A, 3-Gang, 95mm(L) x 115mm(W) x 4mm(T)


025(5A) 12V, 5A, 6-Gang, 120mm(L) x 115mm(W) x 4mm(T)

025(15A) 12V, 15A, 6-Gang, 120mm(L) x 115mm(W) x 4mm(T)

025FH Fuse holder for 025

025FHF Fuse holder with 15A fuse

TOGGLE SWITCH PANNEL




SWITCH PANEL

ALUMINUM PLATE WATERPROOF BLACK TOGGLE SWITCHES & FUSE HOLDERS

540 12V, 3-Gang, 70mm(L) x 93mm(W) x 1.2mm(T)

541 12V, 4-Gang, 70mm(L) x 120mm(W) x 1.2mm(T)

542 12V, 6-Gang, 70mm(L) x 170mm(W) x 1.2mm(T)



SWITCH PANEL

ALUMINUM PLATE WATERPROOF CIRCUIT BREAKERS & ILLUMINATED TOGGLE SWITCHES

533 12V, 3-Gang, 100mm(L) x 100mm(W) x 1.2mm(T)


534 12V, 6-Gang, 170mm(L) x 100mm(W) x 1.2mm(T)

SWITCH PANEL

ALUMINUM PLATE WATERPROOF CIRCUIT BREAKERS, ILLUMINATED TOGGLE SWITCHES & CIGARETTE LIGHTER

535 12V, 5-Gang, 90mm(L) x 157mm(W) x 1.2mm(T)

536 12V, 6-Gang, 170mm(L) x 100mm(W) x 1.2mm(T)



SWITCH PANEL, ALUMINUM PLATE

513 63mm(L) x 82mm(W) x 1mm(T), bilge water alarm

514 63mm(L) x 114mm(W) x 1mm(T), bilge pump switch & alarm

BILGE PUMP SWITCH

502 90mm(L) x 50mm(W) x 2mm(T)


3-Way Switch: Auto-Off-Manual



BILGE PUMP CONTROL SWITCH

509 90mm(L) x 50mm(W) x 2mm(T)

TOGGLE SWITCH, PLUG, SOCKET, CIGARETTE LIGHTER




TOGGLE SWITCH 2 POSITIONS

- 045** 12V, 10A Brass chrome plated
- 046-2** 12V, 15A on-off plastic knob
- 167** Illuminated 12V, 16A on-off switch red glow
- 168** 12V, 16A on-off switch red led indicator light

TOGGLE SWITCH 3 POSITIONS

- 046-3** 12V, 15A on-off-on plastic paddle




SOCKET & PLUG

- 0311** Socket & plug (0311P+0311S)
- 0311P** Plug only
- 0311S** Socket only



SOCKET & PLUG

- 0314** Plug uses for deck socket & cigarette lighter
- 0313P** Plug only
- 031** Plug uses for deck socket & cigarette lighter



CIGARETTE LIGHTER

- 3081**
- 3081P** W/plate and wire
- 3082**



- 030** Deck socket




- 0319** Outlet socket with protective cap
MOQ=50pcs



- 0313S** Socket only, black
- 0313SW** Socket only, white
- 0316B** Socket
- 0318** Portable socket

SWITCHES



PUSH PULL SWITCH

TWO POSITIONS 12V, 20A

039X ϕ 9.5mm x 30mm(L) Chrome plated plastic knob

039 ϕ 9.5mm x 30mm(L) brass chrome plated knob

THREE POSITIONS 12V, 20A

040X 2 circuits ϕ 9.5mm x 30mm(L)

Chrome plated plastic knob

040 2 circuits ϕ 9.5 mm x 30mm(L)

Brass chrome plated knob

041X ϕ 9.5mm x 30mm(L)

chrome plated plastic knob


041 ϕ 9.5mm x 30mm(L)

Brass chrome plated knob

041L ϕ 9.5mm x 30mm(L)

brass chrome plated knob with red led indicator light

042LR Red led indicator light



PUSH BUTTON SWITCH

042 12V, 15A, ϕ 16 mm x 32 mm(L)

Brass chrome plated knob

042R 12V, 15A, ϕ 16mm x 32mm(L)

With red rubber cap

042B 12V, 15A, ϕ 16mm x 32mm(L)

With black rubber cap


042S 12V, 15A, ϕ 12.7mm x 32mm(L)

Brass chrome plated knob

042P 12V, 15A, ϕ 16mm x 32mm (L)

Brass chrome plated knob with rubber cap

047R 12V, 10A with rubber protector




PUSH PULL SWITCH

TWO POSITION

12V, 5A, ϕ 8mm x 7mm(L)

038 Brass chrome plated knob

038X Plastic knob



PUSH PULL SWITCH

TWO POSITION

12V, 5A, ϕ 8mm x 20mm(L)

038L Brass chrome plated knob

038LX Plastic knob

PUSH PULL SWITCH

044 12V, 15A illuminated


ϕ 22mm x 60mm(L)

LIGHTING



DOME LIGHT, TEAK

- 019T** 4" Teak, 12V, 12W
020T 5" Teak, 12V, 12W
020TL 5", LED, 12V, 0.29A~0.37A, 4.8W, 12pcs



DOME LIGHT, BRASS

- 017B** 3", 12V, 10W
019B 4", 12V, 18W
020B 5", 12V, 18W
017BL 3", LED, 12V, 0.55W, 12pcs
019BL 4", LED, 12V, 0.83W, 18pcs
020BL 5", LED, 12V, 0.83W, 18pcs



DOME LIGHT, SS

- 017** 3", 12V, 10W
019 4", 12V, 18W
020 5", 12V, 18W
017L 3", LED, 12V, 0.55W, 12pcs
019L 4", LED, 12V, 0.83W, 18pcs
020L 5", LED, 12V, 0.83W, 18pcs



DOME LIGHT, BRASS

- 641** Double bulbs, 12V, 10W
 ϕ 153mm(6-1/8") x 45mm(1-3/4")



LED LIGHT

- 846** 91mm(L) x 34mm(W) x 28mm(H)
 12V 0.5A 3pcs LED



CEILING LIGHT

- 0245** Single tube, ABS in white, w/switch
 205mm(L) x 126mm(W) x 45mm(H),
 12V, 12.3W
0245L Single tube, ABS in white, w/switch
 LED, 12V, 0.54A~0.66A, 8.5W
0246 Double tube, ABS in white, w/switch
 290mm(L) x 127mm(W) x 40mm(H),
 12V, 24.6W




READING LIGHT

- 653** 80mm(D) x 14mm(H)
 12V 0.2A 0.4W x 6pcs LED



FLASH WARNING LIGHT

- 844** 40mm(D) x 33.4mm(H)
 12V 1.6A 22"
 1W x 9pcs 15ft



LED LIGHT - RV CAMPING LIGHT


- 0217** 245mm(L) x 32mm(W) x 38mm(H)
 12V 0.4A 4pcs LED



READING LIGHT


- 519** 50mm(L) x 30mm(W) x 400mm(H)
 12V LED, 12V, 0.05A~0.09A, 1.2W, 9pcs
518 74mm x 119mm(H) LED, 12V,
 0.05A~0.09A, 1.2W, 12pcs

LIGHTING



FLUORESCENT LIGHT

- 0204** Single tube, 12V, 8W,
405mm(L) x 78mm(W) x 30mm(H)
- 0204L** Double tube, 12V 30W. Surface mounting LED
- 0205** Double tube, 12V 16W,
427mm(L) x 111mm(W) x 30mm(H)
- 0205L** Double tube, 12V 30W. Surface mounting LED
- 0206** Double tube, 12V 30W. Recess mounting
610mm(L) x 165mm(W) x 45mm(H)
- 0207** Double tube, 12V 30W. Surface mounting
610mm(L) x 165mm(W) x 45mm(H)



FLUORESCENT LIGHT

- 0209** Single tube, 12V 8W
384.5mm(L) x 83mm(W) x 25mm(H)
- 0209L** LED tube, 12V 4W 0.25A
384.5mm(L) x 83mm(W) x 25mm(H)
- 0209-1L** LED tube, 24V 4W 0.25A
- 0210** Double tube, 12V 16W
384.5mm(L) x 83mm(W) x 25mm(H)
- 0210L** LED tube, 12V 4W*2 0.4A
- 0210-1** Double tube, 24V 16W
- 0210-1L** LED tube, 24V 4W*2 0.4A
- 0211** Single tube, 12V 8W
392mm(L) x 83mm(W) x 25mm(H)
- 0211L** LED tube, 12V 4W 0.25A
- 0211-1L** LED tube, 12V 4W 0.25A
- 0212L** LED tube, 12V 4W*2 0.4A
- 0212-1L** LED tube, 24V 4W*2 0.4A
- 0213L** LED tube, 12V 4W 0.25A
250mm(L) x 115mm(W) x 25mm(H)
- 0214L** LED tube, 24V 4W*2 0.4A



LED FLUORESCENT LIGHT

- 0215** 386mm(L) x 68mm(W) x 21mm(H)
12V 0.6A 0.4W x 12pcs LED
- 0216** 148mm(L) x 71mm(W) x 20mm(H)
12V 0.5A 0.4W x 15pcs LED



CEILING LIGHT

- 996** 140mm(L) x 140mm(W) LED
12V, 0.34A~0.36A, 4.7W



LED DOME LIGHT ABS

- 652** 85mm(L) x 85mm(W) x 30mm(H)
12V 12pcs LED, 12V, 0.05A~0.08A, 1.1W
- 651H** 85 x 25(H) 12V 12pcs LED, 12V,
0.05A~0.08A, 1.1W

LIGHTING



STERN LIGHT

CHROME PLATED
ZINC BASE, SS
TUBE

12V, 10W BULB

842 18"

842-1 23"

842-2 26"

841 18"

841-1 21"

841-2 23"

841-3 26"

840 21"

840-1 23"

840-2 26"

BCP BASE & TUBE

843 8"

843-1 24"



SPOT LIGHT

0223 Neoprene, 4-1/2" quartz halogen bulb 12V/55W

022XDC Neoprene, 5-3/4" quartz halogen bulb 12V/100W



HAND SPOT LAMP

3030 12V/55W, 24V/75W



REMOTE CONTROL SEARCHLIGHTS

UV RAY AND SALTWATER RESISTANT

WIRELESS W/ REMOTE CONTROL

ROTATES 440° & ELEVATES 120°

HALOGEN H3 BASE DC 12V-55W / 24V-70W

0225-12V Black IP55 C/W handbag portable mount (Magnetic bottom)

0225-24V --- ditto ---

0225W-12V White IP55 C/W handbag portable mount (Magnetic bottom)

0225W-24V --- ditto ---

LIGHTING

LIGHTING



NAVIGATION LIGHT

- 094** 5-1/4"(L), starboard, 112.5°
093 5-1/4"(L), port, 112.5°

NAVIGATION LIGHT - LED TYPE MOQ: 300pcs

- 094L** 5-1/4"(L), starboard, 112.5°, LED
093L 5-1/4"(L), port, 112.5°, LED



NAVIGATION LIGHT

- 094-1** 5-1/4"(L), starboard, 112.5°
093-1 5-1/4"(L), port, 112.5°



NAVIGATION LIGHT

- 095** 5-1/4"(L), 135°, stern, 12V, 10W
098 5-1/4"(L), 225°, bow, 12V, 10W

NAVIGATION LIGHT - LED TYPE MAQ: 300pcs

- 095L** 5-1/4"(L), 135°, stern, LED
098L 5-1/4"(L), 225°, bow, LED



NAVIGATION LIGHT

- 097** Stern, 3"(L), 135°, 12V, 10W
096 Bow, 3"(L), 225°, 12V, 10W
097L 12V, 0.45W, 9pcs, LED
096L 12V, 0.6W, 12pcs, LED



NAVIGATION LIGHT

- 086** Port, 3"(L), 112.5°, 12V, 10W
085 Starboard, 3"(L), 112.5°, 12V, 10W
086L, 085L 12V, 0.45W, 9pcs, LED



NAVIGATION SIDE LIGHT (PAIR)

- 018** 7-1/2"(L) Flush mounted
 12V, 7.5W
018L 12V, 1.6W, LED



NAVIGATION SIDE LIGHT (PAIR)

- 4" PORT & STARBOARD, 12V/5W
810 Black plastic cover
811 White plastic cover

LIGHTING



NAVIGATION SIDE LIGHT (PAIR)

014 Red / green lens 112-112.5°, 12V, 3W



NAVIGATION SIDE LIGHT (PAIR)

015 12V bulb stainless steel housing clear lens 135° degrees red / green, 12V, 3W



NAVIGATION SIDE LIGHT (PAIR)

016 Round 112.5°, red / green lens, 12V, 3W



BI-COLOR COMBO BOW LIGHT

012 Equipped with red and green lens. 225° degrees, 12V, 3W



BI-COLOR COMBO BOW LIGHT

911 12V/5W




NAVIGATION MASTHEAD LIGHT

011 12V bulb clear lens 360° degrees, 12V, 3W
013 12V bulb stainless steel housing with clear lens 225° degrees, 12V, 3W
010 12V/18W 1.5A bulb clear lens 180° degree



NAVIGATION TRANSOM / STERN LIGHT

820 12V/10W
 5-1/8" x 3-3/8" x 1-1/2" ss



NAVIGATION TRANSOM / STERN LIGHT

821 SS Mirror Polished
 12V Bulb, ϕ 3, 135° Clear lens, 12V, 10W
821L 12V, 100mA LED; MOQ:300pcs



NAVIGATION ANCHOR LIGHT

084 2-1/2" (L), 12V, 10W
084L 12V, 100mA LED; MOQ:300pcs

LIGHTING, SWITCH



FIXED SPREADER LIGHT, SS

021X 4-1/2" Sealed beam, 12V, 55W

ADJUSTABLE SPREADER LIGHT, SS

021BX 4-1/2" Sealed beam

021SB Extra angle Semi-sealed beam
12V/55W Halogen bulb
Size: ϕ 110mm



HALOGEN SPOT LIGHT


905 H3 12V/55W Halogen bulb.
177mm(L) x 115mm(W) x 88mm(H)

WIDE ANGLE BEAM LIGHT

906 H3 12V/55W Halogen bulb.
177mm(L) x 115mm(W) x 88mm(H)

HALOGEN BEAM LIGHT


907 H3 12V/55W Bulb, Black plastic housing
150mm(L) x 105mm(W) x 80mm(H)



EMERGENCY CUT-OFF SWITCH

048C 12V, 10A with coiled lanyard

048D 12V, 10A with straight lanyard



SAFETY TETHER SWITCH

048A 12V, 15A-OFF, Off red silicon cap

048B 12V, 15A-ON, On gray silicon cap




BATTERY SWITCH

1064 Nylon fiberglass with two plugs max. 500 AMP

10641 Nylon fiberglass with two plugs max. 500 AMP
with rubber cap

RING PULL, LIFT PULL, DOOR PULL



RING PULL

44mm(L) x 38mm(W) x 13mm(H)

240B Brass polished


240BCP Brass chrome plated

RING PULL

63mm(L) x 48mm(W) x 8mm(H)


241B Brass polished

241BCP Brass chrome plated




HOLES RING PULL, SS

184 1-7/8" (L)




RING PULL, SS

185 2-1/2" (L)



RING PULL, SS

181 65mm(L) x 56mm(W) x 1mm(T)



RING PULL WITH SPRING, SS

1811 65mm(L) x 56mm(W) x 1mm(T)

1831 44mm(L) x 37mm(W) x 1mm(T)




LIFT HANDLE, SS

182 76mm(L) x 57mm(W) x 1mm(T)



LIFT HANDLE WITH SPRING, SS


1821 76mm(L) x 56mm(W) x 1mm(T)



DECK BUNG, BRASS

5630 Round cap

5640 Square cap



LIFT PULL

60mm x 23mm x 60mm

048203-1 w/o light - Black

048203-2 w/o light - White

048204-1 w/light - Black

048204-2 w/light - White




DOOR PULL

046707 6-1/2" x 1-7/10" x 6-1/2", Nylon


046704S 5-1/2" x 3/4" x 1"

HINGES



HINGE, SS

151	53mm(L) x 37mm(W) x 2mm(T)	154	84mm(L) x 37mm(W) x 2mm(T)	113-3	83mm(L) x 30mm(W) x 8.5mm(H) x 1.5mm(T)
1511	60mm(L) x 37mm(W) x 2mm(T)	1541	97mm(L) x 37mm(W) x 2mm(T)	1542	98mm(L) x 38mm(W) x 2mm(H) x 1.5mm(T)
1512	57mm(L) x 38mm(W) x 2mm(T)	1711	127mm(L) x 41mm(W) x 2.5mm(T)		
153	75mm(L) x 37mm(W) x 2mm(T)	1611	127mm(L) x 37mm(W) x 2mm(T)		
1531	76mm(L) x 37mm(W) x 2mm(T)				
158	35mm(L) x 37mm(W) x 2mm(T)				



HINGE, SS


160	78mm(L) x 40mm(W) x 2mm(T)	159	35mm(L) x 37mm(W) x 2mm(T) x 10mm(H)
161	130mm(L) x 40mm(W) x 2mm(T)	156	63mm(L) x 37mm(W) x 2mm(T) x 20mm(H)
162	180mm(L) x 40mm(W) x 2mm(T)	157	63mm(L) x 37mm(W) x 2mm(T) x 10mm(H)
170	72mm(L) x 38mm(W) x 2mm(T)	278S	2" x 3-3/4"
171	105mm(L) x 38mm(W) x 2mm(T)	278S/R	2" x 3-3/4"
172	140mm(L) x 38mm(W) x 2mm(T)	164	86mm(L) x 30mm(W) x 1.5mm(T)

HINGE

110-12	S.S., 51mm x 38.1mm x 1.5mm
110-14	S.S., 76.6mm x 51mm x 1.5mm


HINGE, SS

173	130mm(L) x 40mm(W) x 2.5mm(T)
------------	-------------------------------



SAFETY HINGE


112	98mm(L) x 24mm(W) x 1.5mm(T)
114	S.S., 75mm(L) x 35mm(W) x 1.5mm(T)
114-1	S.S., 75mm(L) x 35mm(W) x 1.5mm(T), Turnable
114-2	70mm(L) x 30mm(W) x 1.5mm(T)



BUTT HINGE, SS

110-1	2"	110-7	2" x 1-3/4"
110-2	2-1/2"	110-8	2" x 2"
110-3	3"	110-9	3" x 2"
110-6	2" x 1-1/2"	110-10	3" x 3"

VENTILATORS




LOUVER VENTILATOR, SS

130 205mm(L) x 112mm(W) x 27mm(H)

1301 205mm(L) x 112mm(W) x 27mm(H)

129 325mm(L) x 112mm(W) x 27mm(H)

1291 325mm(L) x 112mm(W) x 27mm(H)




LOUVER VENTILATOR, SS

1292 525mm(L) x 112mm(W) x 27mm(H)

1293 325mm(L) x 76mm(W) x 27mm(H)

1294 525mm(L) x 76mm(W) x 27mm(H)



LOUVER VENTILATOR, SS

138 127mm(L) x 65mm(W) x 0.8mm(T)

139 127mm(L) x 115mm(W) x 0.8mm(T)

140 230mm(L) x 115mm(W) x 0.8mm(T)

141 228mm(L) x 127mm(W) x 0.8mm(T)



LOUVER VENTILATOR, SS

311C 150mm(6") x 250mm(10")

311D ϕ 102mm(4")

311E ϕ 126mm(5")

LOUVER VENTILATOR, SS

0109 ϕ 102mm(4") S.S. ventilator with cover

0109-1 S.S. ventilator only

0109-2 S.S. cover only

VENTILATORS



SOLAR POWERED EXTRACTOR VENTILATOR

FAN CAPACITY: EACH WILL EXTRACTS 11.3 cuft/min. OF AIR UNDER FULL SUN

- 72003** ABS plastic cowl + clear lens top
- 72004** Stainless steel cowl + clear lens top
- 72005** Stainless steel cowl + flat PC top, lower in height



LOUVER VENTILATOR, NYLON

86mm(L) x 86mm(W) x 15mm(H)


- 0101-1** Black
- 0101-2** White



LOUVER VENTILATOR, ABS

143mm(L) x 125mm(W) x 17mm(H)

- 0104-1** Black
- 0104-2** White



LOUVER VENTILATOR, ABS

260mm(L) x 125mm(W) x 17mm(H)

- 0105-1** Black
- 0105-2** White



TUBE VENTILATOR, PLASTIC

86mm(L) x 86mm(W) x 80mm(H)

TUBE W/O SHRINKING LAYER

- 0102-11** Black
- 0102-12** White

TUBE W/SHRINKING LAYER

- 0102-21** Black
- 0102-22** White



TUBE PLASTIC VENTILATOR

95mm(L) x 86mm(W) x 65mm(H)

TUBE W/O SHRINKING LAYER

- 0103-11** Black
- 0103-12** White

TUBE W/SHRINKING LAYER

- 0103-21** Black
- 0103-22** White


LOUVER VENTILATOR, ABS

340mm(L) x 121mm(W) x 50mm(H)


- 0106-1** Black
- 0106-2** White

460mm(L) x 87mm(W) x 50mm(H)

- 0107-1** Black
- 0107-2** White



VENTILATORS, GAS TANK VENT



CLAM SHELL VENTILATOR, SS

133 132mm(L) x 117mm(W) x 53mm(H) x 1.1mm(T)


134 150mm(L) x 145mm(W) x 57mm(H) x 1.3mm(T)

135 175mm(L) x 170mm(W) x 72mm(H) x 1.3mm(T)

MIDGET VENTILATOR, SS

136 40mm(L) x 44mm(W) x 16mm(H) x 0.6mm(T)


137 55mm(L) x 53mm(W) x 22mm(H) x 0.6mm(T)



VENTILATOR, SS

131 ϕ 128mm (5") x 1mm(T)

1311 ϕ 128mm (5") x 1mm(T)



GAS TANK VENT

202 9/16" BCP

206 9/16" C/P Zamak

201BCP 9/16" BCP

201S 9/16" SS



CLAM SHELL VENTILATOR, BRASS

0107 100mm(L) x 93mm(W) x 34mm(H)



MIDGET VENTILATOR, SS

0108 90mm(L) x 86mm(W) x 28mm(H) x 0.8mm(T)



GAS TANK VENT

203 9/16" BCP 90° Down

203S 9/16" SS 90°

203A 9/16" BCP 90° UP



DECK FILLER, PLASTIC

1251A 1-1/2" diesel **1252A** 2" diesel

1251B 1-1/2" water **1252B** 2" water

1251C 1-1/2" waste **1252C** 2" waste

1251D 1-1/2" gas **1252D** 2" gas

1251F 1-1/2" fuel **1252F** 2" fuel

DECK PLATE, DECK CABLE, WATERPROOF CONNECTOR, CABLE OUTLET



DECK PLATE, PLASTIC (P.P.)

WATER PROOF

5090B	4" black	5093	5" white
5091	4" white	5094	6" black
5092	5" black	5095	6" white



05001-05004


DECK PLATE WITH KEY, SS

05001	1-1/2" diesel
05002	1-1/2" water
05003	1-1/2" waste
05004	1-1/2" gas



026B2 ~ 026B4
027B2 ~ 027B4

026B2B ~ 026B4B
027B2B ~ 027B4B



029=029S+029P

WATERPROOF CONNECTOR, BRASS

WITH PLASTIC CAP


026B2	3A 2Pin	026B2B	3A 2Pin
026B3	3A 3Pin	026B3B	3A 3Pin
026B4	3A 4Pin	026B4B	3A 4Pin

027B2	5A 2Pin	027B2B	5A 2Pin
027B3	5A 3Pin	027B3B	5A 3Pin
027B4	5A 4Pin	027B4B	5A 4Pin

WITH BCP CAP

DECK CABLE CONNECTOR

029	3A 2Pin
029P	Plug only
029S	Socket only



CABLE OUTLET

204-6	for ϕ 6mm(1/4") cable
204-8	for ϕ 8mm(5/16") cable
204-10	for ϕ 10mm(3/8") cable

CABLE OUTLET

205-12	for ϕ 12mm(1/2") cable
---------------	-----------------------------

CABLE OUTLET


205-16	for ϕ 16mm(5/8") cable
205-19	for ϕ 19mm(3/4") cable
205-19S	for ϕ 9.6mm(3/8") cable

CLEATS, HOOKS



CABIN HOOK, BCP

2120 2" (L)
2122 4" (L)
2124 6" (L)




CABIN HOOK, BRASS POLISHED

2121 2" (L)
2123 4" (L)
2125 6" (L)




SILENT CABIN HOOK

2128 4-1/2" (L) BCP
2129 4-1/2" (L) Brass



HATCH FASTENER, BCP

225A 100mm(L) x 30mm(W) x ϕ 6.5mm
225B 100mm(L) x 30mm(W) x ϕ 6.5mm



HANDLE, BCP


2251 3" BCP
2252 3" Brass polished
2253 3"x1-1/8"

225D 4"x1-3/4"



HANDLE, BCP

234 122mm(L) x 33mm(W) x 29mm(H)



SNAP HOOK, BCP

251 30mm(L) x 34mm(W) x 25mm(H)
252 38mm(L) x 34mm(W) x 34mm(H)



MINI CLEAT, BCP

254 60mm(L) x 18mm(W) x 19mm(H)



FENDER HOOK, BCP


250 30mm(L) x 30mm(W) x 19mm(H)

AWNING HOOK, BCP

253 25mm(L) x 23mm(W) x 19mm(H)

HAMMOCK HOOK, SS PER PAIR


146 32mm(L) x 12mm(W) x 1.5mm(T)



ANTI-RATTLE HOLDER, BCP

211 90mm(L) x 47mm(W) x ϕ 8mm

ELBOW / STUD CATCH, BRACKET, HOOK



TEAK RING

833A Teak ring

ELBOW CATCH & TEAK RING

8233B Brass elbow catch & teak ring

8233BCP BCP elbow catch & teak ring


8233P Plastic elbow catch & teak ring

ELBOW CATCH

233B Brass elbow catch only

233BCP BCP elbow catch only

233P Plastic elbow catch only



STUD CATCH, BRASS

284A 44mm (L) x 8mm (W) x 11mm (H)

284B 49mm (L) x 11mm (W) x 13mm (H)

284C 60mm (L) x 11mm (W) x 15.5mm (H)

284D 69mm (L) x 13mm (W) x 17mm (H)

STUD CATCH, PLASTIC

284P 1-1/2" x 1/2" PP Black





TABLE BRACKET, SS

132

86mm(L) x 52mm(W) x 70mm(H) x 2mm(T)
Per set includes 2pcs hatch catches + 2 pcs gaskets



RING BUOY BRACKET, SS

124 Per pair

178mm(L) x 19mm(W) x 2.5mm(T)

125 Per pair

96.5mm(L) x 19mm(W) x 50.8mm(H)

126 Per pair


85.7mm(L) x 25.4mm(W) x 44.5mm(H)



SPRING CLIPS, SS

3100 Designed for marine use.

Up to 1-1/4" spread 2-3/8" from wall.




BOAT HOOK HOLDER, SS

123 Per pair

89mm(L) x 20mm(W) x 1.5mm(T)


HATCH



HATCH ADJUSTER, SS

165 ϕ 11mm x 210mm(L)

165-1 ϕ 11mm x 210mm(L)



HATCH SPRING, SS

165-3 Hatch Spring 8.5" x 7/16" ss304 Bracket w/L support


165-4 Hatch Spring 8.5" x 7/16" ss304 Bracket w/L support & cable

165-5 Hatch Spring 8.5" x 7/16" ss304 Bracket w/Support

165-6 Hatch Spring 8.5" x 7/16" ss304 Bracket w/Support & cable

165-7 Hatch Spring 10" x 9/16" ss304 Bracket w/Support

165-8 Hatch Spring 10" x 9/16" ss304 Bracket w/Support & cable




HATCH ADJUSTER, SS

ALUMINA BRACKET

165-9 Alumina Bracket 11-3/4" x 7/8" Bracket w/Plate

165-10 Alumina Bracket 11-3/4" x 7/8" Bracket w/plate & cable

165-11 Double Spring Alumina Bracket



HATCH ADJUSTER, SS

228 Adjustable 10" to 19"

228L Adjustable 13.8" to 24"

OVERALL LENGTH 12" , ADJUSTMENT LENGTH 9-1/2"

165-2 Side mounted

HATCH ADJUSTER, HEAVY DUTY BCP

229 Adjustable 11-3/16" to 19-5/8"

SINK, CLEAT, STANCHION



TMC-9910051

- CERAMIC WITH NANOMETER (NANO) TREATMENT, ϕ 9"(236mm)
- NANO CERAMIC GLAZE CONTAINS SILVER ION TO SERVE AS ANTI-DIRT & ANTI-BACTERIA PURPOSE (ABBR."ADB" )
- SURFACE FEATURE: DELICATE SMOOTH, HIGH HARDNESS, FRICTION DURABLE AND CHEMICAL RESISTANT
- CAN BE CLEANED WITH VERY LIMITED TIME AND WATER
- EQUIPPED WITH A PUSH BUTTON SINK SEAL
- COME WITH A METAL BARBED PIPE ADAPTOR, NECK 1"(25.4mm) O.D.



1140

SINK OVAL, SS

1140 5" x 12"




1130
1131

SINK ROUND, SS

1130 9"

1131 12"



S5610

S500

STANCHION, SS

S500 ID ϕ 25.3mm x 500mm(L)

S5610 ID ϕ 25.3mm x 610mm(L)



296 - 300

751 - 755

ROUND CLEAT, SS

296 4"

297 6"

298 8"

299 10"

300 12"

CLEAT, PLASTIC

751 3" 75mm(L) x 12mm(W) x 16mm(H)

752 4" 100mm(L) x 14.5mm(W) x 19.5mm(H)

753 5" 130mm(L) x 18.5mm(W) x 26mm(H)

754 6-1/2" 165mm(L) x 20.5mm(W) x 33mm(H)

755 8" 205mm(L) x 24.5mm(W) x 36mm(H)

ELECTRIC HORNS, DRINK HOLDER, FLAG POLE HOLDER



MINI DROP IN HORN

06101-1

SS-12V, Low Pitch

06102-1

SS-12V, High Pitch

SINGLE ELECTRIC HORN


12V, SS COVER

2464 ϕ 3"

TWIN ELECTRIC HORN


12V, SS cover

2466 ϕ 3"




TWIN ELECTRIC HORN

1034 18-1/2" (L)



SINGLE ELECTRIC HORN


1033 16" (L)



BIG HORN, BCP

1030 180mm x 180mm x 690mm

1031 180mm x 180mm x 940mm



DRINK HOLDER, PLASTIC

O Type

1181 Black, ABS

1181G Gray, PP


1181W-O White, PP

C Type


1181B Black, PP

1181W White, w/ spring, PP

CONTROLS, ANTENNA BASES, OUTBOARD MOTOR BRACKET



230 Single control top mount, BCP
231 Double control top mount, BCP




SINGLE CONTROL SIDE MOUNT

263 Brass

DOUBLE CONTROL SIDE MOUNT

264 Brass



ANTENNA BASES

BASE: 2-1/2" x 3-5/8"

LOCKING BAR LENGTH: 4-3/4"

OVERALL HEIGHT: 4-1/4"

279S SS

279N Nylon




OUTBOARD MOTOR BRACKET

SUITABLE FOR ALL ENGINE TYPES UP TO 20 HP
ALUMINUM POLYPROPYLENE PAD.


400S With S.S. bolts

WINCH HANDLE

420 Aluminium 10"



STEERING WHEELS, CLOCKS



STEERING WHEEL, S.S.

- MADE OF HIGH QUALITY POLISHED STAINELSS STEEL
- SPOKS WELDED TO RIM AND HUB
- HUB IS 1-5/16" BORE LENGTH W/ STANDARD STRAIGHT 1" BORE & 1/4" KEY WAY

060501-18	18"	060501-26	26"
060501-20	20"	060501-28	28"
060501-22	22"	060501-30	30"
060101-24	24"		



STEERING WHEEL, S.S.

- MADE OF HIGH QUALITY POLISHED STAINELSS STEEL
- SPOKS WELDED TO RIM AND HUB
- FITS STANDARD 3/4" TAPERED SHAFT, 3/16" KEY WAY
- C/W A TEAK COVER

060502-1	13-1/2"	060502-4	20"
060502-2	15-1/2"	060502-5	22"
060502-3	18"		



STEERING WHEEL WITH PORTHOLE CLOCK, BRASS


810C-12	12"
810C-18	18"
810C-24	24"



STEERING WHEEL 810 SERIES

WOOD SPOKES W/ BRASS HUB
VARIOUS SIZES FROM 12" – 36"
OPTIONS OF TAPERED OR STRAIGHT HUB

MODEL & SIZE	TAPERED HUB
810-16	16"
810-18	18"
810-20	20"
810-24	24"
810-30	30"
810-36	36"
	5/8"-3/4"
MODEL & SIZE	STRAIGHT HUB
810S-12	12"
810S-16	16"
810S-18	18"
810S-20	20"
810S-22	22"
810S-24	24"
810S-30	30"
810S-36	36"
	1"



PORTHOLE MIRROR, BRASS

382	8" x 8" x 1-3/4"
383	11-1/2" x 11-1/2" x 1-3/4"



ANCHOR CLOCK, BRASS

410	Without wooden base
410W	With wooden base



PORTHOLE CLOCK, BRASS

443	9" x 9" x 2-3/4"
444	5-1/2" x 5-1/2" x 2"

KEY RINGS



- | | | |
|--------------------------------------|------------------------------|------------------------------------|
| 2760 Small anchor key ring | 2765 Ship's key ring | 2770 Telegraph key ring |
| 2761 Large anchor key ring | 2766 Bell key ring | 2771 Green side lamp key |
| 2762 Propeller key ring | 2767 Whistle key ring | 2772 Red side lamp key ring |
| 2763 Rope wood block key ring | 2768 Wheel key ring | 2773 Propeller key ring |
| 2764 BS block key ring | | |



- | | | | |
|----------------------------|--|-------------------------------|----------------------------------|
| 2774 Whistle | 2779 Conch | 2789 Wood triple block | 2784 Dolphin |
| 2775 Ship's wheel | 2785 "Except the CAPTAIN" plate | 2780 Crocodile | 2790 Diver |
| 2776 Windsurf board | 2786 Captain ruler | 2781 Octopus | 2791 Rope fender |
| 2777 Sailboat | 2787 Compass | 2782 Fish | 2792 Boatswain call chain |
| 2778 Love boat | 2788 Diver helmet | 2783 Crab | |



- | | | | |
|---------------------------------------|---|----------------------------------|--------------------------------|
| 2795 Wooden ship with compass | 2801 Anchor with cross | 2816 Shark opener | 2815 Screw driver |
| 2795-1 Brass ship with compass | 2803 Gun-emplacement | 2810 Loud speaker | 2807 Perpetual calendar |
| 2797-1 Long whistle | 2809 Anchor with buoy | 2812 Round compass | 2814 Wooden oval |
| 2797 Short whistle | 2813 Wood barrel with compass | 2804 Brass shackle | 2802 Cleat |
| 2794-2 Sea-dog | 2768-1 Steering wheel with compass | 2800 Anchor with skeleton | 2798-1 Long axe |
| 2794-1 Dolphin | 2771-1 Brass combo lights | 2811 Radar | 2798 Short axe |
| 2794 Shark | 2791-1 Rope fender | 2799 Anchor with dolphin | |
| 2808 Fish tail | 2796-1 Gun whistle with compass | 2806 Shell | |
| | 2796 Horn whistle with compass | 2805 Flipper | |

ROD HOLDER



ROD HOLDER, PLASTIC

5510 With locking side mount

SQUARE FLUSH MOUNT ROD HOLDER, NYLON

ID 40mm x 240mm (L)

5513 Flush deck mount

5515 Rail adapter kit



ROD HOLDER, SS

117 ID ϕ 40mm x 240mm(L) w/o cap

117R ID ϕ 40mm x 240mm(L) with cap

117H ID ϕ 40mm x 2 40mm(L) heavy duty

ROD HOLDER, PLASTIC (ABS)


117PB ID ϕ 40mm x 240mm(L) black

117PW ID ϕ 40mm x 240mm(L) white

LARGE REMOVABLE ROD HOLDER, SS


121 ID ϕ 47.8mm x 250mm(L)
w/mounting plate (#121-1)

121-1 102mm(L) x 93.5mm(W) x 2mm(T)
mounting plate only



ROD HOLDER, SS

1171-W ϕ 45mm x 262mm(L)




ROD MOUNT SET, PP

2-ROD (PAIR), W/SS MOUNTING SCREWS

05201

222mm(L) x 65mm(W) x 90mm(H)




ROD MOUNT SET, PP

4-ROD (PAIR), W/S.S. MOUNTING SCREWS

05202

385mm(L) x 65mm(W) x 90mm(H)




ROD MOUNT SET, PP

6-ROD (PAIR), W/SS MOUNTING SCREWS

05203

565mm(L) x 65mm(W) x 90mm(H)



ROD HOLDER SET, PP

W/SS MOUNTING HARDWARE

05204 2-Tube

05205 3-Tube

05206 4-Tube

05207 6-Tube

RUBBER WARE, DRAIN PLUG, HAND OIL PUMP



EXHAUST GUARD, RUBBER

5031 ϕ 75mm x ϕ 95mm x 37mm (H)

5041 ϕ 105mm x ϕ 135mm x 37mm (H)



FLEXIBLE PETROL HOSE, RUBBER


550 40mm x 470mm (L)



MOORING SPRING, RUBBER

1560 15mm x 550mm (L)

1561 20mm x 720mm (L)



SNAP-HANDLE DRAIN PLUG, BRASS

5600 Fit 1" drain tube

T-HANDLE DRAIN PLUG, BRASS

5610 Fit 1" drain tube

T-HANDLE DRAIN PLUG, BRASS


5620 Tube for #5600 & #5610, 3"(L)

HAND OIL PUMP

261 Hose inlet ϕ 8mm x 700mm(L)

Outlet ϕ 11mm x 250mm(L)

709 Faucet for galley and toilet with shut-off



www.tmcint.com



TMC TECHNOLOGY CORP.

[Sales Office]

11F., No. 71, Dunhua S. Rd., Sec. 2, Taipei, Taiwan, R.O.C.

TEL: 886-2-2755-0897 **FAX:** 886-2-2755-0967

Website: www.tmcint.com

E-Mail: sales1@tmcint.com

[Factory]

No. 726, Jieh Shou Rd., Sec. 2, Pa Teh City,
Taoyuan, Taiwan, R.O.C.

TEL: 886-3-368-8127 **FAX:** 886-3-368-4959