


SAFETY MATTERS



SAFETY EQUIPMENT CATALOGUE



EVAL - E.G. Vallianatos S.A. is a leader Greek company, producing marine lifesaving equipment and accessories, for passenger ships and leisure boats, according to the latest international standards. The company was founded in 1976, owning its manufacturing facilities of 5500m² in Ano Liosia - Athens (Greece), having 60 employees.

Recently, the company has proceeded to hire roofed storage 2000m² in Aspropirgos - Athens, strategically close to Attica Toolway (urban motorway) and the new Freight Centre, in order to meet growing needs.

EVAL - E.G. Vallianatos S.A. is a European manufacturer of MEDSOLAS & CE products, offering a full range of safety equipment such as lifejackets (inherently buoyant and inflatable), lifebuoys, lifejacket and lifebuoy lights, buoyancy aids, meeting the latest standards. The company's product range includes more than 6.000 codes of marine accessories, docking and anchoring, electrical, electronic, hydraulic, fishing and water sports equipment.

EVAL - E.G. Vallianatos S.A. has a strong customer orientation, based on its philosophy to produce high quality products that meet client's requirements, which is why EVAL's export activities expand worldwide (Europe, Middle East, Africa, Asia, Australia and Canada).

EVAL's clientele includes:

- // Specialized Marine & Safety Equipment stores
- // Industrial Customers (B2B) - Shipyards
- // Shipping Companies
- // Service stations
- // Wholesale & Retail customers



SINCE 1976

Produces in Greece... Distributes worldwide

QUALITY // CERTIFICATIONS

Since the beginning of its activities EVAL - E.G. Vallianatos S.A. applies a quality management system according to ISO 9001, while its products have been certified by Notified Bodies LLOYD'S Register, Polish Register of Shipping, TÜV and RINA. EVAL pays attention to quality control, having a well-equipped Quality Control department, staffed with specialized engineers. Therefore, every single batch is thoroughly tested, before entering the market.

A. Company's Certifications

1. **ISO 9001:2008** (Quality Management System Certificate)
2. **MODULED** (Production Quality System Certificate according to marine Equipment Directive)

B. Products' Certifications

1. Marine Equipment Directive (SOLAS / M.E.D.) approvals
2. Personal Protective Equipment Directive (CE) approvals



INFO



MADE BY EVAL



BEST SELLING



PRODUCTS AND DATA
THAT INCLUDED IN
THE CATALOGUE MAY
CHANGE WITHOUT
PRIOR INFORMATION



CONTENTS

OUR COMPANY	2
QUALITY	3
LIFEJACKETS	
• SOLAS - L.S.A. CODE FOAM LIFEJACKETS	6
• SOLAS - L.S.A. CODE INFLATABLE LIFEJACKETS	8
• CE INFLATABLES LIFEJACKETS	11
• CE FOAM LIFEJACKETS	13
• BUOYANCY AIDS	15
• ACCESSORIES	16
SAFETY HARNESS // SAFETY LINES	18
SUITS	19
MOB SYSTEMS	
• LIFEBUOYS	21
• HORSESHOE BUOYS & RESCUE SYSTEMS	23
• BASES	25
LIGHTS	
• LIGHTS	26
• ACCESSORIES	27
LIFERAFTS & LIFESAVING APPARATUSES	
• LIFERAFTS	28
• LIFESAVING APPARATUSES	33

SIGNALING EQUIPMENT

- FLARES..... 34
- SMOKE SIGNAL..... 34
- HORNS..... 34
- REFLECTORS 35

FIREFIGHTING..... 36**FIRST AID 40****GENERAL**

- BOOKS..... 42
- STORAGE..... 42
- BUCKETS 43
- NAVIGATION..... 43
- GENERAL..... 45

SOLAS category lifejackets are manufactured in accordance with the strictest specifications of the International Maritime Organization (IMO) regulations and the Marine Equipment Directive. They are mainly intended for offshore use, with heavy clothing and they equip all kinds of passenger ships, commercial and warships and also large fishing boats and yachts.

SOLAS - L.S.A. CODE FOAM LIFEJACKETS

02180-3



COMPACT FOLDABLE FOAM LIFEJACKET, M.E.D. 2014/90/EU, SOLAS-L.S.A. CODE, IMO MSC.81(70), MSC.200(80), MSC.201(81), MSC.207(81), MSC.323(89), MSC.368(93), MSC.378(93)

Designed for merchant ships. Compared to classic foldable lifejackets, they take up even less space, making them ideal solution for limited storage conditions as they can be easily placed even under seats. Constructed with SOLAS approved reflective tapes, approved whistle, lifting loop, crotch strap, buddy line, transparent pockets and alternative positions for lifejacket light installation.



CODE	SIZE	WEIGHT (KG)	BUOYANCY (N)	DIMENSIONS (MM)
02180-3	ADULT	≥43	145	410 X 280 X 135

*AVAILABLE IN YELLOW, ON REQUEST

Designed to equip merchant ships. Constructed with SOLAS approved reflective tapes, approved whistle and two alternative positions for lifejacket light installation (front or side). Also equipped with a belt ending in a plastic hook so as to allow persons wearing it to be strapped together.

02010 1-3

FOAM LIFEJACKET BASIC, M.E.D. 2014/90/EU, SOLAS-L.S.A. CODE, IMO MSC.81(70), MSC.200(80), MSC.201(81), MSC.207(81), MSC.323(89), MSC.368(93), MSC.378(93).




CODE	SIZE	WEIGHT (KG)	BUOYANCY (N)	DIMENSIONS (MM)
02010-1	INFANT	<15	70	470 X 295 X 90
02010-2	CHILD	15 ≤ WEIGHT <43	85	545 X 310 X 95
02010-3	ADULT	≥43	150	615 X 385 X 100

*AVAILABLE IN YELLOW, ON REQUEST

02010 4-6

FOLDABLE FOAM LIFEJACKET, M.E.D. 96/98/EC, SOLAS-L.S.A. CODE, IMO MSC.81(70), MSC.200(80), MSC.201(81), MSC.207(81)



CODE	SIZE	WEIGHT (KG)	BUOYANCY (N)	DIMENSIONS (MM)								
				A	B	C	D	E	F	G		
02010-4	INFANT	<15	70	540	240	250	280	80	100	180		
02010-5	CHILD	15 ≤ WEIGHT <43	85	650	240	320	345	50	100	150		
02010-6	ADULT	≥43	150	790	290	440	345	80	100	180		

*AVAILABLE IN YELLOW, ON REQUEST

01896-1 // 00475-3

FOAM LIFEJACKETS SOLAS 74

SOLAS 74 approved by the Hellenic Ministry of Merchant Marine



CODE	SIZE	WEIGHT (KG)	BUOYANCY (N)	DIMENSIONS (MM)
01896-1	CHILD	15 ≤ WEIGHT < 43	55	480 X 270
00475-3	ADULT	≥ 43	95	630 X 360

03696-3

DONNING INSTRUCTIONS FOR SOLAS - L.S.A. CODE LIFEJACKETS

For lifejackets *02010-1, *02010-2, *02010-3



SOLAS - L.S.A. CODE INFLATABLE LIFEJACKETS

M.E.D. 2014/90/EU, IMO MSC 81(70), MSC.200(80), MSC.207(81), MSC.323(89), MSC.368(93) & MSC.378(93)
 PPE 89/686/EEC, EN ISO 12402-2 / EN ISO 12402-3 / EN ISO 12401

INFLATABLE ADULT LIFEJACKETS "ITHACA" 150N & 275N

Inflatable lifejackets ITHACA 150N and ITHACA 275N have been produced according to latest SOLAS regulations. They are suitable for offshore use under extreme weather conditions with full weather clothing, thus they can be installed on all commercial and navy ships, professional fishing boats and mega-yachts. Inflatable lifejackets ITHACA have been designed according to strictest lifejacket standards and can be used at most extreme conditions. Especially, ITHACA 275N is the optimum model among EVAL lifejacket range and gives to the user the maximum buoyancy and safety. The first bladder is inflated either manually, or automatically after the user drops into water, while there is also a manually activated back up inflatable bladder for emergency.

Lifejacket features:

- // Twin chamber system
- // UML inflators
- // Oral tubes
- // Overpressure relief valve
- // Lifting loop
- // Buddy line
- // Velcro-closing cover
- // EN ISO 12401 integrated safety harness
- // ISO 12402-8 approved whistle
- // SOLAS approved retro-reflective tapes
- // ISO 12402-7 approved materials
- // Min. user's body weight 43kg
- // Max. user's chest circumference 175cm
- // Compatible with EVAL SOLAS lifejacket lights
- // Optional single crotch strap (code 02947)
- // Extra fire resistant cover (code 02933-2)

04743*
**ITHACA 150N, SOLAS M.E.D., EN ISO 12402-3,
 EN ISO 12401**



CODE	BUOYANCY (N)	CO2 CYLINDER (GR)	COVER	UML INFLATOR	D-RING	BUCKLE
04743-1	160	2 X 33	NYLON / RED OR NAVY BLUE OR BLACK	1 AUTO MK5 + 1 MANUAL	-	PLASTIC
04743-1A	160	2 X 33	NYLON / RED OR NAVY BLUE OR BLACK	2 X AUTO MK5	-	PLASTIC
04743-2	160	2 X 33	NYLON / RED OR NAVY BLUE OR BLACK	1 AUTO MK5 + 1 MANUAL	STAINLESS STEEL	STAINLESS STEEL
04743-2A	160	2 X 33	NYLON / RED OR NAVY BLUE OR BLACK	2 X AUTO MK5	STAINLESS STEEL	STAINLESS STEEL
04743-3	160	2 X 33	PVC ORANGE	1 AUTO MK5 + 1 MANUAL	-	PLASTIC
04743-3A	160	2 X 33	PVC ORANGE	2 X AUTO MK5	-	PLASTIC
04743-4	160	2 X 33	PVC ORANGE	1 AUTO MK5 + 1 MANUAL	STAINLESS STEEL	STAINLESS STEEL
04743-4A	160	2 X 33	PVC ORANGE	2 X AUTO MK5	STAINLESS STEEL	STAINLESS STEEL



can be combined with:
code 04751
 p.19

04745*
**ITHACA 275N, SOLAS M.E.D., EN ISO 12402-2,
 EN ISO 12401**



CODE	BUOYANCY (N)	CO2 CYLINDER (GR)	COVER	UML INFLATOR	D-RING	BUCKLE
04745-1	290	2 X 60	NYLON / RED OR NAVY BLUE OR BLACK	1 AUTO MK5 + 1 MANUAL	-	PLASTIC
04745-1A	290	2 X 60	NYLON / RED OR NAVY BLUE OR BLACK	2 X AUTO MK5	-	PLASTIC
04745-2	290	2 X 60	NYLON / RED OR NAVY BLUE OR BLACK	1 AUTO MK5 + 1 MANUAL	STAINLESS STEEL	STAINLESS STEEL
04745-2A	290	2 X 60	NYLON / RED OR NAVY BLUE OR BLACK	2 X AUTO MK5	STAINLESS STEEL	STAINLESS STEEL
04745-3	290	2 X 60	PVC ORANGE	1 AUTO MK5 + 1 MANUAL	-	PLASTIC
04745-3A	290	2 X 60	PVC ORANGE	2 X AUTO MK5	-	PLASTIC
04745-4	290	2 X 60	PVC ORANGE	1 AUTO MK5 + 1 MANUAL	STAINLESS STEEL	STAINLESS STEEL
04745-4A	290	2 X 60	PVC ORANGE	2 X AUTO MK5	STAINLESS STEEL	STAINLESS STEEL



can be combined with:
code 04751
 p.19



CE LIFEJACKETS



CE category lifejackets are manufactured in accordance with the internationally harmonized standards EN ISO 12402 of the Personal Protective Equipment Regulation (EU) 2016/425. These standards are categorized based on the security level, as follows:



EN ISO 12402-2 LIFEJACKETS, 275N

Lifejackets intended for offshore use under extreme conditions. Worn in combination with heavy protective clothing which may adversely affect the self-righting capacity of the lifejacket. Designed to ensure that the user is floating in the correct position with his mouth and nose clear of the surface.



EN ISO 12402-3 LIFEJACKETS, 150N

Lifejackets intended for general application or for use with foul weather clothing. They will turn an unconscious person into a safe position and require no subsequent action by the user to maintain this position.



EN ISO 12402-4 LIFEJACKETS, 100N

Lifejackets intended for those who may have to wait for rescue, but are likely to do so in sheltered water. They should not be used in rough conditions.



EN ISO 12402-5 BUOYANCY AIDS, 50N

Buoyancy aids used in sheltered waters, by adults and children who are conscious and competent swimmers, with rescue personnel close by. These garments have minimal bulk, but they are of limited use in disturbed water, and cannot be expected to keep the user safe for a long period of time. They do not have sufficient buoyancy to protect people who are unable to help themselves. They require active participation by the user.



EN ISO 12401, DECK SAFETY HARNESS


The ISO 12401 standard specifies the requirements for performance, sizing, marking and test methods for deck safety harnesses and safety lines. Safety harness: device securely fitted to the user and which provides suitable strong point(s) of attachment for the safety line.

CE INFLATABLES LIFEJACKETS

04326* INFLATABLE ADULT LIFEJACKET "SIMI" 150N



The Inflatable adult lifejacket "SIMI" by EVAL is a combination of small size and comfort. It is suitable for any type of motor boat or sailing boat, for swimmers or users that do not know how to swim, for use in non-sheltered waters even wearing heavy clothing. It is designed to turn the user into a safe position, even if he is unconscious.



can be combined with:
code 04751
p.19

Lifejacket features:

- // UML inflators // EN ISO 12402-8 approved whistle // Max. user's chest circumference 140 cm
- // Oral tube // SOLAS approved retro-reflective tapes // Compatible with EVAL SOLAS lifejacket lights
- // Lifting loop // EN ISO 12402-7 approved materials // Extra fire resistant cover (code 02933-1)
- // Velcro-closing cover // Min. user's body weight 40kg // Extra PVC wipe clean cover (code 02933-3)

CODE	BUOYANCY (N)	CO2 CYLINDER (GR)	COVER	UML INFLATOR	D-RING	BUCKLE
04326-1	160	1 X 33	NYLON / RED OR NAVY BLUE OR BLACK	MANUAL	-	STAINLESS STEEL
04326-2	160	1 X 33	NYLON / RED OR NAVY BLUE OR BLACK	AUTO MK5	-	STAINLESS STEEL
04326-3	160	1 X 33	NYLON / RED OR NAVY BLUE OR BLACK	MANUAL	STAINLESS STEEL	STAINLESS STEEL
04326-4	160	1 X 33	NYLON / RED OR NAVY BLUE OR BLACK	AUTO MK5	STAINLESS STEEL	STAINLESS STEEL
04326-5	160	1 X 33	NYLON / RED OR NAVY BLUE OR BLACK	MANUAL	-	PLASTIC
04326-6	160	1 X 33	NYLON / RED OR NAVY BLUE OR BLACK	AUTO MK5	-	PLASTIC

04326-CS* INFLATABLE ADULT LIFEJACKET "SIMI 2017" 150N, EN ISO 12402-3



The new inflatable adult lifejacket SIMI 2017 incorporates all technical characteristics of its predecessor SIMI lifejacket, with the addition of a fixed single crotch strap for a more secure fit.



can be combined with:
code 04751
p.19

- #### Lifejacket features:
- // UML inflators // Fixed single crotch strap
 - // Oral tube // Min. user's body weight 40kg
 - // Lifting loop // Max. user's chest circumference 140 cm
 - // Velcro-closing cover // Compatible with EVAL SOLAS lifejacket lights
 - // ISO 12402-8 approved whistle // Extra fire resistant cover (code 02933-1)
 - // SOLAS approved retroreflective tapes // Extra PVC wipe clean cover (code 02933-3)
 - // ISO 12402-7 approved materials

CODE	BUOYANCY (N)	CO2 CYLINDER (GR)	COVER	UML INFLATOR	D-RING	BUCKLE	FIXED CROTCH STRAP
04326-1CS	160	1 X 33	NYLON / RED OR NAVY BLUE OR BLACK	MANUAL	-	STAINLESS STEEL	√
04326-2CS	160	1 X 33	NYLON / RED OR NAVY BLUE OR BLACK	AUTO MK5	-	STAINLESS STEEL	
04326-3CS	160	1 X 33	NYLON / RED OR NAVY BLUE OR BLACK	MANUAL	STAINLESS STEEL	STAINLESS STEEL	
04326-4CS	160	1 X 33	NYLON / RED OR NAVY BLUE OR BLACK	AUTO MK5	STAINLESS STEEL	STAINLESS STEEL	
04326-5CS	160	1 X 33	NYLON / RED OR NAVY BLUE OR BLACK	MANUAL	-	PLASTIC	
04326-6CS	160	1 X 33	NYLON / RED OR NAVY BLUE OR BLACK	AUTO MK5	-	PLASTIC	

04327*
INFLATABLE LIFEJACKET "NISYROS",
EN ISO 12402-3, EN ISO 12402-2,
EN ISO 12401




The new inflatable lifejacket series "NISYROS" features ergonomic and lightweight design, which combines high quality and comfort. Available in two sizes: for adults and for children. Both size categories exceed the minimum buoyancy required by the standard, and especially the children's size offers the highest level of buoyancy in the market. All materials are certified according to the European standard EN ISO 12402-7.

Lifejacket features:

- // UML inflator
- // one 24gr or 38gr or 60gr CO2 cylinder
- // New air chamber design at the category of 190N that protects from water funneling, directing water away from user's airways
- // SOLAS approved retro reflective tape
- // EN ISO 12401 approved safety harness
- // fitted crotch strap
- // lifting loop
- // EN ISO 12402-8 approved whistle
- // oral tube
- // can be equipped with all EVAL SOLAS approved lifejacket lights

CODE	SIZE	UML INFLATOR	BODY WEIGHT (KG)	CHEST CIRCUMFERENCE (CM)	BUOYANCY (N)	CO2 CYLINDER (GR)
04327-01	ADULT	MK5 AUTOMATIC	>40	≤140	190	38
04327-01PRO	ADULT	PRO SENSOR AUTO ELITE	>40	≤140	190	38
04327-02	CHILD	MK5 AUTOMATIC	20 - 40	60 - 90	120	24
04327-02PRO	CHILD	PRO SENSOR AUTO ELITE	20 - 40	60 - 90	120	24
04327-03PRO	ADULT	PRO SENSOR AUTO ELITE	>40	≤140	290	60



04750
INFLATABLE LIFEJACKET "FERRY",
EN ISO 12402-4, EN ISO 12402-3

The FERRY Inflatable adult lifejacket is designed to serve in an emergency situation on passenger ships. It is recommended for coastal navigation. This lifejacket is lightweight and very easy to don and use. It is stored in a compact, air-tight, plastic bag, underneath the passenger seat or compartment. Printed instructions are included in the bag. The FERRY lifejacket is approved according to EN ISO 12402-4 and EN ISO 12402-3.

Lifejacket features:

- // UML inflators
- // SOLAS approved retro-reflective tape
- // EN ISO 12402-8 approved whistle
- // oral tube
- // lifting loop on the 160N lifejacket
- // pack size: 39x28x2cm
- // can be equipped with all EVAL SOLAS approved lifejacket lights



CODE	BUOYANCY (N)	UML INFLATOR	CO2 CYLINDER (GR)
04750-01	120	MICRO MANUAL	24
04750-02	160	MK5 AUTOMATIC	33

CE FOAM LIFEJACKETS

00487*

LIFEJACKET BELT "SKOPELOS" 150N, EN ISO 12402-3

Designed for general use in non-sheltered water and for use with heavy clothing. Turns the user into a safe position, even if he is unconscious. It features a 30mm wide strap, additional rescue strap, SOLAS reflective tapes and a EN ISO 12402-8 approved whistle. All materials used in the construction of the lifejacket are approved in accordance with the European standard EN ISO 12402-7 of the Directive 89/686 / EC for recreational crafts.

CODE	TYPE	WEIGHT (KG)	CHEST CIRCUMFERENCE (CM)	BUOYANCY (N)
00487-1	CHILD	15 - 40	50 - 80	>75
00487-2	ADULT	>40	80 - 125	>150



00482*

LIFEJACKET BELT "MILOS" 100N, EN ISO 12402-4

Designed for users who may have to wait to be rescued in sheltered waters. It is equipped with a 30mm wide strap, SOLAS reflective tapes and a EN ISO 12402-8 approved whistle. All materials used in the construction of the lifejacket are approved in accordance with the European standard EN ISO 12402-7 of the Directive 89/686 / EC for recreational crafts.

CODE	TYPE	WEIGHT (KG)	CHEST CIRCUMFERENCE (CM)	BUOYANCY (N)
00482-1	CHILD	15 - 40	50 - 80	>50
00482-2	ADULT	>40	80 - 125	>100



00496*

LIFEJACKETS "NAXOS" 150N EN ISO 12402-3

Provides maximum safety even in dangerous conditions and turbulent waters. It is specially designed to turn the user into a safe position, even if he is unconscious. The protective collar supports the head and keeps it out of the water, providing the user with a safe position without any effort. It features a heavy duty belt buckle, plastic zipper, extra strap for easier rescue, EN ISO 12402-8 approved whistle and SOLAS approved reflective tapes. Children's models feature crotch fabric and/or strap for safer fit. All materials used in the construction of lifejackets are approved in accordance with the European standard EN ISO 12402-7. Available in 7 sizes.

CODE	SIZE	WEIGHT (KG)	CHEST CIRCUMFERENCE (CM)	BUOYANCY (N)
00496-0	INFANT	<15	40 - 60	50
00496-1	CHILD	15 - 30	60 - 70	65
00496-2	CHILD	30 - 40	70 - 80	80
00496-3	ADULT	40 - 50	80 - 90	95
00496-4	ADULT	50 - 70	90 - 100	135
00496-5	ADULT	70 - 90	100 - 120	155
00496-6	ADULT	>90	120 - 130	165



00495***LIFEJACKETS "CRETE" 100N, EN ISO 12402-4**

Provides safety in sheltered waters. It is specially designed to turn and keep the user in a safe position. The protective collar supports the head and keeps it out of the water, providing the user with a safe position without any effort. It is equipped with a belt with easy-to-use buckle, plastic zipper, EN ISO 12402-8 approved whistle and SOLAS approved reflective tapes. Children's models feature crotch fabric and/or strap for safer fit. All materials used in the construction of lifejackets are approved in accordance with the European standard EN ISO 12402-7. Available in 7 sizes.

CODE	SIZE	WEIGHT (KG)	CHEST CIRCUMFERENCE (CM)	BUOYANCY (N)
00495-0	INFANT	<15	40 - 60	35
00495-1	CHILD	15 - 30	60 - 70	45
00495-2	CHILD	30 - 40	70 - 80	55
00495-3	ADULT	40 - 50	80 - 90	65
00495-4	ADULT	50 - 70	90 - 100	85
00495-5	ADULT	70 - 90	100 - 120	105
00495-6	ADULT	>90	120 - 130	115

**00499*****CHILDREN'S LIFEJACKET "WATERPARK" 150N, EN ISO 12402-3**

Provides maximum safety even in dangerous conditions and turbulent waters. It is specially designed to turn the user into a safe position even if he is unconscious. The protective collar supports the head and keeps it out of the water, providing the user with a safe position without any effort. It is equipped with crotch fabric and/or strap for safer fit. It has a heavy-duty belt buckle, additional strap for easier rescue, plastic zipper, EN ISO 12402-8 approved whistle and SOLAS approved reflective tapes. All materials used in the construction of lifejackets are approved in accordance with the European standard EN ISO 12402-7. Available in 3 sizes.

CODE	SIZE	WEIGHT (KG)	CHEST CIRCUMFERENCE (CM)	BUOYANCY (N)
00499-0	INFANT	<15	40 - 60	50
00499-1	CHILD	15 - 30	60 - 70	65
00499-2	CHILD	30 - 40	70 - 80	80

**00498*****CHILDREN'S LIFEJACKET "ZOO" 100N, EN ISO 12402-4**

Provides safety in sheltered waters. It is specially designed to turn and keep the user in a safe position. The protective collar supports the head and keeps it out of the water, providing the user with a safe position without any effort. It is equipped with crotch fabric and/or strap for safer fit. It has a quick release belt buckle, plastic zipper, EN ISO 12402-8 approved whistle and SOLAS approved reflective tapes. All materials used in the construction of lifejackets are approved in accordance with the European standard EN ISO 12402-7. Available in 3 sizes.

CODE	SIZE	WEIGHT (KG)	CHEST CIRCUMFERENCE (CM)	BUOYANCY (N)
00498-0	INFANT	<15	40 - 60	35
00498-1	CHILD	15 - 30	60 - 70	45
00498-2	CHILD	30 - 40	70 - 80	55



BUOYANCY AIDS 50N, EN ISO 12402-5



Buoyancy aids are intended for competent swimmers and in sheltered waters, where direct help is possible. Mainly used for water sports, they are available in various designs and colors to meet different user requirements. They are manufactured in accordance with the European standard EN ISO 12402-5, and all materials used in their manufacture are approved in accordance with the European standard EN ISO 12402-7.

00470 WORK VEST 55N

Suitable for use in industrial marine working environment. Lightweight and comfortable. Smart design that allows free arm movement, for excellent mobility. It is firmly secured on the user's body with two adjustable waist belts with buckles and also adjustable shoulder straps for comfortable and tight fit. Equipped with a special wipe-clean outer PVC cover. The cover is UV resistant, mold and grease resistant and particularly visible due to its glossy orange and SOLAS retro-reflective tapes.

CODE	TYPE	WEIGHT (KG)	CHEST CIRCUMFERENCE (CM)	BUOYANCY (N)
00470	ADULT	> 40	80-130	55



WATER SPORTS BUOYANCY AIDS

Available in various designs and colors to meet different user requirements.

00481* "PAROS"

Ideal design for water ski and jet ski, with 4 adjustable straps for optimal application and safety. Manufactured from durable Nylon fabric and SOLAS approved reflective tapes. Available in 4 sizes, in a color combination of yellow and blue.

CODE	TYPE	WEIGHT (KG)	CHEST CIRCUMFERENCE (CM)	BUOYANCY (N)
00481-1	CHILD	25-40	65 - 80	40
00481-2	ADULT	40-70	80 - 100	50
00481-3		70-90	100 - 110	55
00481-4		>90	110 - 125	65



00480* "RHODES"

Ideal for water sports, it offers comfort and safe fit. Suitable for water skiing, jet skiing and rafting, with 3 adjustable straps for extra safety. Manufactured from durable Polyester fabric and SOLAS approved reflective tapes. Available in 4 sizes, in red color with black interior and a back print.

CODE	TYPE	WEIGHT (KG)	CHEST CIRCUMFERENCE (CM)	BUOYANCY (N)
00480-1	CHILD	25-40	65 - 80	40
00480-2	ADULT	40-70	80 - 100	50
00480-3	ADULT	70-90	100 - 110	55
00480-4	ADULT	>90	110 - 125	65



00491
"CORFU"

Suitable for all kinds of sailing and water sports. Manufactured from durable Nylon fabric, with a belt and zipper for stable and easy fit and with SOLAS approved reflective tapes. Available in 2 sizes, in a color combination of black and green color and a back print.



CODE	TYPE	WEIGHT (KG)	CHEST CIRCUMFERENCE (CM)	BUOYANCY (N)
00491-1	CHILD	25-40	65 - 80	40
00491-2	ADULT	>40	80 - 125	65

00492*
"HYDRA"

Suitable for all kinds of sailing as well as windsurfing / canoeing. Manufactured from durable Nylon fabric, with a belt and zipper for stable and easy fit, and SOLAS approved reflective tapes. Available in 4 sizes in black color with a front and back print.



CODE	TYPE	WEIGHT (KG)	CHEST CIRCUMFERENCE (CM)	BUOYANCY (N)
00492-1	CHILD	25-40	65 - 80	40
00492-2	ADULT	40-70	80 - 100	50
00492-3	ADULT	70-90	100 - 110	55
00492-4	ADULT	>90	110 - 125	65

03264*
PET BUOYANCY AID

The pet buoyancy aid is suitable for most breeds of dogs and cats. It provides safety and additional buoyancy to the pet, both in emergency situations and in water play. It features a handle and perimeter straps for lifting and exiting the water and a fitted D-ring to attach the leash. Available in four sizes, it is comfortable on the animal's body and easy to fit.



CODE	WEIGHT (KG)
03264-1	<8
03264-2	8 - 15
03264-3	15 - 40
03264-4	>40

ACCESSORIES

02933*
INFLATABLE LIFEJACKET COVERS

Fire-resistant cover: Protects against sparks, molten metals, heat, open flame and light chemicals. Ideal for welding activities.

PVC wipe clean cover: Protects against oil, grease, dirt and offers maximum resistance to wear. Easy to wipe clean. Ideal for heavy duty industrial use. All covers are designed for easy application on inflatable lifejackets.

CODE	COVER TYPE	SUITABLE FOR
02933-1	FIRE-RESISTANT COVER	SIMI 4326
02933-2	FIRE-RESISTANT COVER	ITHACA 4743, ITHACA 4745
02933-3	PVC WIPE CLEAN COVER	SIMI 4326

02933-2



02933-3



04751 SPRAYHOOD UNIVERSAL

The EVAL Sprayhood is designed to increase the chance of survival by reducing the risk of secondary drowning. It provides added protection against waves, reduces the amount of spray inhaled and enhances visibility of the user in survival conditions, with its bright fluorescent color and SOLAS retro-reflective tapes. Compatible with all EVAL inflatable lifejackets and easy to use.

* It is combined with lifejackets "ITHACA", "SIMI" & "NISYROS".



*compatible
with all EVAL
Inflatable
lifejackets

04328-1 MANUAL INFLATOR



The activation mechanism is made by UML company.

04328-2 AUTOMATIC INFLATOR MK5



04328-2PRO AUTOMATIC INFLATOR PRO ELITE



04328-24 04328-33 04328-38 04328-60 SPARE CO2 GAS CYLINDER FOR INFLATABLE LIFEJACKETS



04328-12 SPARE FIRING INDICATOR FOR MANUAL INFLATOR MK5



04328-6 04328-26 MANUAL REARMING KIT



04328-8 SPARE CAR- TRIDGE FOR AUTOMATIC INFLATOR MK5



04328-9 SPARE FIRING INDICATOR FOR AUTOMATIC INFLATOR MK5



04328-8PRO SPARE CARTRIDGE FOR AUTOMATIC INFLATOR PRO ELITE



04328-27 04328-5 04328-23 04328-25 AUTO-MK5 REARMING KIT



04328-23PRO 04328-27PRO SPARE SET FOR AUTOMATIC INFLATOR PRO ELITE



INFLATORS	
CODE	DESCRIPTION
04328-1	MANUAL
04328-2	AUTOMATIC MK5
04328-2PRO	AUTOMATIC PRO ELITE
CYLINDERS	
CODE	DESCRIPTION
04328-24	SPARE CO2 GAS CYLINDER 24GR
04328-33	SPARE CO2 GAS CYLINDER 33GR
04328-38	SPARE CO2 GAS CYLINDER 38GR
04328-60	SPARE CO2 GAS CYLINDER 60GR
SPARES	
CODE	DESCRIPTION
04328-12	FIRING INDICATOR FOR MANUAL INFLATOR
04328-9	FIRING INDICATOR FOR AUTOMATIC MK5 INFLATOR
04328-8	CARTRIDGE FOR AUTOMATIC MK5 INFLATOR
04328-8PRO	CARTRIDGE FOR AUTOMATIC PRO ELITE INFLATOR
INFLATOR SPARE SETS	
CODE	DESCRIPTION
04328-6	33GR CO2 CYLINDER & INDICATOR FOR MANUAL INFLATOR
04328-26	60GR CO2 CYLINDER & INDICATOR FOR MANUAL INFLATOR
04328-27	24GR CO2 CYLINDER & INDICATOR & CARTRIDGE FOR AUTOMATIC MK5 INFLATOR
04328-5	33GR CO2 CYLINDER & INDICATOR & CARTRIDGE FOR AUTOMATIC MK5 INFLATOR
04328-23	38GR CO2 CYLINDER & INDICATOR & CARTRIDGE FOR AUTOMATIC MK5 INFLATOR
04328-25	60GR CO2 CYLINDER & INDICATOR & CARTRIDGE FOR AUTOMATIC MK5 INFLATOR
04328-27PRO	24GR CO2 CYLINDER & CARTRIDGE FOR AUTOMATIC PRO ELITE INFLATOR
04328-23PRO	38GR CO2 CYLINDER & CARTRIDGE FOR AUTOMATIC PRO ELITE INFLATOR

04328-7 INFLATABLE LIFEJACKET BELT EXTENTION



02947 SAFETY HARNESS AND LIFEJACKET/ BUOYANCY AID CROTCH STRAP

The aid crotch strap can be adjusted to every lifejacket, buoyancy aid and safety harness.



00518
WHISTLE FOR LIFEJACKETS

New handy improved design approved according to SOLAS 74, LSA Code EN ISO 12402-7 and EN ISO 12402-8.



CODE	COLOR
00518-O	ORANGE
00518-B	BLUE
00518-BL	BLACK

03454
REFLECTIVE TAPE SOLAS 74, AMENDMENT 1996 E.C. 96/98, L.S.A. CODE

For Life saving equipment and various uses.



CODE	LENGTH M	WIDTH CM
03454	50	5
03454-1	25	5

SAFETY HARNESS // SAFETY LINES

02941*
EVAL SAFETY HARNESS



Tested and approved according to the European standard EN ISO 12401 for use on small boats (even for racing purposes). It features stainless steel buckle, a strong stainless steel D-ring for attachment with a safety line and fully adjustable shoulder and waist webbing. It is equipped with nylon fabric at the back for consistent fit.



CODE	WEIGHT KG	TYPE
02941	50+ KG	ADULT
02941-1	20-50 KG	CHILD

02943*
SAFETY LINES



Specially manufactured for comfort and light weight. With stainless steel hooks. Approved according to EN ISO 12401.

03195
SAFETY LINE SNAP HOOK

// Stainless steel
// Approved according to EN ISO 9227



CODE	BREAKING LOAD KG
03195	1500



* The safety lines may be manufactured with optional over-load indicator upon request.

03521*
JACKLINE YELLOW COLOR



The Jacklines run from the stern to the bow on both sides of the boat, keeping passengers securely on board without hindering freedom of movement. The jacklines feature a loop on each end and are made of UV-resistant Polyester webbing, 25mm in width. Available in pairs, in yellow color and sizes from 6m to 12m.



CODE	LENGTH M
03521-06Y	6
03521-08Y	8
03521-10Y	10
03521-12Y	12



CODE	DESCRIPTION	LENGTH MAX CM
02943	DOUBLE HOOKS STAINLESS STEEL AND ELASTIC WEBBING *	125 - 187
02943-1	SINGLE HOOK STAINLESS STEEL *	195
02943-2	DOUBLE HOOK STAINLESS STEEL *	195
02943-3	TRIPLE HOOK STAINLESS STEEL*	190

SUITS

04843

THERMAL PROTECTIVE AID TPA M.E.D. 2014/90/EU, SOLAS-L.S.A. CODE, IMO MSC.81(70)



Designed for hypothermia protection during prolonged exposure in life rafts and rescue boats, keeps survivors warm and protected against rain, wind and cold. Waterproof fabric with low thermal conductivity to reduce heat loss of convective and evaporate heat of those who use it. Shall be worn over lifejacket and can be easily removed when not needed.

CODE	TYPE
04843	WITHOUT SLEEVES
04843-1	WITH SLEEVES



00975-4

FIRST AID SAFETY BLANKET

The Insulating first aid safety blanket is made of aluminized polyester film. It is used in emergencies to reduce heat loss in a person's body.

Dimensions: 1,3m x 2,1m



**04851*****PROTEUS INSULATED IMMERSION SUIT M.E.D. 96/98/EC, SOLAS-L.S.A. CODE, IMO MSC.81 (70)**

For general commercial use. Protects against hypothermia inside water. Made of neoprene material. Glued and blind-stitched seams for total waterproof protection. Equipped with waterproof zipper, watertight hood, reflective tapes, neoprene pocket, fingered neoprene gloves. Can be donned easily and does not obstruct the freedom of movement. Approved according to latest SOLAS regulations.



CODE	SIZE	HEIGHT (CM)	WEIGHT (KG)
04851-1	CHILD	100-150	20-50
04851-2	ADULT UNIVERSAL	160-190	50-120
04851-3	ADULT XLARGE	180-210	>85

04851**NEOPRENE IMMERSION SUIT TEST KIT**

Test kit repair equipment is supplied within an aluminum case and consists of the following parts:

- // Instructions for air pressure test
- // Head clamp (2 pieces)
- // Clamp's nuts and washers
- // Pressure gauge (0-5 kPa)

- // Hand pump with detachable hose
- // Repair fabric
- // Tool bag
- // Wrench
- // Brush with wooden handle
- // Scissors
- // Glue
- // Chalk



LIFEBUOYS

00557

LIFEBUOYS SOLAS 74, L.S.A. CODE M.E.D., 2014/90/EU IMO MSC 81(70).

Suitable for recreational boats. Made of polyethylene and filled with polyurethane foam. With retro-reflective tapes SOLAS. Additionally approved by Transport Canada and Russian Maritime Register of Shipping.

CODE	INT. DIAMETER CM	EXT. DIAMETER CM	WEIGHT KG
00557	40	60	2,5



00559 / 00558

LIFEBUOYS SOLAS 74, L.S.A. CODE M.E.D., 2014/90/EU IMO MSC 81(70).

For commercial ships or big boats. Made of polyethylene and filled with polyurethane foam. With retroreflective tapes SOLAS. Additionally approved by Transport Canada and Russian Maritime Register of Shipping.

CODE	INT. DIAMETER CM	EXT. DIAMETER CM	WEIGHT KG
00559	43,6	75	2,5
00558	43,6	75	4,0



00561

RING BUOY WITHOUT FOAM

Made of polyethylene.



*It is not an approved means of rescue

CODE	INT. DIAM. CM	EXTER. DIAM. CM
00561*	40	60

00537*

RING BUOYS

Made of polyethylene.



*It is not an approved means of rescue

CODE	DESCRIPTION	INT. DIAM. CM	EXTER. DIAM. CM
00537*	WITH FOAM/WITH ROPE	35	57
00537-1*	WITHOUT FOAM / WITH ROPE	35	57
00537-3*	WITH FOAM / WITH ROPE / WITH REFLECTIVE TAPE*	35	57

*Code 00537-3: available upon special request

00539*

RING BUOY

Made of polyethylene. *It is not an approved means of rescue



CODE	DESCRIPTION	INT. DIAM. CM	EXTER. DIAM. CM
00539*	WITHOUT FOAM / WITH ROPE	23,5	45
00539-1*	WITH FOAM / WITH ROPE / WITH REFLECTIVE TAPE.	23,5	45
00539-2*	WITH FOAM/WITH ROPE	23,5	45



02022*
RING LIFEBOUY ITALIAN STYLE*

Made of polystyrene resisting to oil and covered with welded PVC material.

*It is not an approved means of rescue



CODE	INTERNAL DIAMETER (CM)	EXTERNAL DIAMETER (CM)	BAND
02022-57RD	35	57	RED
02022-57BL	35	57	BLUE
02022-65RD	40	65	RED
02022-65BL	40	65	BLUE

ACCESSORIES

LIFEBUOY CABINET

Clever design enabling cabinets to store all kind of lifebuoys with an external diameter from 600mm to 750mm. The lifebuoy cabinet can be placed in marinas, pools, beaches, lakes, rivers, etc., where a lifebuoy needs to be positioned for immediate deployment. Cabinet helps to protect life-saving equipment from sun radiation, deterioration and other damage. Installation methods include pole fixing, wall mounting or rail/fence mounting. Lifebuoy cabinet is provided either with lid for maximum protection, or without lid for quicker access to the lifebuoy. Rope holder, lifeline and lifebuoy are not included. **Technical Specifications:** Lifebuoy cabinet and lid are made of durable polyethylene of maximum UV protection. **Dimensions:** diameter 830mm - maximum depth 220mm. **Cabinet with lid weight:** 8,5kg Mild steel galvanized reinforced pole 60x40mm, allows the cabinet to be mounted as standalone unit. Supplied in Height of 1,5m with base, or 2m with straight end.

00580*



COMPLETE SET



BASIC EQUIPMENT	
CODE	DESCRIPTION
00580-1	LIFEBUOY CABINET WITHOUT LID
00580-6	LIFEBUOY CABINET WITH LID
OPTIONAL EQUIPMENT	
CODE	DESCRIPTION
00580-2	LIFEBUOY CABINET LID
00580-3	1.5M LIFEBUOY CABINET POLE WITH FLAT BASE (INCLUDES CABINET-POLE MOUNTING KIT)
00580-4	2M LIFEBUOY CABINET POLE - STRAIGHT END (INCLUDES CABINET-POLE MOUNTING KIT)
00580-5	RAIL/ FENCE MOUNTING KIT (2 X BRACKETS)
00580-7	INSTRUCTIONS FOR USE (LABEL STICKER)

00540* ROPE HOLDER

UV resistant tough plastic container that fits in lifebuoys. Makes it very easy to dispense the lifebuoy without the rope twisting and tangling. Contains an 8mm diameter/30m long braided floating throwing line.



CODE	DIMENSIONS MM	LIFEBUOY EXTERNAL DIAMETER MM
00540-1	L480 x W115 x H75	700-750
00540-2	L385 x W115 x H75	600

03994* FLOATING SHOCK CORD

Polyethelene rope and nylon hook at the end of it. Suitable for fastening the lifebuoy in case of need and for several other marine uses. *This product can be produced custom concerning the rope length.



CODE	LENGTH (M)	DIAMETER (MM)	COLOR
03994	30	8	ORANGE
03994-Y	30	6	YELLOW

00564 SAFETY RING

It can help a person to be dragged on boat, with the use of a rope.



CODE	INT. DIAM. CM	EXTER. DIAM. CM
00564*	10	16

00415 FLOATING SHOCK CORD

Polyethelene rope and nylon



CODE	DIAMETER (MM)	BREAKING LOAD (KG)	COLOR
00415-06	6		ORANGE
00415-08	8	910	ORANGE
00415-08W	8	910	WHITE
00415-10	10	1233	ORANGE
00415-10W	10	1233	WHITE
00415-11	11	1325	ORANGE
00415-12	11	1600	ORANGE
00415-14	14	1600	ORANGE

HORSESHOE BUOYS & RESCUE SYSTEMS

00543* HORSESHOE BUOYS


Horseshoe buoys made of PVC cover, closed with zipper. Resistant to UV radiation.

* It is not an approved means of rescue.



00543-1Y

00543-2Y



CODE	DIMENSIONS					TYPE	COLOR	DESCRIPTION
	A CM	B CM	C CM	D CM	E CM			
00543-1O	27	56	37	10	51	ADVANCED	ORANGE	EQUIPPED WITH ALL-AROUND ROPE AND SNAP HOOK
00543-1W	27	56	37	10	51	ADVANCED	WHITE	EQUIPPED WITH ALL-AROUND ROPE AND SNAP HOOK
00543-1Y	27	56	37	10	51	ADVANCED	YELLOW	EQUIPPED WITH ALL-AROUND ROPE AND SNAP HOOK
00543-2O	25	46	37	10	48	BASIC	ORANGE	EQUIPPED WITH WEBBING AND PLASTIC BUCKLE FASTENING
00543-2W	25	46	37	10	48	BASIC	WHITE	EQUIPPED WITH WEBBING AND PLASTIC BUCKLE FASTENING
00543-2Y	25	46	37	10	48	BASIC	YELLOW	EQUIPPED WITH WEBBING AND PLASTIC BUCKLE FASTENING

00524*
STORAGE BAG FOR HORSESHOE BUOY

The storage bag for the horseshoe buoy is made of polyester fabric with PVC coating. The material is water-repellent with UV resistance. It closes with zipper.



CODE	DIMENSIONS CM	COLOR
00524-O	W 54 x H 53 x D 11	ORANGE
00524-Y		YELLOW
00524-W		WHITE
00524-BLUE		BLUE

00530
LIFEBUOY DROGUE AND POCKET

Designed to prevent downwind drifting of lifebuoys and horseshoe buoys. It is supplied complete with storage pocket.



CODE	DIMENSIONS (CM)		WEIGHT (GR)	MATERIAL	
	DROGUE	POCKET		FABRIC	TWINE
00530	50 X 50	9 X 18	80	POLYESTER 300D WITH PU COATING, UV STABILIZED, FLUORESCENT COLOR	POLYESTER, BRAIDED, DIAMETER 2,5MM

00532*
RESCUE BUOY FOR LIFEGUARDS

CODE	DESCRIPTION	DIMENSIONS CM
00532	WITHOUT POLYURETHANE FOAM	L 68 X W 24
00532-2	WITH POLYURETHANE FOAM	L 68 X W 24



03991*
MAN OVERBOARD RESCUE LINE "NEREUS"

A 20m throw line allows Man Overboard recovery with accuracy and swiftness. Floating Polyethylene braided rope, 6mm in diameter, with high breaking load. Both ends of the rope form loops to facilitate grip for both the victim and rescuer. Bag made of durable PVC with UV protection, and added buoyancy. Available with SOLAS reflective tape for increased visibility.



Base Dimensions: Ø12,5 cm x H23,5 cm

03990
MAN OVERBOARD RESCUE SYSTEM "NEREUS"

Complete rescue system, suitable for the recovery of a person overboard. Made for permanent mounting on the rail. Contains a horseshoe buoy with safety buckle, and polyethylene rope, 40m in length, 8mm in diameter, and high breaking load. Durable PVC bag with UV protection, dimensions 50x30cm. System buoyancy 65N.



03311
IKAROS LINE THROWER

The IKAROS Line-Thrower is a robust device consisting of a waterproof plastic container with integral handle and trigger mechanism, a solid fuel rocket and 300 m of line. For casting a pilot line for cables and ropes in rescue operations at sea. Can be used between ships, from shore to ship or ship to shore, or for rescuing personnel.

The IKAROS-LINE is approved globally and meets the latest SOLAS 74/96 regulations.




CODE	PERFORMANCE	LENGTH OF LINE	LINE DIAMETER	LINE STRENGTH	DIMENSIONS MM	WEIGHT
03311	THROWS A LINE 300 METERS IN CALM WIND	300M	4 MM	4 KN	340X230	4 KG
03311-1	SPARE ROCKET					

CODE	DESCRIPTION
03991-01	STANDARD EDITION
03991-02	STANDARD EDITION WITH RETROREFLECTIVE TAPE
03991-10	STAINLESS STEEL MOUNTING

BASES

01935
BRACKET FOR ROUND LIFEBOUYS

Made of galvanized steel.

Length (cm): 16,5 **Width (cm):** 54,5**Height (cm):** 67,5

EVAL

03567
BRACKET FOR LIFEBOUYS AND HORSESHOE BUOYS

Aluminum with plastic coating for rail Ø 22-25 mm.



EVAL

03572
BRACKET FOR LIFEBOUYS AND HORSESHOE BUOYS

Stainless Steel with shock cord for rail Ø 22-25 mm. Suitable for Lifebuoys up to 9.5 cm.



EVAL

03572-1
BRACKET FOR LIFEBOUY AND HORSESHOE BUOY INOX

Bracket for Lifebuoy and Horseshoe buoy, made of stainless steel (inox), with light holder and shock cord. For rail Ø22-25mm




EVAL

03995
PLASTIC MOUNTING FOR RING BUOYS

Made of reinforced plastic with UV. Available in a 3 pcs set.



EVAL

03573
BRACKET FOR HORSESHOE LIFEBOUYS AND LIFEBOUY LIGHTStainless Steel. **Width:** 40 cm, **Height:** 54 cm. For rail Ø 22 - 25 mm. Suitable for horseshoe buoys and lifebuoy light up to 10cm.

EVAL

01071*
ROPE HOLDER AND LIFEBOUY HOOK

Kit for wall mounting. Manufactured with stainless steel wire and strong plastic material.



CODE	WIDTH (MM)	HEIGHT (MM)
01071-S	65	150
01071-M	80	200
01071-L	110	200

03583
BRACKET SUITABLE FOR LIFEBOUYS, HORSESHOE BUOYS AND LIFEBOUY LIGHT

With shock cord, for rail Ø 25 mm. Suitable for lifebuoys, horseshoe buoys and lifebuoy light with width up to 10cm.

Length (cm): 15,5**Width (cm):** 9,3**Height (cm):** 12,5

EVAL

04589
BOAT HOOK HOLDER

Stainless steel.

Width (cm): 20**Height (cm):** 18

* Available in pair



EVAL

LIGHTS

03489

LIFEJACKET LIGHT LED WITH ALKALINE BATTERIES M.E.D. 2014/90/EU, SOLAS-L.S.A. CODE 

The new lifejacket light introduced by EVAL, is equipped with alkaline batteries of 5-year lifetime and guarantees continuous operation for more than 8 hours. Alkaline batteries are environmentally friendly and reduce transport costs. The product is suitable for installation on lifejackets straps/webbing.

Operations:

1. Automatic operation in contact with the water due to its water sensor
2. Manual deactivation for battery saving
3. Manual activation in and out of the water

Dimensions (mm): 62 x 34 x 23

Weight (gr): 45



EVAL

03489-1

LIFEJACKET LIGHT LED WITH LITHIUM BATTERY M.E.D. 96/98/EC, SOLAS-L.S.A. CODE 

It uses lithium battery of 5-year lifetime. Continuous operation more than 8 hours, suitable for installation on lifejackets straps/webbing.

Dimensions: 45mm x 31,2 mm x 18,9 mm **Weight :** 23,5 gr

Operations:

1. Automatic operation in contact with the water due to its watersensor
2. Manual deactivation for battery saving
3. Manual activation when the user is in the water



 **EVAL**

LIFEBUOY LIGHTS

02911

LED FLOATING LIFEBUOY LIGHT "PHAROS" M.E.D. 2014/90/EU, SOLAS-L.S.A. CODE 

The new EVAL lifebuoy light features LED technology and is designed to provide excellent luminous intensity in emergency situation.

Features:

- // Automatic switch-on at overturning
- // LED type intense flashing light
- // Powered by 4 Alkaline batteries type LR6/ AA (replaceable before expiration)
- // Light intensity of at least 2cd for at least 2 hours
- // Compact - watertight design
- // Dimensions ø105x180 mm
- // Equipped with cord for connection with lifebuoy
- // Maintenance free
- // Can be combined with bracket code 03378



EVAL

02961

LIFEBUOY LIGHT M.E.D. 96/98/EC, SOLAS-L.S.A. CODE 

Automatic switch-on at overturning. Powered with 4 Alkaline batteries LR20 type D. Provided light at least 2cd and for at least 2 hours. Weight: 205 gr. Length 34 cm. Additionally approved by Russian Maritime Register of Shipping. It is combined with codes 04920, 03378.



EVAL

01209-1 Spare lamp for code 02961

03312 MANOVERBOARD 2010



- // SOLAS/MED approved - 15 hours of light signal and 15 minutes of smoke signal
- // Height of throwing 150 meters. For use in water and air
- // High quality, corrosion resistance materials for use in difficult conditions
- // Unique central LED Light System for maximum visibility at all angles
- // Without the need of operational tests
- // New electric ignition system for maximum safety and reliability
- // No need of lithium batteries allows easy transport

The ManOverBoard 2010 combines illumination and smoke for position marking and detection of the wind direction day and night, even in water covered with petrol and fuel. The signal produces 15 minutes of thick orange smoke in combination with a central led light system. The light is activated automatically and has an illumination intensity of 2cd for at least 15 hours. All the above makes the ManOverBoard the first rescue system globally that combines light and smoke signals and in the same time meets the requirements of SOLAS/MED and USCG standards. It can be activated automatically by releasing a connected lifebuoy or manually. The impressive height that can be thrown (reaches 150 meters) allows its use beyond the traditional, in offshore wind generators, oil and gas rigs and aircrafts.




CODE	LIGHT TECHNOLOGY	ILLUMINATION DURATION	ILLUMINATION INTENSITY	SMOKE DURATION MIN	SMOKE COLOR	HEIGHT MM	DIAMETER MM	WEIGHT KG	NEM KG	EMERGENCY INFORMATION	APPROVALS
03312	LED	> 15H	>2 CD	>15	ORANGE	412	MAX 263- MIN 163	MAX 4,2	MAX 1	UN 0507 SIGNALS, SMOKE, 1.4S	SOLAS/MED

ACCESSORIES

04920 PLASTIC BRACKET FOR LIFEBOUY LIGHT



It is combined with code 02961.



CODE	UPPER PART Ø MM	DOWN PART Ø MM	HEIGHT MM
04920	99	71,96	125

03375 BRACKET FOR LIFEBOUY LIGHT



Stainless steel, with nylon base for rail Ø 22-25 mm. It is combined with codes 02961, 02911.



03378 BRACKET FOR LIFEBOUY LIGHT



Nylon, for tube with Ø 19 - 25 mm. It is combined with codes 02961, 02911.



LIFERAFTS

LIFERAFT SELECTION CHARACTERISTICS

1. What flag does the boat fly?

1a. In case of Greek or Italian flag, would you like an ISO or NON ISO liferaft?

2. Sailing distance from the shore. Coastal or Offshore?

3. Capacity (number of people)

4. Type of container: Valise or rigid canister?

03563* LIFERAFT

Designed for leisure sailing, a complete range of liferafts according to high safety standards is provided. These emergency evacuation devices are of superior design and construction. Strong and safe when loaded. Equipment packs stored in vacuum bag for better preservation. All elements are certified according to the regulation in force.

"INTERNATIONAL" model: Compact and light, "basic" category.

"GREECE" model: Designed for the Greek market, in compliance with the standards in force.

ISO



ISO 9650-1						
CODE	PERSONS	ENCLOSED TO	LENGTH (CM)	WIDTH (CM)	HEIGHT (CM)	WEIGHT (KG)
SUPPLIES +24H						
03563-04AVP	4	VALISE	68	34	42	44
03563-04ACP	4	CANISTER	72	45.5	31.5	47.5
03563-06AVP	6	VALISE	68	34	42	48
03563-06ACP	6	CANISTER	72	45.5	31.5	51.5
03563-08AVP	8	VALISE	71	33	44.5	57
03563-08ACP	8	CANISTER	73	47	33	61
03563-10EVP	10	VALISE	76	38	56	79
03563-10ECP	10	CANISTER	85	60	31	84
03563-12ECP	12	CANISTER	85	60	32	95
SUPPLIES +24H / GRAB BAG						
03563-04AVPG	4	VALISE	64.5	27.5	40	33
03563-04ACPG	4	CANISTER	66	42.5	28	36
03563-06AVPG	6	VALISE	64.5	27.5	40	34
03563-06ACPG	6	CANISTER	66	42.5	28	37
03563-08AVPG	8	VALISE	65.5	32	39.5	40
03563-08ACPG	8	CANISTER	66	43	32.5	43
03563-10EVPG	10	VALISE	76	33	45	57
03563-10ECPG	10	CANISTER	73	46	33	61
03563-12ECPG	12	CANISTER	85	60	29	72
SUPPLIES -24H						
03563-04AVL	4	VALISE	64.5	27.5	40	33
03563-04ACL	4	CANISTER	66	42.5	28	36
03563-06AVL	6	VALISE	64.5	27.5	40	34
03563-06ACL	6	CANISTER	66	42.5	28	37
03563-08AVL	8	VALISE	65.5	32	39.5	40
03563-08ACL	8	CANISTER	66	43	32.5	43
03563-10EVL	10	VALISE	76	33	45	57
03563-10ECL	10	CANISTER	73	46	33	61
03563-12ECL	12	CANISTER	85	60	29	72

03563*

NON ISO



NON ISO							
	CODE	PERSONS	ENCLOSED TO	BASE (CM)	HEIGHT (CM)	WIDTH (CM)	WEIGHT
NAVIGATION: GREECE							
OFFSHORE	03563-04GRV	4	VALISE	66	28	35	27.5
	03563-04GRR	4	CANISTER	68	42	29	34.5
	03563-06GRV	6	VALISE	66	28	35	27.5
	03563-06GRR	6	CANISTER	68	42	29	35
	03563-08GRV	8	VALISE	67	28	41	32
	03563-08GRR	8	CANISTER	66	43	31	39.5
	03563-10GRV	10	VALISE	75	33	45	40
	03563-10GRR	10	CANISTER	73	47	32	42
	03563-12GRR	12	CANISTER	76	50	32	45
NAVIGATION: INTERNATIONAL							
COASTAL	03563-04INTERCOV	4	VALISE	66	27	35	26
	03563-04INTERCOR	4	CANISTER	66	41	29	29
	03563-06INTERCOV	6	VALISE	66	27	35	26
	03563-06INTERCOR	6	CANISTER	66	41	29	29
	03563-08INTERCOV	8	VALISE	66	27	35	27.5
	03563-08INTERCOR	8	CANISTER	66	41	29	30
	03563-10INTERCOV	10	VALISE	74	31	38	36
	03563-10INTERCOR	10	CANISTER	73	47	31	40
	03563-12INTERCOV	12	VALISE	74	31	40	42
	03563-12INTERCOR	12	CANISTER	73	47	32	45
OFFSHORE	03563-04INTEROFV	4	VALISE	66	28	35	27.5
	03563-04INTEROFR	4	CANISTER	66	41.5	29	30.5
	03563-06INTEROFV	6	VALISE	66	28	35	27.5
	03563-06INTEROFR	6	CANISTER	66	41.5	29	30.5
	03563-08INTEROFV	8	VALISE	67	28	41	32
	03563-08INTEROFR	8	CANISTER	67	44	28.5	35.5
	03563-10INTEROFV	10	VALISE	75	33	45	40
	03563-10INTEROFR	10	CANISTER	73	47	31	40

03564* LIFERAFTS SOLAS DEEP SEA SOLAS

The Self Launch DEEP SEA liferafts are available for 6 to 12 persons, in fibre glass rigid canister. "Flat" and "Roll" type with a 18m height of stowage they represent the result of modern technology applied to the protection of life at sea.

NEW DEEP-SEA "COMPACT"

New to the Arimar@liferaft range is the SOLAS MED model "DEEP SEA COMPACT" which is a testament to the continuous advance in technological research and focus by MED Srl toward innovation and adaption to suit current market needs. MED Srl has created a liferaft which optimizes both space and weight limitations and delivers a 30% reduction against existing standards. The new range targets smaller commercial working vessels and larger yachts where space and weight distribution are of greater relevance. The range consists of 8 models, each available as either "A" or "B" pack in sizes 6, 8, 10 or 12 persons. Available as either a flat canister made from "ABS UV Resistant" material or a cylindrical canister made of GRP. The All containers offer excellent compact dimensions.



CODE	PERSONS	SHAPE	CANISTER				WEIGHT (KG)	DROP HEIGHT (M)
			LENGTH (CM)	WIDTH (CM)	HEIGHT (CM)	MATERIAL		
PACK "A"								
03564-6AF	6	FLAT	74	47	39	ABS	63,5	18
03564-6AR	6	ROLL	118	56	53	GPR	73	18
03564-8AF	8	FLAT	86	61	35	ABS	77	18
03564-8AR	8	ROLL	118	56	53	GPR	81	18
03564-10AF	10	FLAT	86	61	35	ABS	90	18
03564-10AR	10	ROLL	118	56	53	GPR	91	18
03564-12AF	12	FLAT	105	57	35	GPR	107,5	18
03564-12AR	12	ROLL	118	64	59	GPR	107	18
03564-16AR	16	ROLL	146	71	61	GPR	153	25
PACK "B"								
03564-6BF	6	FLAT	74	47	39	ABS	52	18
03564-6BR	6	ROLL	118	56	53	GPR	58	18
03564-8BF	8	FLAT	86	61	35	ABS	59	18
03564-8BR	8	ROLL	118	56	53	GPR	70	18
03564-10BF	10	FLAT	86	61	35	ABS	64	18
03564-10BR	10	ROLL	118	56	53	GPR	67,5	18
03564-12BF	12	FLAT	105	57	35	GPR	78,5	18
03564-12BR	12	ROLL	118	64	59	GPR	77	18
03564-16BR	16	ROLL	132	64	59	GPR	109	25

EQUIPMENT

LIFERAFTS

EQUIPMENTS	A PACK (DEEP SEA)				B PACK (DEEP SEA)			
	6	8	10	12	6	8	10	12
BUOYANT RESCUE QUOIT	1	1	1	1	1	1	1	1
NON-FOLDING KNIFE	1	1	1	1	1	1	1	1
FOLDING KNIFE	1	1	1	1	1	1	1	1
BUOYANT BAILER	1	1	1	1	1	1	1	1
SPONGES	2	2	2	2	2	2	2	2
SEA-ANCHOR	1+1	1+1	1+1	1+1	1+1	1+1	1+1	1+1
BUOYANT PADDLES	2	2	2	2	2	2	2	2
TIN OPENERS	3	3	3	3	//	//	//	//
FIRST-AID KIT	1	1	1	1	1	1	1	1
WHISTLE	1	1	1	1	1	1	1	1
ROCKET PARACHUTE FLARES	4	4	4	4	2	2	2	2
HAND FLARES	6	6	6	6	3	3	3	3
BUOYANT SMOKE SIGNALS	2	2	2	2	1	1	1	1
WATERPROOF ELECTRIC TORCH	1	1	1	1	1	1	1	1
RADAR REFLECTOR	1	1	1	1	1	1	1	1
DAYLIGHT SIGNALLING MIRROR	1	1	1	1	1	1	1	1
LIFE-SAVING SIGNALS	1	1	1	1	1	1	1	1
FISHING TACKLE SET	1	1	1	1	//	//	//	//
FOOD RATION	6	8	10	12	//	//	//	//
FRESH WATER	9	12	15	18	//	//	//	//
DRINKING VESSEL	1	1	1	1	//	//	//	//
ANTI-SEASICKNESS MEDICINE	36	48	60	72	36	48	60	72
SEASICKNESS BAG	6	8	10	12	6	8	10	12
SURVIVAL INSTRUCTIONS	1	1	1	1	1	1	1	1
INSTRUCTIONS FOR IMMEDIATE ACTIONS	1	1	1	1	1	1	1	1
THERMAL PROTECTIVE AIDS	2	2	2	2	2	2	2	2
REPAIR KIT	1	1	1	1	1	1	1	1
BELLOWS	1	1	1	1	1	1	1	1

ACCESSORIES

03556-1 BRACKET FOR LIFERAFT

Adjustable universal type, made of stainless steel pipe 316.

Suitable for
codes
03663*



CODE	LENGTH (CM)	WIDTH (CM)	HEIGHT (CM)
03556-1	68 - 90	40	20

04906* FLOATING STAINLESS STEEL KNIFE WITH PLASTIC HANDLE

Suitable for liferaft equipment.

04906-1

04906



CODE	TOTAL LENGTH MM	BLADE LENGTH MM
04906	165	65
04906-1	165	65

03663 HAMMAR HYDROSTATIC RELEASE UNIT

The Hammar H20 hydrostatic release unit is designed for liferafts from 6 up to 150 persons. It consists of a double looped white rope line, a release mechanism and a Red Weak Link™ (breaking strength 2,2 ± 0,4kN).

Approvals:

The Hammar H20 hydrostatic release units are approved all over the world, fulfil the requirements of the SOLAS 74/96 Convention, Reg. III/4 LSA Code, MO Res. MSC. 48(66), IMO Res. MSC. 81(70), approved to EU Directive 96/98 EC on Marine Equipment and has a Nato stock number. Release depth 1,5 - 4,0 metres according to IMO/SOLAS regulations.



CODE	WIDTH	HEIGHT	BREAKING STRENGTH
03663	12CM	17,5CM	2,2,±0,4KN

03660-01 FASTENING STRAP FOR LIFERAFTS

Quick release and fastening strap for Liferafts. Constructed with durable, adjustable webbing and stainless steel parts. Provides maximum restraint and ensures quick release in emergency situations. For use with mounting cradles for barrel shaped containers.



02932 WATERPROOF ELECTRIC TORCH ISO 18813-2006

Used in liferafts as well.

* Activation

Morse Code Signals (at least 180times/min) can be sent out when user turns on the torch and gently press switch on/off.




LIGHTING TYPE	MORSE SIGNAL AND STEADY LIGHT
ACTIVATION	MANUALLY
LAMP	WHITE POWERFUL LED
BATTERY	1X LR6 ALKALINE BATTERY WHICH CAN BE REPLACED WHEN IT IS RUN OUT
LUMINOUS INTENSITY	MORE THAN 150 CD
WORKING TIME	MORE THAN 7 HOURS OVER 150 CD AT 20°C
STORING TEMPERATURE	-30°C - +75°C
WORKING TEMPERATURE	-10°C - +70°C
EXPIRY DATE	3 YEARS
DIMENSIONS	Ø42.36 X 105 MM
WEIGHT	65 GR (EXCLUDING SPARE BATTERY AND LED)

03406 DISMOUNTABLE PADDLE FOR LIFERAFT

Dismountable paddle with pole made of anodized aluminum and foot paddle made of reinforced poly-propylene. It is offered spare tube in order to increase the length.

CODE	LENGTH (CM)	TUBE DIAMETER (CM)
03406-2	92 / 49	2.5
03406-3	133 / 49	2.5



03516
EMERGENCY RATION WATER

Emergency water ration used on the survival equipment of liferafts, lifeboat, pleasure and commercial boats.



CODE	CONTENT (ML)	WEIGHT (GR)
03516-125	125	130
03516-500	500	520

03515
EMERGENCY RATION FOOD

It is a vacuum food ration, containing food tablets used for the survival equipment of life-raft, lifeboat and commercial boats. Food conformity ISO 18813:2006.



CODE	RATION WEIGHT (KG)	TABLETT WEIGHT (KG)	RATION ENERGETIC VALUES (KJ)	TABLETT ENERGETIC VALUES (KJ)
03515	0.515	0.0645	10350	1293

LIFESAVING APPARATUSES

03821*
FABRIC RAFT

Made of resistant nylon fabric and foam polyethylene fill. It carries perimetric rope with handles. SOLAS 74 approved by the Hellenic Ministry of Merchant Marine.



CODE	DIMENSIONS CM	PERSONS
03821-03	H 24 X 48 X 40	3
03821-04	H 24 X 48 X 53	4
03821-06	H 28 X 48 X 69	6

00551*
POLYESTER RAFT

Approved by the Hellenic Ministry of Merchant Marine.



00551-12 / 00551-20

00551-04 / 00551-06 / 00551-08



CODE	DIMENSIONS CM	PERSONS
00551-04	H 25 X 51 X 51	4
00551-06	H25 X 51 X 70	6
00551-08	H 25 X 70 X 70	8
00551-12	H 25 X 100 X 100	12
00551-20	H 25 X 100 X 200	20

FLARES

03313* // 03441 HAND HELD DISTRESS FLARE

Life time: 3 years.

03313



03441



CODE	APPROVALS	TYPE
03313	MINISTRY OF MERCHANT MARINE SOLAS 74	POSEIDON 2
03313-1	MINISTRY OF MERCHANT MARINE SOLAS 74	-
03441	SOLAS 74, L.S.A. CODE,96/98/EC	JUPITER K2

03315* PARACHUTE DISTRESS SIGNAL SOLAS 74, L.S.A. CODE, 96/98/EC

Ejects signal light up to 350m height. Encased in a plastic case is protected from severe weather conditions.

Color: red

Life time: 3 Years



CODE	COLOR	WEIGHT
03315	RED	324 GR
03315-W	WHITE	324 GR

SMOKE SIGNAL

03314 / 03314-1 DAYLIGHT SMOKE SIGNAL

Life time: 3 years.

- // Small with flat cap
- // Easy and safe to use
- // Indicates wind direction Ideal for yachts
- // Safe use even when water surface is covered by oil or fuel



03314-1



03314



CODE	DIAMETER	HEIGHT	WEIGHT	BURNING TIME	SMOKE COLOR	IGNITION	APPROVALS	TYPE
03314	90MM	140MM	700GR	3 MINUTES	ORANGE	DIRECT MANUAL FRICTION	MINISTRY OF MERCHANT MARINE SOLAS 74	POSEIDON 2
03314-1	84MM	100MM	340GR	AT LEAST 3 MINUTES		SHOT WITH A DELAY OF 2"	SOLAS 74/88 AS AMENDED BGV / USCG / CE APPROVED	NEREUS

HORNS

00535 BLISTER SET OF GAS HORN WITH SNAP-ON TYPE TRUMPET



EVAL

00533 GAS HORN BOTTLE / SNAP-ON TYPE

For snap-on type trumpet 300 ml, with gas that does not affect the ozone.
Height (cm): 19,6
Diameter (cm): 5,7

EVAL



00533-1 GAS HORN BOTTLE / SCREW-ON TYPE

For screw-on type trumpet 300 ml, with gas that does not affect the ozone.

EVAL



00534* GAS HORN TRUMPET / SNAP-ON TYPE

For code 533.



01432 SAFETY BLASTER HORN

Length (cm): 12,8
Diameter (cm): 35 / 49



00536 FOG HORN

Plastic. L 31,5cm x Ø 7,5 cm



00533-3 GAS HORN BOTTLE ECO

Gas horn bottle containing non-inflammable eco-friendly gas. Content 300 ml
Height (cm): 19,6
Diameter (cm): 5,7



CODE	TYPE
00533-3	SNAP-ON TYPE

04551 GLOSS-POLISHED BRONZE BELLS

Mirror polished, includes bayonet bracket and striker; type-approved RINA, LLOYD'S REGISTER MCA. Suitable for pleasure boating and Merchant Navy.



CODE	Ø MOUTH MM	WEIGHT	TYPE-APPROVED FOR BOAT
04551-1	200	2,5 KG	FROM 12 TO 20 METERS
04551-2	300	8 KG	OVER 20 METERS

03361 HAND HELD LOUDSPEAKER


15 WATT Ø205mm,
L: 34cm.

Batteries: 6xUM1/D



03798 ELECTRIC WHISTLE APPROVED

Approved whistle complete with chromed or white horn Ø 300 mm. Electric valve and mounting accessories, for compressed air operation 6/12 bar. Meets COLREG 1972 IMO class III regulations. Approvals: RINA, LLOYD'S REGISTER MCA, BUREAU VERITAS, BSH and NMMA.



CODE	DIMENSIONS (MM)	HOSE (MM)	VOLTAGE (V)	CONSUMPTION (A)	HZ	DB (1/3 OCT) (1M)
03798-12	Ø300 X 465 X 245	8 / 6	12	4.5	315	132
03798-24	Ø300 X 465 X 245	8 / 6	24	2.5	315	132

REFLECTORS

00767 RADAR REFLECTORS



CODE	DIMENSIONS CM
00767-21	21,5 x 21,5 x 30
00767-30	30,5 x 30,5 x 41,5
00767-34	34 x 34 x 47

04595 BASE OF TUBULARS RADAR REFLECTOR

For code 03520-1.



00549 CONE

Black signal used during day on the highest place with its top upside down to indicate that the boat uses both its sails and engine.

Dimensions:
H 47 x W 33 cm.



03520 RADAR REFLECTOR

Visible up to 2.5 nautical miles.
Ø50 mm, H 62 cm.



03520-1 RADAR REFLECTOR SAIL

It can be fitted onto a stay or shroud. Visible up to 2.5 nautical miles
Ø 55mm. L58cm.



01697 SIGNAL MIRROR

In 6 languages.

1. Assure that the mirror's surface is clean and clear
2. Keep the mirror in front of your eyes and turn its reflection to the closest object.
3. Find the reflection point through the middle hole in the center of the mirror. One red signal light will be appeared in this direction that shows the desired point.
4. Keep steady this red signal light and turn it slowly towards the desired point or the rescuers. Now the signal mirror is at the correct position.
5. Now with slow and continually movements make signal lights. Explore the horizon via this red signal light even if there is no rescuer. The red signal might be identified in a distance of 10 km. **Diameter (mm):** 80,4



00547 // 00548 SIGNAL BALL

Black, used during day on the highest place of the boat to indicate its anchoring. Two of these balls placed vertically indicate absence of government of a boat.

CODE	DIAMETER CM
00547	30
00548	35




DAY SIGNAL	SIGNAMENT
•	AT ANCHOR
• • •	UNDER NO COMMAND
• • • •	AGROUND
▼	MOTOR SAILING

FIREFIGHTING

04409 RUBBER CLAMP

Ideal for holding fire extinguishers, oxygen cylinders, CO2 tanks and other equipment. Mounts easily with one bolt or screw and with the strap facing any direction. Holds object of 64-191mm diameter and up to 23 kgs.



00520 00526* FOAM FIRE EXTINGUISHERS AFFF - PORTABLE

Fire extinguisher suitable for fires caused by materials and liquids. It can be stored everywhere on your boat, house, car etc. Approved Type CE and EN3.

Height (cm): 32
Diameter (cm): 8



CODE	CAPACITY LT	GAUGE	BODY	TYPE OF HASP
00526	0,75	NO	METALLIC	PLASTIC
00526-1	1	NO	METALLIC	PLASTIC
00520-2	2	YES	METALLIC	METALLIC
00520-3	3	YES	METALLIC	METALLIC

03743* FIRE EXTINGUISHER FIREX

This is a Revolutionary Fire Extinguisher that does not contain Propellant Gas. The working concept is that the extinguishing agent is been discharged via a pioneer elastomer silicon cartridge. It contains 800ml of special extinguishing foam. It is suitable for suppressing fires: A (Flammable Solids), B (Flammable Liquids), C (Cooking Oil and Fats). It has a flexible use due to its low weight, Easy, orientation-independent use (360 degrees), Long range of action, greater than 6m, it is made entirely from recyclable plastics. Approved type CE, GS (Safety Product German Approval), MIRTEC (Test Certificate of Fire).

CODE	CAPACITY ML	DIMENSIONS OF THE CYLINDER CM	WEIGHT KG	OPERATING TEMPERATURE
03743	800	H 33,6 X Ø 8,1	1,31	0°C UP TO 60°C



00975* FIRE BLANKET

In hard PVC box.

CODE	LENGTH CM	WIDTH CM	COLOR
00975-2	90	90	WHITE
00975-3	120	120	WHITE



00975-1C FIRE RESISTANT BLANKET

In hard case.
Certified by EN 1869.

CODE	LENGTH (CM)	WIDTH (CM)
00975-1C	100	100



03744 PORTABLE FIRE EXTINGUISHER AEROSOL

Industrial model . FSS is a portable manual aerosol dispenser with remarkable extinguishing capacity. It is non-toxic, non-corrosive and environmentally safe. It is a small lightweight cylinder: the upper part is a metal tube containing the extinguishing charge; the lower part is made of plastic and serves as a support handle. Upon ignition, the powerful extinguishing charge produces a potassium aerosol jet that lasts up to approx 100 seconds. Point the nozzle at the base of the flames to smother the fire at its core. CE certified.



CODE	LENGTH (CM)	DIAMETER (CM)	WEIGHT (KG)	EMISSION TIME (SEC)
03744	32.8	3.3	0.55	100

03706* POWDER FIRE EXTINGUISHERS ABC 40% - PORTA- BLE

Fire extinguisher suitable for fires caused by materials and gas. It can be stored everywhere on your boat, house, car etc. Approved Type CE, EN3 and Solas.



CODE	CAPACITY	GAUGE	BODY	TYPE OF HASP
03706-2	2 KG	YES	METALLIC WITH METALLIC BASE	METALLIC
03706-3	3 KG	YES		
03706-6	6 KG	YES		
03706-9	9 KG	YES		

03720 FIRE EXTINGUISHER BALL

Technical Parameter:

- // Weight of extinguishing powder mixture: 1.3 ± 0.2 kg.
- // Total weight of the agent: 1.5 ± 0.2 kg.
- // NEC: 4.0 g
- // Diameter : 147 mm
- // Warning audio signal: 120 dB (Impulse Noise)
- // Activation time: 3 - 10 sec with flame contact
- // Effective extinguish area: 3 cubic meter

The revolutionary fire extinguisher. Simplest and Fastest way to extinguish the fire.

The Fire Extinguisher ball activates automatically by simply throwing it into fire within 3 seconds and disperses effectively extinguishing chemicals. When a fire occurs and no person is nearby, fire extinguisher ball will self-activate automatically when there is contact with fire and give loud noise (its unique capability to emit loud noise of 120dB upon activation simultaneously converts it into a fire alarm). It can effectively extinguish the flame from solid or liquid burning material, fires involving combustible and electric equipment combustible gases. Due to this feature, it can be placed in many fire areas, such as electrical circuit breakers, or kitchen, cars, hotels, boats, ships. There is



no special train or skill required to operate the ball since its weight (1,3 kg), and way of operation make it practical in use by people of any age group.

The product is very safe to use, specifically:

1. There is not any need to get close to the fire.
 2. Non - toxic to the environment. Fire Extinguishing Ball is made from eco - friendly materials.
 3. The blasting force from activation of the ball does not harm humans or the environment
 4. No inspection and maintenance are required for the product. The product life is 5 years.
- Below there are the types of fire that can be extinguished by the product Fire Extinguisher ball.

00979

NEW

SELF CONTAINED BREATHING APPARATUS (SCBA)

Self contained breathing apparatus with compressed air in 300 bar, with anatomic back frame and belts made from fire retardant and high tensile material. Packed in special designed bag for maximum protection.

Features of Self contained breathing apparatus (SCBA):

- // Breathing and face protection in a hazardous environment of smoke or gas fumes
- // Anatomic frame for perfect support in the back, made from fire retardant and waterproof material
- // Flow regulator for adjustment of air use
- // Pressure regulator and whistle, that provides a continuous sound of high intensity, when the air volume is running out
- // Packed in a special bag for easy transport
- // SOLAS Approval

Self contained breathing apparatus (SCBA) contains:

- // Support frame of the device
- // Pressure regulator with gauge and whistle
- // Flow regulator
- // Breathing apparatus facemask
- // Compressed air cylinder tank
- // Valve of the compressed air cylinder tank



CODE	CYLINDER TANK MATERIAL	AIR VOLUME (L)	WORKING PRESSURE (MPA)	TIME OF USE (MIN)	WARNING PRESSURE (MPA)	WEIGHT (KG)	APPROVAL
00979-6	ALLOY STEEL	6	30	55 - 60	4 - 6	<18	SOLAS/MED
00979-9	CARBON COMPOSITE	9	30	80 - 90	4 - 6	<16	SOLAS/MED

00977-1



EMERGENCY EVACUATION BREATHING DEVICE-15 MINUTES (EEBD)

Emergency evacuation breathing device.
Certified according to: ISO 23269-1:2008, FSS 3 2.2.
Approved for marine use according to:
 (MED 96/98 EC - SOLAS 1974 11-2 / 13.3.4)

Features of Emergency evacuation breathing device-15 minutes:

- // Made from fire retardant and high strength materials
- // Reliable manufacturing with low maintenance cost
- // Full face-hood mask, neck sealed
- // Wide vision through the mask
- // Refilling capability of the cylinder tank with no adaptor use
- // Working temperature from -10°C to 60°C

Emergency evacuation breathing device-15 minutes EEBD contains:

- // Special bag for transport and protection, made from high strength material
- // Hooded face mask made from material of high visibility
- // Compressed air cylinder tank with 3L capacity made from alloy steel
- // Air flow regulator valve with gauge



CODE	CYLINDER TANK MATERIAL	AIR VOLUME (L)	WORKING PRESSURE (MPA)	TIME OF USE (MIN)	WARNING PRESSURE (MPA)	WEIGHT (KG)	APPROVAL
00977-1	ALLOY CARBON	3	21	15	4 - 6	<7,5	SOLAS/MED

03852
FIRE HOSE

Fire Hose with working pressure 15 bar. Flame resistant and sea water resistant. Certified for marine use. SOLAS Approval

**NEW**

CODE	INNER DIAMETER (INCH/MM)	LENGTH (M)
03852-3815	1,5"/38	15
03852-3820	1,5"/38	20
03852-3825	1,5"/38	25
03852-5215	2"/52	15
03852-5220	2"/52	25
03852-5225	2"/52	25
03852-6415	2,5"/64	15
03852-6420	2,5"/64	20
03852-6425	2,5"/64	25

03856*
COUPLINGS FOR FIRE HOSES

Couplings for fire hoses. High strength. Made of brass

NEW

CODE	COUPLING
03856-38S	STORZ 38 BRASS
03856-38N	NAKAJIMA 38 BRASS
03856-50S	STORZ 50 BRASS
03856-50N	NAKAJIMA 50 BRASS
03856-65S	STORZ 65 BRASS
03856-65N	NAKAJIMA BRASS

**03854* / 03855***
FIRE HOSE WITH COUPLING

Fire Hose with working pressure 15 bar. With couplings type Storz and Nakajima. Flame resistant and sea water resistant. Certified for marine use. SOLAS Approval

**NEW**

CODE	INNER DIAMETER (INCH/MM)	COUPLINGS	LENGTH (M)
03854-3815	1,5"/38	STORZ 38 BRASS	15
03854-3820	1,5"/38	STORZ 38 BRASS	20
03854-3825	1,5"/38	STORZ 38 BRASS	25
03854-5215	2"/52	STORZ 50 BRASS	15
03854-5220	2"/52	STORZ 50 BRASS	20
03854-5225	2"/52	STORZ 50 BRASS	25
03854-6415	2,5"/64	STORZ 65 BRASS	15
03854-6420	2,5"/64	STORZ 65 BRASS	20
03854-6425	2,5"/64	STORZ 65 BRASS	25
03855-3815	1,5"/38	NAKAJIMA 38 BRASS	15
03855-3820	1,5"/38	NAKAJIMA 38 BRASS	20
03855-3825	1,5"/38	NAKAJIMA 38 BRASS	25
03855-5215	2"/52	NAKAJIMA 50 BRASS	15
03855-5220	2"/52	NAKAJIMA 50 BRASS	20
03855-5225	2"/52	NAKAJIMA 50 BRASS	25
03855-6415	2,5"/64	NAKAJIMA 65 BRASS	15
03855-6420	2,5"/64	NAKAJIMA 65 BRASS	20
03855-6425	2,5"/64	NAKAJIMA 65 BRASS	25

03858
FOG NOZZLES

Fog Nozzle of 3 stations for fire hoses. For couplings type Storz and Nakajima. High strength. Made of brass.

NEW

CODE	NOZZLES
03858-38S	STORZ 38 BRASS
03858-38N	NAKAJIMA 38 BRASS
03858-50S	STORZ 50 BRASS
03858-5N	NAKAJIMA 50 BRASS
03858-65S	STORZ 65 BRASS
03858-6N	NAKAJIMA BRASS

01219
FIREMAN AXE WITH SHORT WOODEN HANDLE

Fireman axe with short wooden handle. It is made of ashtree wood and the blade is made of #45 forged steel, hardness 47-55. It is equipped with protective rubber cover for the blade.

CODE	01219
HANDLE LENGTH	34 CM
CUTTING EDGE	9 CM
WEIGHT KG	1,2 KG

**01220**
FIREMAN AXE WITH LONG ANTI-SLIP HANDLE

Fireman axe with long anti slip handle made of fiber. The blade is made of #45 forged steel, hardness 47-55. It is equipped with protective rubber cover for the blade.

CODE	01220
HANDLE LENGTH	90 CM
CUTTING EDGE	12 CM
WEIGHT KG	2,8 KG



FIRST AID

00509
FIRST AID KIT
SOLAS 74**Contents:**

- // Anti-Angina Preparations
- // Anti-Hemorrhagics Including Uterotonics
- // Anti-Acid Mucous Dressings
- // Anti-Emetics
- // Anti-Diarroeals
- // Analgesic-Antipiretics
- // Analgesic-Anti-Inflammatory Preparation
- // Antiseptic Mercurchrom
- // Antiseptic Eau Oxygenee
- // Burn Preparation
- // Cannula for Mouth to Mouth Resuscitation
- // Adhesive Elastic Bandage
- // Sterile Gauze Compresses
- // Cotton Wool
- // Disposable Polyethylene Gloves
- // Adhesive Dressings
- // Sterile Compression Bandages
- // Adhesive Sutures
- // Sterile Gauze with Fatty Water and Vegetable Oils for Burns
- // Adhesive Tape
- // Scissors
- // Thermometer
- // Disposable Syringes 2.5ml - 5ml



Length (cm): 35
Width (cm): 27,5
Height (cm): 10

00508
FIRST AID KIT -
BIG SIZE

(soft case). CE certified.
List of content is included.

Includes:

- // Plastic tweezers
- // Sterile gauze pad
- // PBT bandage
- // First aid tape roll
- // Dust mask
- // Rubber tourniquet
- // Alcohol prep pad
- // Cleaning wet wipes
- // Adhesive bandage
- // Dressing
- // Triangular bandage
- // Safe pins
- // CPR barrier
- // Burn dressing
- // Emergency blanket



- // Rain poncho large
- // Vinyl glove
- // Pen flashlight
- // Note book
- // First aid booklet
- // First aid kit

CODE	DIMENSIONS CM
00508	L 28,5 x W 8,5 x H 16

00545
FIRST AID KIT

Multiple use for the boat, house, car etc.

Contents:

- // Handkerchief dipped in hydrogen peroxide
- // Cotton
- // Traumaplast



CODE	DIMENSIONS CM
00545	L 23,5 x W 17 x H 4

00510
FIRST AID KIT**Contents:**

- // Plaster roll
- // Sterilized gauzes CE
- // Hemostatic bandage CE
- // Hemostatic elastic CE
- // Bandages (3 pcs) CE
- // Triangular bandage CE
- // Band Aids (10 pcs) CE
- // Threads (3 pcs) CE
- // Burnshield hydrogel blottCE
- // Isothermal blanket CE
- // Handkerchief dipped in alcohol (4 pcs)
- // Gloves of one use (4 pcs)
- // Scissors
- // Plastic Forceps
- // Safety pins (4 pcs)
- // First Aid Instructions



CODE	DIMENSIONS CM
00510	L 23 x W 4,5 x H 16,8

00546
FIRST AID KIT

Multiple use for the boat, house, car etc.

Contents:

- // Gauzes
- // Handkerchiefs
- // Gloves of one use
- // Mask
- // Cotton
- // Traumaplast
- // Handkerchief dipped in alcohol



Length (cm): 22
Width (cm): 7,5
Height (cm): 20,5

00511**FIRST AID KIT SOLAS****Includes:**

- // analgetic-antifever tab
- // analgetic-anti inflammatory
- // antihemorrhagic tab
- // antidiarrheal tab
- // antiemetic tab
- // antiacid tab
- // antiseptic solution- mercurochrom 50 ml
- // antiseptic solution- oxygene 50 ml
- // antianginal tab
- // sterilized gauzes 15x15
- // sterilized tulle in oily substance for burns

- // strips mix size
- // self adhesive elastic bandage
- // cotton 70gr
- // gloves
- // digital thermometer
- // anti burn substance
- // self adhesive band-leukoplast zinc oxide
- // hemostatic band
- // syringes 2,5ml , 5,0 ml
- // recovery device cpr mask
- // scissors
- // instructions for use



CODE	DIMENSIONS (CM)	COLOR
00511	28 X 19 X 12	RED

04394**ANTI-NAUSEA WRISTBAND (PAIR)**

This product is a non-drug aid for people and go the go. The unpleasant effect of bumpy flights, choppy seas, winding roads, rocking trains, and spinning Ferris wheels can ruin a trip or outing. Anti-sea-ness Wristbands exert gentle pressure on points on each wrist to minimize or eliminate the miserable effects of travel. Made of tough, long-lasting, washable materials. Safe and easy to use. Simply slip onto wrists, position and enjoy your travel. No complication buckles or adjustments. One size fits all. Sustained use can cause swelling of the hands. In such a case, simply remove pods.

**01250-4****INTERNATIONAL MEDICAL GUIDE FOR SHIPS**

With its help ship's officers, in any sea they could sail, will be able to offer medical services to those in need, but also to request by radio appropriate instructions for drug delivery or not, but also what to do according to International Trade Mark Guidelines. In addition, the International Medical Guide for Ships is designed for use by all crew members on board.

NEW

BOOKS

01250-1 **NEW**
RESCUE SIGNAL TABLE
 Dimensions (cm): 26 x 40



01250-3 **NEW**
AVOIDING COLLISION IN THE SEA

This book aims to offer comprehensive knowledge to the trainee masters of the Merchant Marine Academies, to the courses "International Regulations for Avoiding Collision in the Sea" and "Prison Observation-ARPA". Maritime safety requires ships to "Prison Keeping", which requires a thorough knowledge of International Anti-Conflict Regulations (ICRC), international practice on prisons, radar and ARPA.



01250-2 **NEW**
NAUTICAL INSTRUCTIONS (PILOT)

Nautical Instructions (Pilot) mainly include the detailed description of the beaches, the dangers that exist, the ports, instructions for entering the port bays and harbors and secure coastal approach, narrow-lane passage and general information on a safe sailing. It also includes geographic and meteorological data, information on food, water, fuel, tourist information, important historical events.



01250-5 **NEW**
INTERNATIONAL CODE OF SIGNAL
 Dimensions (cm): 12 x 16



STORAGE

04056-01&02
DRY BAG FOR LIFEJACKETS

Waterproof, airtight dry bag for lifesaving equipment. It is made of durable transparent material with high-frequency welded seams to guarantee maximum seal. Easy to use, takes up minimal space.



EVAL

CODE	LENGTH CM	WIDTH CM	HEIGHT CM	CAPACITY (LIFEJACKETS)
04056-01	60	36	60	4
04056-02	60	36	72	6

*The lifejackets are not included.

SET OF DRY BAG WITH LIFEJACKETS

CODE	INCLUDES	DIMENSIONS L x W x H CM
04056-01S	4 LIFEJACKETS (CODE 482-2)	55 x 38 x 30
04056-02S	6 LIFEJACKETS (CODE 482-2)	55 x 38 x 45

04056-10&11
STORAGE BAG FOR LIFEJACKETS WITH MESH

Durable transparent PVC storage bag for life jackets, with zip fastener and mesh for ventilation. Suitable for lifejackets with code 482-2. Lifejackets not included.



CODE	CAPACITY	LENGTH (CM)	WIDTH (CM)	HEIGHT (CM)
04056-10	4 LIFEJACKETS	54,5 CM	38 CM	30 CM
04056-10S	BAG WITH 4 LIFEJACKETS			
04056-11	6 LIFEJACKETS			45 CM
04056-11S	BAG WITH 6 LIFEJACKETS			

03192 **WATERPROOF BAGS**

Made in resistant PVC, are secured with a buckle after having their upper part folded. They therefore offer absolute protection to their content from severe weather conditions.



CODE	CAPACITY LT	HEIGHT CM	DIAMETER CM
03192-12	12	50	20
03192-20	20	50	25
03192-40	40	75	30

01185 SAFETY EQUIPMENT STORAGE BAG

Waterproof, ideal for the storage of up to 4 or 6 lifejackets and the necessary flares, smoke signals, fire extinguisher etc. Absolute water proofing with perimetrical zipper.



CODE	DIMENSIONS CM	COLOR	STORAGE
01185	L 60 X W 45 X H 28	YELLOW	UP TO 4 LIFEJACKETS

00527 WATERPROOF PLASTIC BAG

Made of resistant PVC. Watertight after being folded twice with the velcro. Suitable for the storage and protection of several rescue equipment, documents and other frail items such as mobile phones etc.



CODE	DIMENSIONS MM	CARRYING CORD
00527-1	L 170 x W 120	YES
00527-2	L 250 x W 180	YES
00527-3	L 340 x W 270	YES

BUCKETS


03178 FLEXIBLE BUCKET WITH INOX GRIP

Material: Rubber



CODE	CAPACITY LT	DIAMETER CM
03178	12	37

00874-1 MARINE BAILER



03233 FOLDING BUCKET WITH STAINLESS STEEL GRIP



CODE	CAPACITY LT	DIMENSIONS CM
03233	9	H 22 X Ø 25

01186 WATERPROOF STORAGE BOTTLE

For the storage of flares, medicine or personal belongings.

CODE	HEIGHT (CM)	DIAMETER (CM)	CAPACITY (LT)
01186-04	16	25	4
01186-06	22.5	25	6
01186-08	27	25	8
01186-12	36	25	12



04324-3 WATERPROOF BINOCULARS 7 x 50

7x50 binoculars ideal for the boat. Waterproof, rubber armored, Porro BAK-4 prism, fully coated lens. Include fold down eyecups, attached lens caps, lens cloth, deluxe case, adjustable strap and tripod adapter fitting.



MAGNIFICATION x OBJECTIVE LENS DIAM.	7 X 50
ANGLE OF VISION	7,1°
EXIT PUPIL	7,14 MM
EYE RELIEF	24 MM
NEAR FOCUS	10 M
FOCUSING METHOD	INDIVIDUAL EYE FOCUS (DIOPTR CONTROL)
PRISM TYPE	PORRO K9
FIELD OF VIEW	124M @1000M
LENS COATING	FULLY COATED
WEIGHT	1,035 KGR
DIMENSIONS	19 X 7 X 24 CM
WATERPROOF	YES
FOGPROOF	YES
COMPASS	YES
HOUSING	RUBBER

NAVIGATION

01446 BA2 - WITH BRACKET MOUNT

Diameter: 112 mm.
Color: Black



01448 BA3 - BINNACLE MOUNTED

Base diameter: 132,5 mm.
Color: Black



03316 BZ3 - BINNACLE MOUNTED

Base diameter: 127 mm.
Color: Black



01449 BZ2 - WITH BRACKET MOUNT

Base diameter: 149 mm.
Color: Black



04324-4 BINOCULARS 7 x 50

This is a light and easy to use set of binoculars that will help you in your navigation during your cruising. These binoculars combine perfectly 7x magnification power, ruby red coating of the objective lens filtering out red light, and Porro K9 prisms for brighter images. Additionally it offers with a wide field of view of 123 at 1000mtrs. It also features foldable eyecups for those viewing with eyeglasses. Its rugged construction with rubber mounting will protect the binoculars and offer you a better grip, even when your hands are wet. They come complete with strap, pouch and covers for the lenses.



MAGNIFICATION X OBJECTIVE LENS DIAM.	7 X 50
ANGLE OF VISION	6,5°
EXIT PUPIL	7,1 MM
EYE RELIEF	22,7 MM
NEAR FOCUS	10 M
FOCUSING METHOD	INDIVIDUAL EYE FOCUS (DIOPTRER CONTROL)
PRISM TYPE	PORRO K9
FIELD OF VIEW	123M @1000M
LENS COATING	MULTI-COATED
WEIGHT	0,800 KGR
DIMENSIONS	18,5 X 6,5 X 18 CM
HOUSING	RUBBER, ABS

04324-9 AUTO FOCUS BINOCULARS 7 x 50


This is a light and easy to use set of binoculars. These binoculars combine perfectly 7x magnification power, ruby red coating of the objective lens filtering out red light, and K9 prisms for brighter images. Additionally it offers the convenience of the auto focus, with a wide field of view of 123 at 1000mtrs. It also features foldable eyecups for those viewing with eyeglasses. They come complete with strap, pouch and covers for the lenses.



MAGNIFICATION X OBJECTIVE LENS DIAM.	7 X 50
ANGLE OF VISION	7°
EXIT PUPIL	7,1 MM
EYE RELIEF	10 MM
NEAR FOCUS	10 M
FOCUSING METHOD	AUTO FOCUS
PRISM TYPE	K9
FIELD OF VIEW	123M @1000M
LENS COATING	MULTI COATED
WEIGHT	0,780 KGR
DIMENSIONS	6,5 X 18,5 X 18,5 CM
HOUSING	ALUMINUM ALLOY, ABS RUBBER

01878 NAUTICAL COURSE PLOTTER

Very easy development path. First you need to align the course with the arrow on the ruler. Then you may count the degrees based on the reading of the compass plate. Very precise. **Length (cm):** 36,5 **Width (cm):** 13,5



01461 PARALLEL RULERS WITH STRIPING

L 30.5 cm. Used for finding data on the charts and for noting the pathway over them.



01491 NAUTICAL DIVIDER

Mainly used to measure distances on the charts but also for various other measurements such as geographical coordinate. L18cm



01462 NAUTICAL DIVIDER

Mainly used to measure distances on the charts but also for various other measurements such as geographical coordinates. L18 cm.



GENERAL

00519
STORM HAND LANTERN

Capacity 200 gr and burning time 14 hours. H 24,5 cm. **Spare glass with code 00519-1**

**00528***
SEA FLOATING ANCHOR

EVAL sea floating anchors are made of excellent quality PVC fabric with strong nylon belts so as to be durable in sea conditions. They are suitable for boats up to 15 meters. The sea floating anchors are used in turbulent sea conditions in order to keep the bow of the boat towards the wind direction. The fishing boats are using it to keep the boat still without anchorage.



CODE	HEIGHT (B) CM	WIDTH (A) CM	BOAT LENGTH M
00528-1	55	50	4,5
00528-2	88	77	7
00528-3	115	110	7,5
00528-4	137	152	10
00528-5	144	185	13,5
00528-6	155	225	>13,5

03365
WOODEN PLUGS

10 pcs set.

**04594**
EMERGENCY LADDER

With strong plastic steps, packed in a nylon case, designed to be permanently attached to the rail in a nylon case, so that the ladder to be easily deployed by a person in the water. A vital piece for the single-handed sailors.



CODE	STEPS	LENGTH CM
04594-3	3	94
04594-4	4	114

04481
FLUSHMOUNT EMERGENCY LADDER

This emergency ladder can be fitted into the transom of the boat, and will help any crew member get back on board easily without needing help from anyone else. Suitable for MOB situations. It consists of 3 thermopolymer steps and braided nylon line, all stored in a tube with a watertight cap for optimum protection. In MOB situation remove the cap, pull the ladder down and climb aboard. Watertight thermopolymer housing Ø 5,8 cm x L22,5 cm thru-hull fitting. Easy to flush mount.



CODE	STEPS	DIMENSIONS CM
04481	3	L 110 x W 13,5

A series of horizontal dotted lines for writing notes.

PASSION FOR THE SEA

Since 1976 we have been producing and distributing the best you need for your commercial vessels or leisure boats.

- // SAFETY EQUIPMENT
- // DOCKING & ANCHORING EQUIPMENT
- // SAILBOAT ACCESSORIES
- // NAVIGATION EQUIPMENT
- // BELTS & BUCKLES
- // ELECTRICAL EQUIPMENT

SAFETY MATTERS

SAFETY EQUIPMENT CATALOGUE

EVAL PRESENCE

HQ - Exhibition

Location Tzaverdella
133 41, Ano Liosia, Athens - Greece
P.O. BOX: 460 21
T. +30 210 5590872-6
F. +30 2105590871

1st Store

4 Vas. Alexandrou
121 34, Peristeri, Athens - Greece
T. +30 210 5782090
F. +30 210 5755580

2nd Store

18 Posidonos Av. & Koritsas
174 55, Alimos, Athens - Greece
T. +30 210 9802888
F. +30 210 9802388