

seaco®

Equip for *adventure*

MARINE PRODUCTS

FULL RANGE CATALOGUE





With *spirit*

Without risk there is no adventure. But the best equipment minimises risk while expanding horizons.

This spirit lives in everything we do, design, make and maintain.

Our aim is to equip you as we would a friend, as many of our customers are, with what you need to be safe, in pursuit of your adventure. We seek the best of life – the near and

nurtured coupled with the unknown and the horizon-expanding.

We are our customers' companion in this adventure. Mutual safety is our first priority.

Our equipment is meticulously designed and crafted to push the boundaries of sea safety - to go further, reach higher - and allow our customers to do the same.

Equipped for *adventure*
Founded on *friendships*



Lifejackets

6

And accessories. Featuring our full range + Servicing on page 15



Life rafts

20

And accessories. ISO certified range + Servicing on page 32



Recovery / Flares

33

Including our new range of flares



Fire extinguishers

36

Including SOLAS and MED approved



Tenders

38

Wide selection – recently extended



Fenders

46

New colour ways



Bags

52

Introducing the new 50ltr dry bag



Wire & chain

54

Our new extended range



LIROS ropes

56

Comprehensive range stocked



Leisure equipment


64

Including the popular paddle board

Cover photo by Johannes Plenio on Unsplash



New



Drop stitch fabric

Large EVA deckpad

Luggage straps

Raised foot pad

Leash anchor point

new

Paddle boards

Two brand new paddle boards from Seago, including this inflatable edition
Page 64

New



Lightweight fabric

Integral floor

Aluminium seat

Lightweight transom

Smaller sponson

new

Go Lite tender

Available in three sizes, this new model has been meticulously designed to be compact and lightweight
Page 42



*“Never fear quarrels,
but seek hazardous
adventures.”*

Alexandre Dumas, The Three Musketeers



A new dimension in
Lifejackets

innovation as standard

Three ways we redesigned the lifejacket

Recently we had a rethink. We focused our thoughts on what it means to work, to create and sell products. We challenged ourselves to understand why we do this, why

our founders did it, and why we continue passionately today. The simple answer is *friendships and adventure* - and we now understand this as the **Seago Spirit**.

This process helped us to redesign our core product, the life jacket, as a reflection of our true values. Here are three of the leading features which illustrate our rethink and new course.

Buckles

Every lifejacket in the Seago range has been rethought to be safer, more comfortable and more convenient. Buckles are used at least twice every wear. We set out to make this experience virtually effortless in all conditions. The **Rapid Buckle** on the new 3Dynamic is 5X faster during in-house testing. On the Active range new Easy Fit & Release design dramatically speeds up the same process.



Cylinder safe

We set out to address one shocking fact about lifejacket cylinders: CO² cylinders can loosen when lifejackets are worn. Less than 100% secure cylinders can mean your lifejacket

may not inflate putting your life in danger. For us, that's a problem you simply can't leave unaddressed. Fitted as standard to every lifejacket in our range is **Cylinder Safe**, a unique innovation

which greatly reduces cylinder loosening.



S-lung



The **S Design lung** is about one thing only: increased safety in the water to prolong survival. A standard lung shape on traditional lifejackets allows water to flow along the centre channel towards the face adding to the risk of secondary drowning. This seems counterintuitive to us, especially because adrenaline can cause users to breathe quickly. We invented the S Design lung to guide wash away from the wearer's mouth.

Seago's unique S Design lung also includes these features:



- Unique wash redirection S Design
- Oral tube
- Light and whistle
- SOLAS reflective tape
- Cylinder Safe



3Dynamic

Part numbers		
3D	190	Pro
3D	300	Pro

Models (with harness)	Pro Elite	
Buoyancy (n)	190	
	300	
ISO	12402-3	
	12402-2	
Rearming		
Part number		Kit no
PERK 38	Auto	15
PERK 60	Auto	16



Black / Carbon (190n)
Carbon / Black (300n)

Active PRO

Part numbers		
AC	190	PS
AC	190	PH

Models (with harness)	Pro Elite	
	Hammar hydrostatic	
Buoyancy (n)	190	
ISO	12402-3	
Rearming		
Part number		Kit no
PERK 38	Auto	15
HRK 38	Ham	9



Sky blue
Navy
Red

3Dynamic

Seago's completely redesigned flagship lifejacket. Our design team have combined a range of new features in one lifejacket that ensures elite performance and safety, together with maximum comfort.

The **3Dynamic** incorporates innovative design and technology advances, bringing to the world's sailing community the Rapid Buckle, Cylinder Safe and S Design lung together with LED multi flash light, spray hood and pocket for your knife. This means everything customers (pro and enthusiast) tell us they need is close at hand. The team is incredibly proud of the advanced design features which make the 3Dynamic a market forerunner.

Full specification on charts at end of section

- Rapid release (1)**
Fast on and off
- Superior buoyancy**
As standard
- Splash defence (2)**
S Design lung and spray hood standard
- Cylinder Safe**
Secures cylinder
- Water resistant pocket (3)**
Ideal for knife/PLB
- SOS Light (4)**
Water activated
- 3D contour fit**
Complete freedom of movement
- Burst zip**
Improves speed of inflation
- Status window (5)**
Instantly check jacket status
- Double crutch strap**
Fitted as standard

Active Pro

For those looking for the complete lifejacket package the **Active Pro** is all that you need. The Active Pro has all the usual Seago safety features of the standard Active model but with the addition of some key features such as integrated spray hood and SOLAS LED light.

You also have the choice of either a Hammar inflation system or a UM Pro elite firing system and both have a clear view status window to give you the reassurance that your lifejacket is always ready for use.

Full specification on charts at end of section

- Cylinder Safe**
Secures cylinder
- Easy fit & release**
Simplified donning
- Superior buoyancy**
As standard
- Splash defence (1)**
S Design lung and spray hood standard
- Double crutch strap**
Fitted as standard
- SOS Light (2)**
Water activated
- 3D contour fit**
Complete freedom of movement
- Burst zip**
Improves speed of inflation
- Status window (3)**
Instantly check jacket status

Active 190



 Sky blue



 Navy



 Red

Part numbers		
AC	190	M
AC	190	A
AC	190	AH

Models	Automatic	
	Automatic + harness	
	Manual	
Buoyancy (n)	190	
ISO	12402-3	
Rearming		
Part number		Kit no
ARK	38	Auto 7
MRK	38	Man 6

Active 300



 Navy

Part numbers		
AC	300	AH

Model	Automatic + harness	
Buoyancy (n)	300	
ISO	12402-2	
Rearming		
Part number		Kit no
ARK	60	Auto 11

Active 190

The new range of **Active** lifejackets from Seago have been designed to combine maximum comfort with outstanding performance. You won't know you're wearing it until it's needed.

High volume buoyancy together with unique safety features make this jacket the first choice for those with safety and convenience in mind. The introduction of Cylinder Safe and S Design lung features demonstrate Seago's ongoing investment in safety innovation. The 3D contour design reduces the surface area in contact with your body offering unparalleled freedom of movement for both men and women.



Cylinder Safe
Secures cylinder



Double crutch strap
Fitted as standard



Superior buoyancy
As standard



Burst zip
Improves speed of inflation



3D contour fit
Complete freedom of movement



Firing options
Hammar or MK5

Full specification on charts at end of section

Active 300

The new range of **Active** lifejackets from Seago have been designed to combine maximum comfort with outstanding performance. You won't know you're wearing it until it's needed.

High volume buoyancy together with unique safety features make this jacket the first choice for those with safety and convenience in mind. The introduction of Cylinder Safe and S Design lung features demonstrate Seago's ongoing investment in safety innovation. The 3D contour design reduces the surface area in contact with your body offering unparalleled freedom of movement for both men and women.



Cylinder Safe
Secures cylinder



Double crutch strap
Fitted as standard



Easy fit & release (1)
Simplified donning



Burst zip
Improves speed of inflation



Superior buoyancy
As standard



Firing options
Hammar or MK5



3D contour fit
Complete freedom of movement



Maximum comfort (2)
Super soft neckline material

Full specification on charts at end of section

WAVEGUARD JUNIOR-150



Red

Part numbers		
WG	100	J

Models	Pro sensor + harness
Buoyancy (n)	100
ISO	12402-3
Rearming	
Part number	Kit no
PERK 24	Auto 17

Waveguard Junior

The new Seago **Waveguard Junior** lifejacket is a revelation in design, comfort and safety, incorporating the S Design lung and easy fit buckle as well as upgraded material.

The pro-sensor firing mechanism with viewing window as standard ensures you can visibly assess the status of your child's lifejacket. This, together with the cylinder safe fitted as standard, illustrates safety as Seago's first priority.

The lifejacket design features a neoprene collar to maximise comfort, with a high visibility lifejacket colour to ensure additional safety.

Full specification on charts at end of section



Status window (1)
Parent/trainer instant check



Easy fit & release
Simple for young and old



Maximum comfort (2)
Super soft neckline material



Lightweight D-ring
Secure junior to the craft easily



Cylinder Safe
Secures cylinder



Buoyancy
ISO 12402-3 approved and surpassed



S Design Lung
Protection from sea wash



Double crutch strap
Fitted as standard



Retro fit capability
For life jacket light




Pro elite firing (3)
Automatic with status indicator

SEAGUARD



Navy



Red



Grey/black

Models & colours	Automatic	Manual	Auto/Harness
Grey/black	✓	✓	✓
Green	✓	✓	
Blue	✓	✓	✓

Buoyancy (n)	165
ISO	12402-3
Rearming	
Part number	Kit no
ARK 33	Auto 4
MRK 33	Man 3

Seaguard 165

The versatile **Seaguard 165** is an updated design of a popular lifejacket model that Seago has been selling for more than a decade.

The comfortable contoured neck design and its light weight combine to make this lifejacket one of the most preferred entry level models.

Full specification on charts at end of section

The abrasion resistant cover, together with a newly designed buckle and lightweight D-ring makes the Seaguard 165 an all round lifejacket.

- Semi integrated lung
- Contoured neck design
- Lightweight
- New colourways

Classic

The **Classic 190** is Seago's longest selling lifejacket. For over 25 years it has stood the test of time, not only in design but also reliability, specification and performance. The fixed lung design, makes our 'Classic' the easiest lifejacket in the range to repack after inflation.

Our customers know that they can use, repack, and perhaps most importantly, feel confident in recommending the Classic 190 to friends and family.

 Red / Navy

Part numbers		
C	190	M
C	190	AH
C	190	A



Models	Automatic	
	Automatic + harness	
	Manual	
Buoyancy (n)	190	
ISO	12402-3	
Rearming		
Part number		Kit no
ARK 38	Auto	7
MRK 38	Man	6

- Integrated lung
- Classic design
- Twin back strap


Safety lines

All Seago safety lines are ISO certified and conforms to latest PPE regulation (EU) 2016/425, EN ISO 12401 :2009 requirements. We have colour coded these to make choosing the right line easy. All Seago safety lines have the following features:

- Seago safety lines have high visibility overload indicators as standard
- High performance narrow gauge lightweight safety line webbing
- UV protected and low water absorption
- Marine grade stainless steel 316 suitable for harsh environments
- Mesh bag to help store, keep dry and protect your product



1HCH	1 Safety hook with cow hitch standard webbing
1HECH	1 Safety hook with cow hitch elasticated webbing
2H	2 Safety hooks with standard webbing
2HE	2 Safety hooks with elasticated webbing
2HECH	2 Safety hooks with cow hitch elasticated webbing
3HE	3 Safety hooks with elasticated webbing



seago®

ANY MAKE & MODEL Lifejacket SERVICING

Seago will service all lifejacket brands and models at our fully equipped service centre by our highly qualified service technicians.

See our fixed prices now: seagoyachting.co.uk/servicedetail




Lifejacket light

The Seago lifejacket light is very compact and includes a bracket for easy attachment to a lifejacket oral tube. Activates automatically on contact with water and has 3 light settings, flashing, SOS Morse code signal and constant. Includes an on/off test switch.

- SOLAS approved
- Test facility
- Easy attachment to any lifejacket
- Daylight 'off' switch for battery preservation

Part number
RLJ



Spray hood

The Seago spray hood is the second line of defence to a person in the water wearing a lifejacket. The high visibility hood is deployed from the rear of a lifejacket (when fitted) so it can be quickly pulled over the head and attached to the underside of the lifejacket lung. The spray hood is compact and will not add bulk to the neck of your lifejacket

- Enhances lifejacket value
- Retro-fits on most lifejackets
- Protects from secondary drowning
- Simple to deploy in the water
- High visibility yellow

Part number
S— HOOD



	Dynamic		Active PRO						WAVEGUARD JUNIOR-150
Part number (colour letter goes at end)	3D-190-PRO	3D-300-PRO	AC-190-PS			AC-190-PH			WG-100-J
	CB	BC	R	B	N	R	B	N	R
Model	3D	3D	190 pro			190 pro			Jnr
Firing Head	Pro Sensor	Pro Sensor	Pro Sensor			Hammar			Pro Sensor
Buoyancy (N)	190	300	190			190			100
Harness	✓	✓	✓			✓			✓
Lung design	S type	S type	S type			S type			S type
Neoprene collar	✓	✓	—			—			✓
Cylinder Safe	✓	✓	✓			✓			✓
Double Crutch Strap	✓	✓	✓			✓			✓
Water Resistant Pocket	✓	✓	—			—			—
Spray Hood	✓	✓	✓			✓			—
Light	✓	✓	✓			✓			Retro fit
Add PLB?	✓	✓	✓			✓			—
Burst Mechanism	ZIP	ZIP	ZIP			ZIP			Velcro
Rearming Kit Number	8	12	8			9			2
Weight (kg)	40+	40+	40+			40+			20-50
Chest (cm)	55-140	55-140	55-140			55-140			55-140
Whistle	✓	✓	✓			✓			✓

	Active							Classic			SEAGUARD					
Part number (colour letter goes at end)	AC-190-M			AC-190-A			AC-190-AH			AC-300-AH	C-190-M	C-190-AH	C-190-A	SG-165-M	SG-165-A	SG-165-AH
	R	B	N	R	B	N	R	B	N	N	RN	RN	RN	CB/N/G	CB/N/G	CB/N
Model	190			190			190			300	190	190	190	165	165	165
Firing Head	Manual			MK5 Auto			MK5 Auto			MK5 Auto	Manual	Auto	Auto	Man	Man/Auto	Man/Auto
Buoyancy (N)	190			190			190			300	190	190	190	165	165	165
Harness	—			—			✓			✓	—	✓	—	—	—	✓
Lung design	S type			S type			S type			S type	Integrated	Integrated	Integrated	Semi Integrated	Semi Integrated	Semi Integrated
Neoprene collar	—			—			—			✓	—	—	—	—	—	—
Cylinder Safe	✓			✓			✓			✓	✓	✓	✓	✓	✓	✓
Double Crutch Strap	✓			✓			✓			✓	✓	✓	✓	✓	✓	✓
Water Resistant Pocket	—			—			—			—	—	—	—	—	—	—
Spray Hood	Retro fit			Retro fit			Retro fit			Retro fit	—	—	—	Retro fit	Retro fit	Retro fit
Light	Retro fit			Retro fit			Retro fit			Retro fit	Retro fit	Retro fit	Retro fit	Retro fit	Retro fit	Retro fit
Add PLB?	✓			✓			✓			✓	—	—	—	—	—	—
Burst Mechanism	ZIP			ZIP			ZIP			ZIP	Velcro	Velcro	Velcro	Velcro	Velcro	Velcro
Rearming Kit Number	6			7			7			11	6	7	7	3	4	4
Weight (kg)	40+			40+			40+			40+	40+	40+	40+	40+	40+	40+
Chest (cm)	55-140			55-140			55-140			55-140	55-140	55-140	55-140	55-140	55-140	55-140
Whistle	✓			✓			✓			✓	✓	✓	✓	✓	✓	✓



Register your lifejacket at Seagoyachting.co.uk to activate our unique **warranty and servicing schedule** - essential for lifejacket maintenance.



Register your lifejacket at Seagoyachting.co.uk to activate our unique **warranty and servicing schedule** - essential for lifejacket maintenance.

*“He who lets the sea
hull him into a sense
of security is in very
grave danger.”*

Hammond Ines, Novelist



Life rafts
Recovery & Fire extinguishers

STORAGE

Easily attach externally for maximum safety*



INFLATES

Safely and in seconds



PLATFORM

For easy boarding via a ladder*



BALLAST

Pockets fill fast for stability in harsh conditions



THERMAL

Floor offers protection in cold seas



STROBE LIGHT

And porthole for flare deployment



1. Deployment

FLEXIBLE: From the vessel or water when necessary

2. Boarding

FAST: In cold water seconds can be lifesaving

3. Rescue

ENDURING: Staying warm and raising alarm

innovation as standard

Rethinking the life raft, step-by-step

At Seago in the last few years we've been taking a step back; looking at each of our core products with fresh eyes. Our mission is to deliver an ever improving brand of sea safety we would wish for a friend, as many of our customers are. With life rafts we started with a blank page. Every element has been challenged and, where possible, refined to create the most compact and yet safest life rafts we have ever produced. They will deploy, help you out of the water and assist rescue aiming to save absolutely crucial seconds at every step.

Cold water survival chart

Water Temperature (Fahrenheit)	Exhaustion or Unconsciousness (minutes / hours)	Expected Time of Survival (minutes / hours)
32.5	Under 15m	Under 15-45m
32.5 - 40	15-30m	30-90m
40 - 50	30 to 60m	1 to 3h
50 - 60	1 to 2h	1 to 6h
60 - 70	2 to 7h	2 to 4h
70 - 80	2 to 12h	3h to indefinite
Over 80	Indefinite	Indefinite

*Internal storage option also available

*ISO 1 version shown above includes boarding ramp, ISO 1 & 2 have ladder



ISO 9650-1 **sea Master**

For ocean & charter

The SeaMaster is the perfect partner for offshore sailing on recreational or coded craft, designed and refined over many years in partnership with professionals.

We have worked with users from a variety of backgrounds to design and vigorously test this raft, which, as a result, has become one of the flagship Seago products.

For a brand which has built its reputation on giving a close knit community of sailors what they need to remain safe in pursuit of adventures big and small, the SeaMaster truly embodies the Seago Spirit.

Internal & external lights
Flashing exterior light draws attention

Inflates in seconds
Minimising exposure, improving odds

ISO Safety Pack as standard
See end of section for details

Hand-over-hand grab lines
Aiding fast boarding

Durable Seago rubber chambers
We believe the safest and strongest material in life raft design

Over pressure valve
Preventing over inflation

Full spec at end of section



Easy boarding

When boarding from the water every second really is essential. Body temperature and survival chances will decrease fast in cold conditions. Seago's ladder and ramp makes it easier and faster.



Independent chambers

The rubber used to make the life raft chambers is exceptionally strong, but in the unlikely event one chamber is punctured the other will remain inflated and support a raft filled to capacity.



Fresh water collection system

Drinking water is one of the main necessities of survival. This collection system ensures that rain is not wasted but captured and retained



Thermal layer

Once safely inside the raft the Seago thermal layer will offer occupants essential protection from icy seas. The layer keeps body heat inside the life raft while reducing the cooling impact of the water temperature, day and night.



Ballast pockets

The raft is equipped with 4 x 55L ballast pockets that are crucial in stabilising the raft and help prevent the raft from overturning in challenging sea conditions.



STORAGE: Valise or canister and cradle available - see accessories page 29

TYPE: RAFT-L(I) ISO 9650-1 Pack 2

Packed	Part no.	Capacity	L(mm)	W(mm)	H(mm)	Weight (kg)
Canister	4C-MAS	4C	730	490	310	37
	6C-MAS	6C	730	490	310	43
	8C-MAS	8C	780	530	365	48
	10C-MAS	10C	780	530	390	54
	12C-MAS	12C	880	550	380	62
Valise	4V-MAS	4V	650	300	420	30
	6V-MAS	6V	720	340	460	35
	8V-MAS	8V	720	340	460	41
	10V-MAS	10V	720	360	500	46

NOTE: Valise dimensions are approximate and can vary due to vacuum forming.





For coast & cruising

The all new Sea Cruiser life raft is certified to ISO 9650-2. Specification not only complies with ISO9650-2 but surpasses its requirements in certain critical areas.

As part of our continuing design review we have identified the importance of a thermally insulated floor to prevent hypothermia, even when used in coastal conditions.

Therefore all Sea Cruiser life rafts have a thermally insulated floor, this surpasses the basic requirements of the ISO 9650-2 that does not specify one.

Independent chambers
Stays afloat with puncture in one chamber

Inflates in seconds
Minimising exposure, improving odds

ISO Safety Pack as standard
See p30 for details

Hand-over-hand grab lines
Aiding fast boarding

Durable Seago rubber chambers
We believe to be the safest and strongest material

Over pressure valve
Preventing over inflation



Ladder boarding

When boarding from the water every second really is essential. Body temperature and survival chances can drop rapidly in colder conditions. This ladder makes it easier and faster.



Internal & external light

A powerful external flashing light can be seen for miles in good conditions, maximising the chance of rescue, while the internal light helps to maintain essential night time visibility.



Fresh water collection system

Drinking water is one of the main necessities of survival. This collection system ensures that rain is not wasted but captured and retained



Thermal layer

Once safely inside the raft the Seago thermal layer will offer occupants essential protection from icy seas. The layer keeps body heat inside the life raft while reducing the cooling impact of the water temperature, day and night.



Ballast pockets

The raft is equipped with 4 x 55L ballast pockets that are crucial in stabilising the raft and help prevent the raft from overturning in challenging sea conditions.



Scale illustration

Full spec at end of section



STORAGE: Valise or canister and cradle available - see accessories page 29

TYPE: RAFT-L(II) ISO 9650-2 Pack 2

Packed	Part no.	Capacity	L(mm)	W(mm)	H(mm)	Weight(kg)
Canister	4C-CRU	4C	680	430	260	34
	6C-CRU	6C	750	500	280	39
	8C-CRU	8C	750	500	310	43
	10C-CRU	10C	780	530	365	46
Valise	4V-CRU	4V	600	280	400	28
	6V-CRU	6V	700	270	400	32
	8V-CRU	8V	700	290	400	35
	10V-CRU	10V	710	280	490	39
Slim Canister	SLIM-CAN	4 & 6C	740	490	220	—

NOTE: Valise dimensions are approximate and can vary due to vacuum forming.




Premium cradle

This premium product is made from high strength marine grade 316 stainless steel. The frame is fully adjustable to accept most life rafts from sizes 4 to 12 person and can be mounted on the pushpit, deck or coach roof. Adjust the mounting brackets on the frame by sliding in both horizontal and vertical directions to cater for most pushpit configurations. The life raft is securely retained by a high strength polyester webbing strap. The raft can be quickly released using the quick release buckle. Hydrostatic release mechanisms can also be fitted.



- Universal fixing mechanism
- Quick release buckle
- Adjustable rail mount
- Heavy duty 316 stainless steel
- Adjustable webbing straps
- Market leading specification
- Suitable for 4-12 man raft

Part number	W (mm)	D (mm)	H (mm)	Weight (kg)
LRC PREM Cradle	680-900	260	430	3.2



Deck straps

The Seago deck straps for life rafts can be mounted on your deck or coach roof providing means to access your life raft in an emergency situation. All the fittings are 316 stainless steel marine grade.

The deck straps are secured with a quick release link which can be used for a hydrostatic system.

Part number
LR WEB-STRAP



Elite vertical cradle

The Elite vertical cradle is fully adjustable to allow perfect fitting of liferafts from 4 person to 16 person. Made from the best marine grade 316 stainless steel this robust cradle is ideal for anyone needing a great way to store and access their liferaft. The Elite cradle can be mounted either vertically or horizontally and will work with a hydrostatic release unit, all webbing straps and fittings are provided as part of the complete package.

- Vertical and horizontal mount
- Quick release buckle
- Fully universal adjustment
- Heavy duty polished 316 stainless steel
- Adjustable webbing straps
- Market leading specification
- Suitable for 4-16 man raft
- Can be rail or deck mounted

Part number	W (mm)	D (mm)	H (mm)	Weight (kg)
LRC ELITE Cradle	520-765	290-465	782	8.8



Thanner hydrostatic release

Thanner Disposable Hydrostatic Release Units are all patented units, designed for trouble free installation, reliable function and service free lifetimes of 4 years /48 months or 2 1/2 years /30 months after correct installation. The units are all approved to the new MED and SOLAS regulations together with ships wheel approval, USCG, TC and many others. The units are made from stainless steel and UV- resistant plastics to meet the tough requirements of the marine environment. The units operate independently of the life raft buoyancy and is approved for all sizes of life raft! up to a buoyancy load of 1500kgs. All parts can be recycled and are made from non-toxic materials. Special versions/other release depths are available on request.

- Operating independently of life raft buoyancy.
- 4-year Operational Service Life
- No servicing requirements. Weight 300 g.



Part number
LR SPARE-244

Safety packs

The Seago safety pack and the life raft conforms to the **ISO-9650** requirements.

The safety pack can easily be upgraded to meet the requirements of a >24hr Pack or SOLAS B Pack. **All the items listed adjacent in PACK 2 are standard in Seago life rafts**, the most comprehensive life raft on the market. Approved by Bureau Vertias and RINA.

- = Qty in Safety Pack 2
- = Additional to Safety Pack 2



Staydry 50l dry bag

All items in 24h Pack or SOLAS B pack if not included within the liferaft will come in a Staydry 50l bag

	Safety Pack 2	+ 24h Pack	SOLAS B Pack
Included with Master	✓	—	—
Included with Cruiser	✓	—	—
Parachute rockets	••		
Buoyant bailer	•		
Sponge	••		
Whistle	•		
Day light signalling mirror	•		
Sea sickness bag per person	•		
Illustration of survival signals	•		
Hand pump	•		
Repair kit	•		
Operation manual	•		
Paddles	••		
Rescue quoit	•		
Knife	•		
Sea sickness tablets per person (may come in a separate grab bag)	•••••		
Wet note book	•		
Red hand flares	•••	•••	
Torch (inc spare batteries / bulb)	•	•	
Sea anchor	•		•
First aid kit	—	•	•
Thermal protective aid	—	••	••
10,000 K/j food ration per person	—	•	
1.5 Litres of water per person	—	•	
Buoyant smoke signal	—		•
Radar reflector	—		•



Life raft specification chart

	SeaMaster	SeaCruiser
Approval type	ISO 9650 - 1	ISO 9650 - 2
Lowest firing temperature	-15°C	0°C
Max capacity	12	10
Self Righting Option	—	—
Fixed Storage	✓	✓
Portable Storage	✓	✓
Ladder boarding	—	✓
Ladder and platform boarding	✓	—
Ballast pockets	✓	✓
Thermal Layer	✓	✓
Reflective Tape	✓	✓
Viewing Portal	✓	✓
Over Pressure Valves	✓	✓
Hand-over-hand grab lines	✓	✓
Righting Strop	✓	✓
Drinking Water Collection System	✓	✓
Independent Canopy	✓	✓
Independent Inflation Chambers	✓	✓
External Light (Flashing)	✓	✓
Internal Light (Static)	✓	✓
Safety Pack (ORC)	—	—
Safety Pack (ISO Pack 1)	Optional	Optional
Safety Pack (ISO Pack 2)	✓	✓
Safety Pack (Solas)	—	—
Warranty (Years)	18	18
Service Intervals	3*	3*
Capacity options		
4 🧑🧑🧑🧑	•	•
6 🧑🧑🧑🧑🧑🧑	•	•
8 🧑🧑🧑🧑🧑🧑🧑🧑	•	•
10 🧑🧑🧑🧑🧑🧑🧑🧑🧑🧑	•	•
12 🧑🧑🧑🧑🧑🧑🧑🧑🧑🧑🧑🧑	•	

* After 12 years servicing should be annual.

SeaGo Flares

new



Parachute rocket

For night time distress signalling purposes on ship, lifeboats, life rafts and for pleasure craft. The launching tube is made of resistant plastic to ensure protection in severe marine weather conditions.

The signal is approved in conformity to the last updating of the normative: SOLAS 74/96 • MED 96/98 EC • Directive 2012|32|EU • IMO Res. MSC. 81 (70) as amended.

Part No.	PARA-ROCKET
Height (mm)	261
Width (mm)	50
Weight (g)	410
Ejection height (m)	300
Burning time (s)	40
Light intensity (cd)	30,000
Expiry	3 Year minimum

Red hand

For night - time distress signalling purposes on ships, lifeboats, life rafts and for pleasure craft. Tube is made of corrosion-resistant steel with a shockproof plastic handle.

The signal is approved in conformity to the last updating of the normative: SOLAS 74/96 • MED 96/98 EC • Directive 2013|32|EU • IMO Res. MSC. 81 (70) as amended.

Part No.	RED HAND
Height (mm)	235
Width (mm)	25
Weight (g)	200
Ejection height (m)	-
Burning time (s)	> 60
Light intensity (cd)	15,000
Expiry	3 Year minimum



Floating smoke

For daylight distress signalling purposes on ship, lifeboats, life rafts and for pleasure craft. The case is made of corrosion-resistant steel

The signal is approved in conformity to the last updating of the normative: SOLAS 74/96 • MED 96/98 EC • Directive 2012|32|EU • IMO Res. MSC. 81 (70) as amended.

Part No.	FLOATING – OR
Height (mm)	115
Width (mm)	75
Weight (g)	390
Smoke duration time (s)	180
Expiry	3 Year minimum



Orange hand smoke

A daylight smoke signal Ideal for personal use on small boats, kayaks, paddle boards and windsurfers. Shockproof plastic tube.

The signal is approved in conformity to the last updating of the normative CE: Directive 2013|29|EU

Part No.	HAND SMOKE – OR
Height (mm)	137
Diameter (mm)	42
Weight (g)	116
Ejection height (m)	-
Burning time (s)	60
Light intensity (cd)	-
Expiry	3 Year minimum



White hand

Used as a collision flare (signal of sighting) external use only.

The signal is approved in conformity to the last updating of the normative CE: Directive 2013|29|EU

Part No.	WHITE HAND
Height (mm)	235
Width (mm)	25
Weight (g)	200
Ejection height (m)	-
Burning time (s)	> 60
Light intensity (cd)	15,000
Expiry	3 Year minimum



2 Star signal

For daylight distress signalling purposes on ships, lifeboats, life rafts and for pleasure craft it's also useful for divers, windsurfers, trekking people and for any other emergency. The case is made of corrosion-resistant plastic waterproof.

The signal is a type approved by ministry of transport and navigation.

Part No.	TWO STAR
Height (mm)	148
Width (mm)	39
Weight (g)	95
Ejection height (m)	80
Burning time (s)	6
Light intensity (cd)	5,000
Expiry	3 Year minimum



Night & day

A combined day and night signal of sighting. Ideal for personal use on small boats, kayaks, paddle boards and windsurfers. Shockproof plastic tube

The signal is approved in conformity to the last updating of the normative CE: Directive 2013|29|EU

Part No.	NIGHT-DAY
Height (mm)	1385
Diameter (mm)	42
Weight (g)	200
Smoke burning time (s)	20
Flare burning time (s)	20
Light intensity (cd)	15,000
Expiry	3 Year minimum

QTY FLARES IN PACK	Inshore	Aerial	Coastal	Offshore	RORC	MCA
Parachute rocket			2	4	4	4
Red hand	2	2	2	4	4	6
Floating smoke				2	2	2
Orange hand smoke	2	2	2			
White hand					2	
2 Star signal		2				
Day & night						

Water resistant poly bottle available.

3 in 1 Recovery System

The Seago 3 in 1 Recovery system is a compact automatically inflating marker buoy with lifebuoy and recovery strop which is the perfect solution for a man overboard situation. The 3 in 1 Recovery system is the ideal replacement for a traditional foam-filled horseshoe buoy and rigid danbuoy. The 3 in 1 is weighted and has a sea anchor all packed in a neat waterproof container that fits to a pushpit with a simple clamp system provided.

Part number
3in1

1. Danbuoy
2. Lifebuoy
3. Recovery strop

- Neat compact container (mm): H300 x W250 x D130
- Robust stainless steel fittings
- Burst hinge protects container and 3 in 1
- Automatic light
- Oral top-up tube
- Rail mountable storage container
- Rapid deployment setup
- Sea drogue



Rearm using 60g Auto rearming kit

Part number	Kit no.
ARK 60	11



SB3 Danbuoy

The SB3 inflatable danbuoy is the newest version of our inflatable danbuoy range with a super stable design that ensures even in the strongest winds and roughest sea it will always return to its upright position. The new design uses a ball like base to achieve its stability. The SB3 has an automatic activation meaning when the SB3 is thrown into the water it will inflate. The storage unit that the SB3 comes with is watertight to stop accidental activation.

Part number
SB3

1. Automatic light and flag
2. Stable base
3. Weighted throw bag

- Neat compact container (mm): H300 x W250 x D130
- Robust stainless steel fittings
- Burst hinge protects container and SB3
- Automatic light
- Automatic inflation
- Weighted ball base
- Rapid deployment
- Simple to maintain
- Reusable



Rearm using 60g Auto rearming kit

Part number	Kit no.
ARK 60	11



SeaGo Flare disposal service

Please call the number below for details.

SB2 Danbuoy

The Seago inflatable danbuoy takes up minimal deck space and is always at hand in case of emergency. Protected in a neat storage container that directly fits to any boat rail with the clamps supplied. Once installed the danbuoy is easily deployed ensuring a fast response time.

Part number
SB 2

- Deployment pouch for rapid use
- Oral top-up tube
- Rail mountable neat storage container
- Rapid deployment
- Sea drogue



Rearm using 38g Manual rearming kit

Part number	Kit no.
MRK 33	3



Throw bag

Offers a quick and very accessible means to recover a man overboard. The stainless steel holder attaches to a rail with the supplied mounts enabling the throw bag to be rapidly deployed when needed. Weighted throw bag can be thrown a good distance. Including 30m of bright floating line to grab.

- 30m floating line
- Stainless steel holder
- Weighted throw bag
- Fixing kit



Part number
THROW SS

Rigid Danbuoy

The new Seago telescopic Danbuoy complies with RORC and ISAF racing regulations (when extended). Complete with high visibility red and yellow OSCAR man overboard flag and 5 metres of floating yellow safety line. High visibility LED, with multi flash function, test facility and minimum 8hrs run time. Built in weight ballast to keep it upright and a very durable PVC flotation device. Stainless Steel Holder (pushpit mountable) for telescopic Dan-buoy available.

- Telescopic
- RORC and ISAF compliant
- Durable, inflatable float
- Concealed ballast weight
- Bright yellow to attract attention
- High strength fibreglass construction
- Replaceable light
- Five meter floating line included
- Spare light and flag also available

Part number
ODB 1

Part number
ODB H



Also available in Yellow

Rescue sling

The Seago Rescue Sling is easy to use and comes in a waterproof bag with simple instructions printed on the outside in case of emergency use. Rail mountable with Velcro fastening for rapid deployment. The large floating yellow sling has webbing running through it giving it strength. The simple slide adjuster enables the user to secure themselves quickly.

- 30m floating line
- Easy and quick to deploy
- Large floating sling
- Rail mountable
- Slide adjuster on belt
- White or yellow holder available

Part number
FL SLING WHITE
FL SLING YELLOW

Stainless steel holder optional

Horseshoe lifebuoy set

A traditional horseshoe lifebuoy foam filled with wipe clean cover. The horseshoe is available on its own or with a SOLAS approved led light with lithium battery and mounting bracket.

This is the perfect set with highly effective automatic light system. Available in 2 colours.

- Horseshoe lifebuoy
- Automatic SOLAS LED light with lithium battery
- Aluminium mounting bracket
- White or yellow options

Part number
HS LB-SET-W
HS LB-SET-Y
HS LB-W
HS LB-Y
HS LB-LIGHT
HS LB-DROGUE
HS LB-BRACKET



FIXED PRICE SERVICING

Life raft & recovery

Maritime and Coastguard Agency

A P P R O V E D

An unserviced raft may let you down the only time you need it. Seago prides itself on high quality servicing using experienced personnel and we only use genuine OEM parts. We aim to complete the service in two weeks. To maintain the warranty of your Seago life raft the servicing schedule set out needs to be adhered to – normally every 3 years.

Clean agent extinguishers

Used to protect machinery/plant and where there is a risk of fire such as in boat/vehicle engine compartments. Ideal for use in sensitive locations and are a suitable option to protect high-value assets such as precious items storage, computing technology and telecommunications facilities. The unit required is determined by the gross volume of that compartment. Only one unit should be installed in any one compartment and should provide the total protection required for that compartment. The compartment should have no unnecessary ventilation that would allow needless loss of suppressant.



Flammable liquids



Flammable gases



1kg Clean agent

Part No.	1KG-AUTO-CLEAN
Fire rating	B C
Height	330 mm
Capacity	1 Kg
Cylinder diameter	95 mm inc. bracket
Filled weight	2.1 Kg
Operating temperature	79 °C
Maximum area protected	1.7 m ³
Working pressure	12 Bar
Duration of discharge	7 Seconds
Temperature range	-30 °C to +60 °C
CE Approved	Yes

1.5kg Clean agent

Part No.	1.5KG-AUTO-CLEAN
Fire rating	B C
Height	380 mm
Capacity	1.5 Kg
Cylinder diameter	125 mm inc. bracket
Filled weight	3.1 Kg
Operating temperature	79 °C
Maximum area protected	3.4 m ³
Working pressure	12 Bar
Duration of discharge	9 Seconds
Temperature range	-30 °C to +60 °C
CE Approved	Yes

2kg Clean agent

Part No.	2KG-AUTO-CLEAN
Fire rating	B C
Height	380 mm
Capacity	2 Kg
Cylinder diameter	125 mm inc. bracket
Filled weight	3.6 Kg
Operating temperature	79 °C
Maximum area protected	3.4 m ³
Working pressure	12 Bar
Duration of discharge	9 Seconds
Temperature range	-30 °C to +60 °C
CE Approved	Yes

Dry powder extinguishers

Products Kitemarked and Certified by DNV to MED "Ships Wheel" - meets the recommendations of the Royal Yachting Association and the requirements of the environmental Authority / British Waterways Board Joint Boat Safety Scheme. Ideal for use in vehicles, caravans, boats, agricultural machinery, farms, garages, in the home, offices, and for a wide range of industrial and commercial applications.



1kg Dry powder - manual

Part No.	1KG-DP
Fire rating	A B C (5A/34B)
Height	364 mm
Capacity	1 Kg
Cylinder diameter	130 mm
Filled weight	2.12 Kg
Operating temperature	20 °C
Discharge range	4 m
Working pressure	14 Bar
Minimum burst pressure	55 Bar
Duration of discharge	7 Seconds
Temperature range	-30 °C to +60 °C
CE Approved	Yes
DNV & MED (Ships Wheel)	Yes

2kg Dry powder - manual


Part No.	2KG-DP
Fire rating	A B C (5A/34B)
Height	380mm
Capacity	2 Kg
Cylinder diameter	140 mm
Filled weight	3.65 Kg
Operating temperature	20 °C
Discharge range	5 m
Working pressure	14 Bar
Minimum burst pressure	55 Bar
Duration of discharge	15 Seconds
Temperature range	-30 °C to +60 °C
CE Approved	Yes
DNV & MED (Ships Wheel)	Yes

1kg Dry powder - automatic

Part No.	1KG-AUTO-DP
Fire rating	A B C
Height	330 mm
Capacity	1 Kg
Cylinder diameter	80 mm
Filled weight	2.1 Kg
Operating temperature	20 °C
Maximum area protected	1 m ²
Working pressure	12 Bar
Duration of discharge	7 Seconds
Temperature range	-20 °C to +60 °C
CE Approved	Yes

2kg Dry powder - automatic

Part No.	2KG-AUTO-DP
Fire rating	A B C
Height	380 mm
Capacity	2 Kg
Cylinder diameter	80 mm
Filled weight	3.6 Kg
Operating temperature	20 °C
Maximum area protected	2 m ²
Working pressure	12 Bar
Duration of discharge	7 Seconds
Temperature range	-20 °C to +60 °C
CE Approved	Yes



Foam AFFF

Used in industrial and commercial premises, offices, petrol filling stations, chemical paint houses, boats, lorries. Also very effective on fires caused by the combustion of flammable liquids and materials that liquefy such as plastic, oils, greases, paints, tar... Safe, if used in error, on live electrical equipment, since the spray is non-conductive and complies with dielectric test to EN3-7 clause 9. (Model tested to the BS EN3 35,000V dielectric test as defined by BSEN3-7:2004 + A1:2007).



Wood, paper, textiles



Flammable liquids



6kg Foam AFFF

Part No.	6L-AFFF-FOAM
Fire rating	A B (13A / 144B)
Height	550 mm
Capacity	6 Kg
Cylinder diameter	220 mm
Filled weight	10.4 Kg
Operating temperature	20 °C
Working pressure	12 Bar
Discharge range	5 m
Duration of discharge	30 Seconds
Temperature range	-20 °C to +60 °C
CE Approved	Yes



0.6kg Dry powder compact aerosol

These 0.60 kg & 0.95 kg BC Powder Fire Extinguishers are designed for use in all types of motor vehicles, caravans and most areas around the home. Suitable for B and C class fires caused by: petrol (leaded or unleaded), diesel, oil, gas, paints, solvents, greases, and also fires involving electrical equipment, and gaseous fires.

Part No.	AEROSOL-0.6KG
Fire rating	B C (21B)
Height	281 mm
Capacity	0.6 Kg
Cylinder diameter	94 mm
Filled weight	0.76 Kg
Working pressure	18 Bar
Discharge range	2-3 m
Duration of discharge	6 Seconds
Temperature range	-20 °C to +60 °C
CE Approved	Yes



Flammable liquids



Flammable gases



Using an extinguisher

Whatever fire extinguisher you are using you need to use the P.A.S.S. method to ensure it goes out. P.A.S.S. is the acronym for:

- **Pull** – remove the the safety pin or tag. Once this is out the extinguisher should be ready to go.
- **Aim** – always aim at the base of the fire. Extinguishers work by breaking what is known as the fire triangle. You probably remember it from school. For combustion to take place you need fuel, oxygen and heat. If you aim at the flames, rather than the source of the flames, the extinguisher will not break the chemical reaction. So, aim at the base of the flames where the fuel is feeding the fire.
- **Squeeze** – squeeze the trigger slowly and steadily until the extinguisher starts to work.
- **Sweep** – sweep the extinguisher back and forth over the base of the flames until the fire is out.



*“A boat is nothing
without water and
man without his
dreams”*

Mehmet Murat ildan

Inflatable
Tenders



Hypalon boat range

The Seago Hypalon boats are robust and durable made from 1200 decitex Hypalon fabric. These boats have excellent UV resistance and will last longer in hot climates. All Hypalon boats come as standard with the following features:

- Lifting points for use with davits
- Fully adjustable seat position (wooden thwart included)
- Padded seat with removable water-resistant storage
- Aluminium 2-piece oars
- Fabric grab handles along tubes
- Stainless steel towing eyes
- Anti-wash rubbing strake
- Carry handles
- Inflatable floor with keel
- Repair kit
- Foot pump
- Carry bag

Part number	Max kg	Max kw	Max hp	Max person	Packed size (cm)	N.W kg	Floor type (Inflatable or slatted)	Keel (Y/N)
HY300	566	11.2	15	4.5	102x70x45	41	Inf	Y
HY270	420	4.4	6	3	102x70x45	38.5	Inf	Y
HY240	310	3.7	5	3	102x70x40	32	Inf	Y



Scan for Hypalon range technical drawings



- The Hypalon and Spirit ranges includes a padded seat and detachable storage bag kit

Spirit boat range

The Spirit boats are constructed from 1100 decitex 900g high grade PVC fabric in a stylish 2 tone design. All Spirit boats have large tubes with domed sponsons for stability. These boats are tough and well designed offering excellent specification and value. All Spirit boats feature:

- Fully adjustable seat position (wooden thwart included)
- Padded seat with removable water-resistant storage*
- Aluminium 2-piece oars
- Fabric grab handles along tubes
- Stainless steel towing eyes
- Anti-wash rubbing strake
- Carry handles
- Repair kit
- Foot pump
- Carry bag

*Not included with RT models

Part number	Max kg	Max kw	Max hp	Max person	Packed size (cm)	N.W kg	Floor type (Inflatable or slatted)	Keel (Y/N)
320Spirit-adk	566	11.2	15	4.5	112x62x35	40	Inf	Y
290Spirit-adk	475	7.5	10	4	112x62x35	37	Inf	Y
270Spirit-adk	420	4.4	6	3	112x62x35	36	Inf	Y
240Spirit-adk	310	3.7	5	3	107x52x32	30.5	Inf	Y
240Spirit-SL	310	3.7	5	3	107x52x32	28.5	Slat	N
230-RT	255	2.2	3	2.5	102x52x30	26	Slat	N
180-RT	150	na	na	2	87x38x50	17.5	Slat	N



Scan for Spirit Range technical drawings



new

New Go Lite boat range

The new super lightweight Go Lite boats are made for those needing a boat that packs away small, is light and easy to handle. The Go Lites are made from 1100 decitex 700g PVC fabric with integrated air floor, lightweight transom and short sponson, which make these boats super light for the size and capacity. These great looking boats also offer these features:

- Fully adjustable seat position
- Aluminium seat
- Integrated air floor
- Lightweight transom
- Aluminium 2-piece oars
- Rope grab lines
- Stainless steel towing eyes
- Rubber rubbing strake
- Repair kit
- Foot pump
- Carry bag also a back pack.

Part number	Max kg	Max kw	Max hp	Max person	Packed size (cm)	N.W kg	Floor type (Inflatable or slatted)	Keel (Y/N)
270Go-lite	450	4.4	6	4	95x50x45	19.5	Inf	N
250Go-lite	300	4.4	6	3	95x50x45	19	Inf	N
230Go-lite	270	2.98	4	2.5	95x50x45	18.5	Inf	N



Scan for Go Lite range technical drawings

SL boat range

The SL boats are designed to offer those needing an entry level tender for lighter use. These boats are constructed from 1100 decitex 700g PVC fabric making them lighter weight than the Spirit range. The SL boats have a traditional shape with great looks and enough features for an entry level boat:

- Fully adjustable seat position (wooden thwart included)
- Aluminium 2-piece oars
- Rope grab line
- Stainless steel towing eyes
- Rubber rubbing strake
- Repair kit
- Foot pump
- Carry bag

Part number	Max kg	Max kw	Max hp	Max person	Packed size (cm)	N.W kg	Floor type (Inflatable or slatted)	Keel (Y/N)
260-SL	383	5.2	7	3	107x52x32	27.5	Slat	N
230-SL	284	3	4	2	107x52x32	23.5	Slat	N



- Every Seago boat comes with a pump, repair kit and valve spanner.





- Straps
- Elasticated
- UV resistant and lightweight
- Prolongs boat life and reduces maintenance

Tender cover

The brand new Seago tender cover provides extra protection for your inflatable tender. Lined with a UV protective layer, these semi-tailored covers offer a tight elastic trim and polyester strapping which snugly fit to your tender. To properly care for your inflatable this is a must have accessory.

UV rays and heat are the biggest contributors to shortening the lifecycle of your tender.

Part number	Boat size (m)
BC SML	2.3-2.4
BC MED	2.5-2.8
BC LRG	2.9-3.2



Carry bag

Comes in two sizes. Large size fits boats from 2.6m - 3.2m and the small size fits boats from 1.2m - 2.4m. Made from durable polyester with polyester webbing the large zip opening allows the bag to split in half making it extremely simple to get the rolled boat into the bag. Strong carry handles help transportation.

- Strong carry handles
- Wide opening for easy fit
- Two sizes
- Large, easy-glide, dual zips

Part number
CARRY BAGLRG
CARRY BAGSML

Seat bag

The perfect accessory for your tender, adding comfort and storage. The padded seat cover is adjustable and fits all inflatable tenders. The storage bag attaches with a strong zip. The water resistant storage area has a large opening. When you disembark from your tender you can also take this section of the seat with you using the carry strap.

- Water resistant
- Adjustable to all inflatable tenders
- Large storage area
- Detachable bag
- Carry straps

Part number
SEAT BAG

Dolly wheel

Easily manoeuvre your tender over ground, single handed, making light work of moving the dinghy from A-B. Made from robust ABS plastic with a 316 stainless steel axle and spring. Three adjustment positions and easily fitted to transom using provided kit.

Hypalon	S 320	S290	S270	S240 ADK	S240	260SL	230SL	230RT	180RT	GoLite
✓	✓	✓	✓	✓	✓	✓	✓	—	—	✓

Part number
DW

- Manoeuvre single handed
- Strong ABS plastic
- Stainless steel axle
- Adjustment positions
- Easy to fit
- Includes fixing kit



Outboard bracket

A well priced, anodised aluminium outboard bracket with laminated wooden pad.

- Suitable for outboards up to 15Hp/20kg
- Pad Size: 178mm x 224mm
- Height of lift: 355mm
- Attaches to transom by 4 bolts (not supplied)

Part number
OB- ALU






Elegant, multipurpose *Fenders*

Star fender

Star fenders and Solid round buoy fenders are manufactured using the rotation moulded process which eliminates all seams, ensuring greater strength even under extreme pressure. Minimum maintenance required. With proper use the fenders will provide protection for many years.



- Best seller
- Long lasting
- Robust material
- In Anthracite, navy, white, black & white/blue



Part no.	Dia x height (cm)	Weight (kg)	Volume (L)
F001	12 x 45	0.7	4
F002	15 x 58	1.1	8
F003	21 x 62	1.8	18
F004	24 x 70	2.4	27
F005	30 x 90	4.0	56



Part number				
F 001	F 002	F 003	F 004	F 005

Fender lanyards

Seago fender lanyards are the perfect way to hang your fenders alongside your boat. The lanyards are 2 metres long with a pre spliced eye at one end to make life simple. Come in packs of two. Available in three colours, white, navy, black

- 2m long
- Pre-spliced eye
- 3-strand polyester construction
- Come in packs of two



Part number	Part number	Part number
511/08-2-N	511/08-2-W	511/08-2-BK

Solid head round buoy

- Long lasting
- Robust material
- Minimum maintenance

Part no.	Dia x height (cm)	Weight (kg)	Volume (L)
FRB30	35 x 48	1.5	21
FRB40	45 x 62	2.8	45
FRB50	55 x 73	3.8	83
FRB60	65 x 88	4.9	139




Part number	Part number	Part number	Part number
FRB 30	FRB 40	FRB 50	FRB 60

Bow fender

The Majoni bow fender is designed to offer maximum protection to the bow of your boat while looking as discreet as possible. The bow fender is available in white or navy. The Majoni bow fender attaches to the boat using ropes through the top and bottom section of the fender.

- Discreet compact design
- Maximum coverage of bow
- Easy installation
- Available in white or navy

Part no.	Size (cm)	Weight (kg)
BOWFEN WHITE	60 x 14	1.8
BOWFEN NAVY	60 x 14	1.8



Step fenders

The step fender can be used as a fender and a ladder. Made from top quality, robust, coated PVC, this fender ladder will protect your boat, whilst enabling easier boarding and disembarking.

- UV protected
- Easy attachment
- Highly weight-bearing
- Available in navy or white

Part no.	Dia x height (cm)	Weight (kg)
1-STEP	36x 12 x 36	3
2-STEP	25 x 12 x 55	3.6
3-STEP	25 x 12 x 75	4
4-STEP	25 x 12 x 95	5



Part number
1-STEP NAVY
1-STEP WHITE

Part number
2-STEP NAVY
2-STEP WHITE

Part number
3-STEP NAVY
3-STEP WHITE

Part number
4-STEP NAVY
4-STEP WHITE

Bow buoy

The Majoni Bow Buoy is the traditional style fender to minimise damage to the boat bow. It also limits the damage caused if you collide with another boat.

- Available navy and white

Part no.	Size	Measurements (cm)	Weight (kg)
BOWBUOY LN	Large	52 (a) 41 (b) 37 (c) 51 (d)	1.8
BOWBUOY LW			
BOWBUOY SN	Small	33 (a) 26 (b) 27 (c) 24 (d)	0.9
BOWBUOY SW			



Dock wheel

The Dock Wheel is easy to fit to any dock corner and adds protection to the hull of your boat. On impact the wheel will roll across the hull of your boat, avoiding impact and marks that a standard corner fender may cause.

- Strong ABS mounts
- Guides boat into mooring position
- Non-marking

Part no.	Size (cm)
DOCK WHEEL	30 x 15



Block fender

A simple way to protect your boat from damage caused when mooring. The Block fender fixes firmly to the side of the jetty or pontoon and acts as a barrier.

- Simple to attach
- Slim profile
- Align several to create larger barrier

Part no.	Size (cm)
BLOCK 1	100 x 12 x 7



Dock fenders

To protect your boat from the marine berth. A 3/4 round bumper dock fender made from robust UV protected PVC, it can be bolted or screwed onto the pontoon.

- UV protected
- Flexible uses
- Heavy duty impact resistance
- Burst resistant

Part no.	Dia x height (cm)	Weight (kg)
DOCK-1	100 x 19 x 19	3.6
DOCK-2	100 x 24 x 24	6



Part number
DOCK 2

Part number
DOCK 1

Multi fender

The Multi fender gets the name from the many ways it can be used. This fender can be hung from the side of a boat, wrapped around posts or awkward areas in a harbour or docking bay. It's strong, robust and versatile.

- Multi purpose
- Highly flexible
- Join many together for bespoke protection

Part number	Dia x height (cm)	Weight (kg)
MULTI 1	60 x 30 x 8	3





Ultra-high grade PVC, tough non inflatable fender for canal boats. Slim flat and cylindrical designs reduce boat profile. Designed to offer maximum protection without increasing the overall beam of your boat. These canal fenders have a small diameter to allow you to squeeze through tight locks and along canals. They also feature a reinforced eye for hanging and are manufactured from a specially developed harder material designed for use with steel boats. Available in black and navy.

new

Flat fender

- UV protected
- Two colour options
- Protection in locks and mooring
- Suitable for 8mm Seago lanyard

Part no.	Dia x height (cm)	Weight (kg)
FLAT-BK	45 x 12 x 6	1.2
FLAT-N	45 x 12 x 6	1.2



Front and side




Slim fender

- UV protected
- Two colour options
- Protection in locks and mooring
- Suitable for 8mm Seago lanyard

Part no.	Dia x height (cm)	Weight (kg)
SUM-BK	43 x 5	0.46
SUM-N	43 x 5	0.46

new



Rod mooring buoy

Ideal for anchoring and mooring with a highly visible, orange, soft PVC surface which will not harm your boat. The rod is galvanised with a swivelling eye on the bottom and a fixed eye on the top to make picking it up easy.

- Long lasting
- Robust material
- Minimum maintenance

Part no.	Dia x height (cm)	Weight (kg)	Volume (L)
RB30	30 x 60	3	11
RB40	40 x 80	4.5	29
RB50	50 x 90	5.5	60
RB60	60 x 100	7	106



Part number	RB 60
-------------	-------

Part number	RB 50
-------------	-------

Part number	RB 40
-------------	-------

Part number	RB 30
-------------	-------

new

Pick-up buoys

The Pick-up Buoy is a really useful extra as a mooring aid. Tested and designed to aid retrieval by hand or boat hook.

- Easy grab handle for safe retrieval
- Reinforced eye assures strong attachment
- Bright and highly visual
- Manufactured from marine grade UV resistant PVC
- Available in orange

Part no.	Size (cm / length)
FOOPB 1 OR	34
FOOPB 2 OR	40



Heavy duty bucket

A versatile marine grade vinyl bucket which won't mark or scratch your boat. Durable, strong and flexible in a choice of three colours. 7 litre capacity, 26cm diameter.

Part no.	Colour	Capacity (L)	Diameter (cm)
BKTO	Orange	7	26
BKTG	Grey	7	26
BKTB	Blue	7	26



Staydry 50l dry bag

The new **50 litre dry bag**, in high visibility yellow combined with stylish graphite, is the ideal sailing companion. The bag has plenty of room for clothing and all those important safety essentials you do not want to get wet. The roll-down top can be used to adjust the size of the bag and is also a carry handle once fastened.

It comes with a nylon D-ring and a carbine hook to attach keys or a waterproof mag light. The bag is complete with an adjustable shoulder strap.

- Fully waterproof
- High visibility neon yellow
- Adjustable roll-down top
- Shoulder strap
- Carbine hook
- Durable material

Part number	Capacity (L)
DB-50-NY	50



new

Lifejacket bag

High visibility tough, bright PVC with a mesh vent to allow the lifejackets to breathe and dry. The bag can comfortably hold 6 adult lifejackets. The dual zip wide opening top makes getting the lifejackets in and out simple. Features hard wearing rails protecting the fabric.

Part number	Capacity
LJBAG Seago-NY	6 Jackets

- High-vis neon yellow
- Tough PVC
- Side pocket
- ID card holder
- Top and side carry handles



Ventilation



multi-purpose
Bags

Seago Yachting Chain is quality controlled at manufacture and prior to dispatch in order to ensure the dimensions and ISO- galvanisation meets the required standards. Using ultrasonic equipment Seago can ensure consistent quality.




Wire & chain

Calibrated chain

Seago has an extensive range of chain sizes for marine use in both galvanised and stainless steel, made to DIN 766 or ISO standard depending on diameter. All Seago chain conforms to the required hot dipped galvanised **ISO-1461**.

- Galvanised
- DIN 766 / ISO
- 316 Stainless steel
- Chain buckets available

Rope to chain splices available on request.



Product number	Description	Dim a (mm)	Dim b (mm)	Dim c (mm)	Break load (kg)	Weight per m (kg)	Grade
CH 06	6mm Din 766	6	18.5	8	1600	0.78	30
CH 06G40					2000		40
CH 08	8mm Din 766	8	24	12	3000	1.4	30
CH 08S5					4000		40
CH 10	10mm Din 766	10	28	14	5000	2.2	30
CH 10ISO	10mm EN818-3	10	30	15	6400	2.2	40
CH 10ISOSS					7400		40
CH 12	12mm DIN 766	12	36	16	7000	3.2	30
CH 12G40					7400		40

KOS wire

The most respected wire in the marine industry. Made from highest quality 316 grade stainless steel, carefully manufactured to stay bright, clean and strong. Seago PVC coated wire is also manufactured by KOS. It is high grade wire coated in bright white PVC. Available in 4-6mm and 5-8mm.

- Corrosion resistant in extreme weather
- Elegant surface brightness
- Ultrasonic cleaning
- Kosform compact strand has superior breaking strength and greater durability
- COC available

1x19 Wire				
Product number	Diameter (mm)	Weight kg/100m	Min breaking load	
			kN	kg
SW19 02	2	1.95	3.14	320
SW19 025	2.5	3.1	4.90	500
SW19 03	3	4.5	7.06	720
SW19 04	4	8.03	12.60	1285
SW19 05	5	12.57	19.71	2010
SW19 06	6	18.03	28.22	2878
SW19 07	7	24.8	34.82	3551
SW19 08	8	31.8	45.52	4642
SW19 10	10	50	71.15	7255
SW19 12	12	72.1	102.07	10408
SW19 14	14	97.1	139.00	14170
SW19 16	16	128.3	182.00	18560

KOSFORM 1x7				
Product number	Diameter (mm)	Weight kg/100m	Min breaking load	
			kN	kg
KF71 025	2.5	3.55	6.77	690
KF71 03	3	5.5	9.81	1000
KF71 04	4	9.75	17.46	1780

PVC coated WHITE				
Product number	Diameter (mm)	Weight kg/100m	Min breaking load	
			kN	kg
PVCW 46	4-6	8.03	13.19	1345
PVCW 58	5-8	12.56	20.60	2101

7x19 wire				
Product number	Diameter (mm)	Weight kg/100m	Min breaking load	
			kN	kg
SW719 02	2	1.7	2.22	226
SW719 025	2.5	2.6	3.47	354
SW719 03	3	3.95	5.00	510
SW719 04	4	7.05	8.89	907
SW719 05	5	10.35	13.91	1418
SW719 06	6	15.05	20.02	2041
SW719 08	8	26.2	35.63	3633

KOSFORM 1x19				
Product number	Diameter (mm)	Weight kg/100m	Min breaking load	
			kN	kg
KF119 05	5	14.95	23.93	2440
KF119 06	6	21.8	34.81	3550
KF119 07	7	29.05	48.15	4910
KF119 08	8	38.1	60.31	6150
KF119 10	10	59.85	95.81	9770
KF119 12	12	81	141.22	14400





Liros rope

— Exclusively from seaco® —

-  Yachting
-  Theatre
-  Kite
-  Dinghy
-  Climbing
-  Off road
-  Industry

Rope

LIROS Braid on Braid

Very durable, kink-free, long-lasting sheet made of 100% high-tenacity Polyester. For use as mainsail, jib, and spinnaker sheets. Ideal for blue water sailing and long distances. Easy to splice – heat set.

- Working stretch < 5%
- The classic sheet for sailing yachts of any size
- Non-kinking, easy-handling line with abrasion resistant cover and high breaking load
- Easy-to-splice multi-purpose line

Cover	High-tenacity Polyester
Construction	Ø 4 – 10 mm 16-plaited, 12mm and up 20-plaited
Core	High-tenacity braided Polyester

Part number	Size (mm)
1520	6-20



LIROS Full colour Braid on Braid

Very durable, kink-free, long-lasting sheet made of 100% high-tenacity Polyester. For use as mainsail, headsail and spinnaker sheets. Ideal for blue water sailing, long distances. Easy to splice – heat set.

- Working stretch < 5%
- The full-colour alternative to LIROS Top-Cruising with high quality spun-dyed Polyester cover

Cover	Spun-dyed Polyester
Construction	Ø 6 – 10 mm 16-plaited, Ø 12 mm and up 20-plaited
Core	High-tenacity braided Polyester

Part number	Size (mm)
1528	6-14



LIROS Herkules

Very resistant, extremely versatile premium quality rope. Specially designed for sheets and control lines on yachts of every size. Very durable and low stretch, easily spliced to wire – heat set. Excellent grip on winch drums, exceptionally abrasion resistant cover. First choice for Cruising yachts with extremely high standards.

- Working stretch < 5%
- High quality line for the demanding Cruising yacht
- Broad range of uses: sheet, halyard or control line
- Easy to splice and absolutely non-kinking
- Durable, even under hard winching conditions

Cover	High-strength Polyester
Construction	1:1 plaited
Core	High-tenacity braided Polyester

Part number	Size (mm)
154	6-14



Seago stocks a larger range of LIROS products than is featured here.
Get your copy of the **full brochure**

Racer

Proven, durable Dyneema® line with high breaking load and low stretch featuring a specially-engineered 32-plaited cover and coated Dyneema® fibre core. For halyards and sheets. Ideal for winches.

Cover	Polyester high-twisted
Construction	6-8 mm 24-plaited, 10 mm and up 32-plaited
Core	Coated Dyneema® SK78 with additional cover plait

- Working stretch < 1.5%
- High breaking load, easy handling and non-kinking
- For halyards and sheets
- Good winch suitability
- LIROS-Heat-Stretch-System

Part number	Size (mm)
2001	8-16



Dynamic

Easy-handling, abrasion resistant line with low stretch, premium Polyester cover and Dyneema® SK78 core. Suitable for use as a highend sheet, or low-stretch halyard by advanced Cruising sailors.

Cover	Polyester high-twisted
Construction	8 mm 24-plaited, 10-14 mm 32-plaited
Core	Coated Dyneema® SK78, 6 mm and up with additional cover plait

- Working stretch < 2%
- Low-stretch, abrasion resistant halyard
- For competitive distance sailors
- Kink-free, low-stretch sheets for cruiser-racers
- easy to splice
- LIROS-Heat-Stretch-System
- Also available in full colour

Part number	Size (mm)
2004	8-14



Control XTR

Control-XTR is optimized for grip, combined with high abrasion and temperature resistance.

Cover	50% Technora, 50% high-tenacity Polyester
Construction	32-plaited
Core	Dyneema® SK99 pre-stretched with LIROS HSS and LIROS LCS

- Grip factor 10
- Max grip in extreme winch and stopper conditions
- Perfect releases with compact cover construction
- Abrasion resistance at high temperatures
- Superior cover-core power transference
- Low stretch
- Recommended by Ferdinand Gerz (Sailing Team Germany)

Part number	Size (mm)
2224	6-14



D-Pro

LIROS Heat-Stretch-System guarantees the optimal breaking load and stretch characteristics of this line. Excellent chafing resistance, light weight, and easy spliceability make this line versatile on racing boats of any size - even in stoppers when used with the LIROS Protect-XTR cover. Can also replace steel cabling in technical applications.

Material	Coated Dyneema® SK7
Construction	12-plaited heat-set and coated

- Working stretch < 1%
- High breaking load with small diameter and low weight
- First choice for any application under extreme load
- Spliceable, can also be employed with separate cover
- Highly UV stable and chafe resistant
- LIROS Heat-Stretch-System

Part number	Size (mm)
1505	1-16



Stretch XTR

High quality shock cord with extremely abrasion resistant 100% Dyneema jacket. Intelligent cover construction design for maximum break load.

Cover	Dyneema®
Construction	16-plaited
Core	High quality latex rubber

- High abrasion resistance
- Lightweight
- Low water absorption
- UV resistant

Part number	Size (mm)
199	3-6



Magic XTR

LIROS Magic-XTR is ideal for use in dinghies and multihulls. Superior high grip, extremely durable cover. Perfect in cleats. The professionals choice.

Cover	Technora® / Dyneema®
Construction	4-5 mm 16-plaited, 6-8 mm 24-plaited
Core	Braided, pre-stretch, carbon-coloured Dyneema® SK99

- Working stretch < 1.0%
- Grip Factor 9
- Removable cover for top performance
- Superior abrasion resistance - combo-cover (twisted Technora®/Dyneema®)
- Best cover-core attachment
- Very low stretch, highest breaking load

Part number	Size (mm)
1513	4-8



Seago stocks a larger range of LIROS products than is featured here.
Get your copy of the **full brochure**



Seago stocks a larger range of LIROS products than is featured here.
Get your copy of the **full brochure**

Magic Pro

LIROS Magic Pro combines all of the best characteristics with extreme low stretch. The core is coated and specially treated with LIROS Heat-Stretch System.

- Grip Factor 9
- Excellent hold in cleats and on winches
- Block performance enabling ultra-fast manoeuvres
- Polyester grip fibres for control in any conditions
- LIROS Heat-Stretch-System for lowest stretch
- Ideal for cover-stripping

Cover	Polyester grip fibres and spun-dyed Polyester
Construction	4-8 mm 16-plaited
Core	Coloured Dyneema® SK78 with LIROS XTR Grip Coating

Part number	Size (mm)
1507	3-8



Magic Race

Extremely low stretch, compact, and abrasion resistant braid with high-strength Dyneema® core.

- Grip Factor 9
- Working stretch < 1.5%
- Highly UV resistant
- Low stretch, high grip

Cover	Special high-twisted Polyester
Construction	2-3 mm 16-plaited, 4 mm and up 1:1 plaited
Core	Coated Dyneema® SK78

Part number	Size (mm)
2016	2-6



Magic Sheet

LIROS Magic Sheet has been specially developed for use as main and jib sheets on dinghies, sports boats, and catamarans.

- Working stretch < 8%
- Great in turning blocks, fastest manoeuvres
- Polyester grip fibres provide best cover-core attachment grip for optimal control in any situation

Cover	Polyester grip fibres and spun-dyed Polyester
Construction	16-plaited
Core	High-tenacity braided Polypropylene

Part number	Size (mm)
1506	7-9



Seago stocks a larger range of LIROS products than is featured here.
Get your copy of the **full brochure**

Porto

Very easy to handle 100% Polyester mooring or anchor line. Extremely strong and abrasion resistant, will not stiffen up. Special twist construction for high stretch.

- Working stretch > 15%
- Easy to splice
- Easy to handle, highly UV-stable
- High strength and excellent abrasion resistance
- Will not stiffen over time

Cover	High-tenacity Polyester
Construction	8-10 mm 16-plaited, 12 mm and up 20-plaited
Core	High-tenacity braided Polyester

Part number	Size (mm)
133	10-24



Moorex

Very pliable, easy to handle, high-stretch mooring line. Hollow braided, very easy to splice. 12-plaited high-tenacity Polyester.

- Working stretch > 15%
- Economical braided LIROS mooring line
- Smooth and easy to handle
- High stretch
- Easy to splice

Material	High-tenacity Polyester
Construction	12-plaited

Part number	Size (mm)
132	10-16



Octoplait Nylon

Super pliable, easy handling square-braided mooring or anchor line of 100% nylon. 100% kink-free, easy to splice and easily joined to chain.

- Working stretch > 20%
- Soft and easy to handle, extremely UV-stable
- Smooth, comfortable feel
- Non-kinking and abrasion resistant
- Easy to splice

Material	High-tenacity Nylon
Construction	8-strand octoplait

Part number	Size (mm)
1058	8-24



Seago stocks a larger range of LIROS products than is featured here.
Get your copy of the **full brochure**

3 Strand Polyester

Classic, economical, very easy to splice, high strength, abrasion resistant rope for mooring and anchoring. 3-strand made of 100% Polyester. Heat-set. According to DIN 83331/EN 697 standards.

Material	High-tenacity Polyester
Construction	3-strand, heat-set

- Working stretch > 15%
- Very easy to splice
- Extremely strong and abrasion resistant
- Heat-set
- Highest UV stability
- Suits many industrial applications

Part number	Size (mm)
111	4-24



3 Strand Nylon

Classic rope for mooring lines or high-stretch stays. 3-strand twist for easy splicing. High strength and excellent abrasion resistance. 100% heat-set Nylon, according to DIN 83330/EN 696.

Material	High-tenacity Nylon
Construction	3-strand, heat-set

- Working stretch > 20%
- Easy to splice
- Durable and abrasion resistant
- UV stabilised
- Suited for multiple industrial uses

Part number	Size (mm)
2004	4-24




8 Plait Pre-stretched

Pre-stretched for low elongation. Use for wire halyard leaders, control lines on dinghies and small boats - heat set.

Construction	8-plaited heat set Polyester
--------------	------------------------------

- Working stretch < 4%
- Low stretch, inexpensive Polyester halyard for smaller boats and traditional Cruising yachts
- 8-Strand, very easy to splice

Part number	Size (mm)
122	3-6



Seago stocks a larger range of LIROS products than is featured here.
*Get your copy of the **full brochure***

Handy Anchor

Superior anchor line with lead weight built into the last 10 metres. Can be used without chain, especially easy to handle and stow. Available in 20, 30, and 40m lengths, with spliced S/S thimble and whipping. 100% Polyester, abrasion and UV-resistant. Includes blue LIROS kitbag.

- Can be used without chain
- Super easy to handle
- Very simple to stow
- Attractive LIROS kitbag

Part number	Size (mm)
1320	10-14



Cover	Polyester
Construction	20-plaited
Core	Core: Polyester, lead (10m from S/S thimble)

Lazy Jack

New Polyester braid, developed especially for use as lazy jack line.

Material	Spun-dyed Polyester
Construction	12-plaited hollow braid

- Round and lightweight
- Easy to splice
- Highly UV-resistant
- Abrasion resistant compact surface

Part number	Size (mm)
1532	4-5, 6-7



Soft Shackle

Connecting sheets, hooking up halyards, attaching blocks, LIROS XTR Soft Shackle is the answer. Developed by LIROS with 100% high-strength Dyneema® SK78 fibres, the LIROS Soft Shackle replaces metal shackles on deck. Simple and fast to open with our blue LIROS lanyard, which also shows the breaking load.

- No more injuries/deck damage from metal shackle impact
- 10x lighter than steel for the same breaking load
- Won't unintentionally open under load
- Easy to undo after high loads
- Multiple industrial and outdoor applications

Material	Dyneema® SK78
----------	---------------

Part number	Code	Colour	Breaking load (kg)
146	0066		1000
146	0069		2000
146	0070		4000
146	0071		6000
146	0072		8000
146	0073		10000
146	0090		15000



Seago stocks a larger range of LIROS products than is featured here.
*Get your copy of the **full brochure***

Leisure & equipment

for your adventure



Photo: Nikola Radojcic for Unsplash

Paddle boards

Everything you need to get on the water and start your new adventure. There's a whole new world out there waiting for you. Use on oceans, lakes, rivers and bays. Stand up paddle boarding is a great form of exercise, fun for all the family and is an excellent entry point to get involved in watersports. Where will you go next?

- Drop stitched fabric
- Luggage straps
- Large EVA deckpad
- Raised foot pad
- Leash anchor point
- 10'6" (320mm x 82mm x 150mm)

new

Part no.
GLIDE
FREERIDE



Get on the water pack

- Each SeaGo paddle board comes with:
- Ventilated carry bag with rucksack straps
 - Lightweight, adjustable paddle
 - High pressure pump with gauge
 - High strength, coiled leash with Velcro strap
 - Repair kit and removable
 - High-density fin that attaches without tools.





Monocular

The Seago **MON842** is a light weight, heavy duty, monocular incorporating a hand bearing compass and range finder. The water resistant monocular is nitrogen-filled to avoid misting. It comes in a durable protective carry case.

- Magnification: 8x
- Objective lens dia: 42mm
- Field angle: 7°
- Exit pupil: 5.3mm
- Eye relief: 19mm
- Prism type: Porro BAK-4
- Field of view: 122m at 1000m
- Rangefinder: Reticle
- Lens coating: Multi coating
- Housing: ABS

Part no.	Weight (g)	Dims (cm)
MON842	343	145 x 65

** COMPASS ZONE B: Areas between 40° North latitude and 60° North latitude



Binocular

The Seago **BM750C** is a lightweight heavy duty binocular incorporating a compass and range finder. Waterproof to JIS7 standards means it is sealed against water ingress in 1 metre of water for 30 minutes. The binoculars float if dropped overboard and come in a durable protective carry case.

- Floating
- Magnification: 7x
- Objective lens dia: 50mm
- Focus: Individual eye focus (dioptr control)
- Field angle: 7.5°
- Exit pupil: 6.8mm
- Eye relief: 23mm
- Prism type: Porro BAK-4
- Field of view: 132m at 1000m
- Rangefinder: Reticle
- Compass zone B **
- Lens coating: Multi coating
- Housing: Rubber

Part no.	Weight (g)	Dims (cm)
BM750C	890	20 x 8 x 15

** COMPASS ZONE B: Areas between 40° North latitude and 60° North latitude

Majoni keyring

Never lose those all important keys overboard again. With this floating keyring, in the shape of buoy or fender, you can set to sea with peace of mind and know you'll be able to start the car when you get back to shore. Buoyant with **one** key attached.

Part no.	Colour
KEY FENW	White
KEY FENOR	Orange
KEY BYOR	Orange



new

ecodry desiccant dehumidifier

The ecodry is specifically designed for boats and marine applications with the environment in mind. The ecodry desiccant dehumidifier has no harmful gases and no compressor making this compact machine highly efficient and economic. The ecodry can be used at home, in the garage, holiday home or caravan to ensure that the space remains dry and free from harmful mould.

The ecodry is simple to operate with a clear display showing you everything you need to know at a glance. Once the desired humidity is set ecodry is fully automated. Capable of continuous operation (ideal for boats) the ecodry will stay set. Auto restart ensures the ecodry comes back online with the last settings in the event of a power outage.

- 7 Litre per day (maximum capacity)
- Working temperature 1-40°C
- Automatic louvre for directing airflow
- Low noise level (42db)
- Continuous drain

Part no.	Weight (kg)	Dims (mm)
DD9-ECO	6	487 x 320 x 200



MODEL	DD9-ECO
CAPACITY	7L/day (20°C, 60%RH)
VOLTAGE	220-240v 50Hz
WATTAGE	610W @ 230V
WORKING ENVIRONMENT	1°C - 40°C
WATER TANK	2 Litre
NET WEIGHT	6kg



First aid kits

The Seago **'Category C'** first aid kit can be used as part of a **'SOLAS B'** pack or as a must have emergency pack on your boat. Category C first aid kits are compulsory on coded/fishing vessels. Complies with European Directive EC 92/29 EEC Conforms to the International Convention for Safety of Life at Sea 1974 and MSN 1768 (M+F) Vessels (Medical Stores) as amended to date.

- Hard case or soft pack
- Use as part of SOLAS B pack
- Make sure yours is up to date and complete before every trip



Part no.
FAK HC



Part no.
FAK SP

Dressings & plasters	Qty
Sterile Wound Cleansing Wipes (pck)	1
Pocket Face Mask with Valve	1
Gloves Powder-Free Pair	5
Safety Pins	6
Scissors	1
Adhesive Elastic Bandage	1
Triangular Bandage	4
Plastic Burn Bag	1
First Aid Instructions (Waterproof)	1

Dressings & plasters	Qty
Plasters Asst Wash proof	20
Medium Dressings	2
Large Dressings	2
Extra Large Dressings	1
Skin Closure Strips	6
Sterile Gauze Swabs	5
Paraffin Gauze	10

Medicine	Type	Per unit (mg)	Qty
Glyceril Trinitrate Spray	Spray	400	1
Avomine	Tablets	25	60
Loperamide	Tablets	2	30
Paracetamol	Tablets	500	48
Ibuprofen	Tablets	400	48
Cetrimide Antiseptic	Cream		1



Free book with hard case kit (RRP £10.99)



Dock lines

A convenient pre-spliced dock line with 30cm eye one end made from a soft double braid polyester giving plenty of stretch and strength. The lines offer high UV and abrasion resistance. Available in two colours navy or white in a selection of sizes.

- Double braided Polyester
- Spliced 30cm eye
- 3 Colour options: Navy, White or Back



Part number	Diameter (cm)	Length (m)
DL-W 10-8	10	8
DL-N 10-8		
DL-BK 10-8		
DL-W 12-10	12	10
DL-N 12-10		
DL-BK 12-10		
DL-W 14-10	14	10
DL-N 14-10		
DL-BK 14-10		
DL-W 14-15	14	15
DL-N 14-15		
DL-BK 14-15		
DL-W 16-15	16	15
DL-N 16-15		
DL-BK 16-15		

Oil extractor

The Seago EXTRACT-IT pump is the perfect solution to vacuum fluids from the most difficult areas. Can be used on boats, cars, motorcycles or anything with an engine. Also the ideal tool to remove bilge water from boats or water trapped in plumbing systems.

- Oil changes with no fuss and no mess
- 6 Litre capacity
- Easy to read measurements
- Removable pump for easy storage
- Funnel for mess free emptying
- 10-20 Strokes creates powerful vacuum
- Long tube for maximum versatility



Contents	Qty
Pump handle	1
Container	1
Clear tube with cut off	1
Funnel	1

Part no.
SEA6

- NOT suitable for flammable liquids, solvents, alkalis, dangerous chemicals, poisons or acids

Transfer pump

Ideal for a many applications: household plumbing, motor vehicles, aquariums and spillages. No wires or charging units means it's extremely portable and light weight. Only 2 x size D batteries are needed. Yet it pumps up to 5 litres of liquid per minute, draining the bilge of a boat or changing your aquarium water quickly & cleanly.



- Battery operated
- Extremely portable
- Powerful motor
- Fast transfer
- Works for most liquids

Part no.
SEA-3V

- NOT suitable for flammable liquids, solvents, alkalis, dangerous chemicals, poisons or acids

Biosok

BioSok™ is a nontoxic, biodegradable and easy to use bilge sock for pleasure craft. Placed in the boat bilge, the BioSok™ will absorb and biodegrade the motor and fuel oil that leaks under normal boating conditions – preventing oils from escaping into marina waters.

- Non-toxic
- Biodegradable
- Lasts 4-6 months
- Pleasure craft up to 40ft

Part no.
BIO SOK



Partnerships

At Seago our relationships with suppliers are founded on trust and friendship. As a result they tend to stand the test of time. The result is better for our shared customers. We're proud to have been building these friendships for decades.



We've worked closely with LIROS for more than 40 years. Both companies are family owned and share many values. This has led to the closest of relationships which in turn has allowed us to extend UK access to these extraordinary ropes.

LIROS is recognised as a world leader in the manufacture of high tech yachting ropes, kitesurf cords, paragliding lines and a wide range of industrial cordage. With the new factory LIROS continue to manufacture in Germany in order that they can control every part of the production from start to finish. The factory is 10.000 square metres and has been laid out using the most modern flow systems which ensure maximum efficiency allowing LIROS to maintain its competitive position in the world of rope manufacturing.

LIROS is certified and approved according to DIN EN ISO 9001 and DIN EN ISO 14001. Production 100% Made in Germany.



Seago and Majoni have been working together for over 30 years. Both companies are family owned and run. Seago work closely on product development with Majoni to ensure demands are met for our customers across the UK and beyond.

In 1952 Majoni invented the plastic soccer ball, the right ingredients for a strong flexible material and a new way to produce plastic hollow products with a rotational moulding technique. This technique, together with flexible strong material was used to developed several products like fenders and buoys.

Majoni offers a wide variety of high quality fenders and buoys produced in the Netherlands. Their focus is top quality products at a low price.

- Fenders
- Dock fenders
- Floats
- Buoys
- Customised products

With their knowledge and experience they develop products of very high quality and longevity.

#Seagospirit

Without risk there is no adventure. But the best equipment minimises risk while expanding horizons.

This spirit lives in everything we do, design, make and maintain.

Our aim is to equip you as we would a friend, as many of our customers are, with what you need to be safe, in pursuit of your adventure. We seek the best of life — the near and nurtured

coupled with the unknown and the horizon-expanding.

We are our customers' companion in this adventure. Mutual safety is our first priority.

Our equipment is meticulously designed and crafted to push the boundaries of sea safety - to go further, reach higher - and allow our customers, our friends, to do the same.

Equipped for *adventure*
Founded on *friendships*



seago®

— Equip for *adventure* —

t. +44 (0) 1825 873567

f. +44 (0) 1825 873440

sales@seagoyachting.co.uk

seagoyachting.co.uk