



# Castello®

High Pressure Cleaners

The Strength Of Water | La Puissance De L'Eau | La Fuerza Del Agua | La Potenza Dell'acqua

## GENERAL CATALOGUE

CATALOGUE GENERAL

CATÁLOGO GENERAL

CATALOGO GENERALE



PROFESSIONAL  
HIGH PRESSURE  
CLEANERS

NETTOYEURS  
PROFESSIONNELS  
HAUTE PRESSION

LIMPIADORAS  
PROFESIONALES  
ALTA PRESION

IDROPULTRICI  
PROFESSIONALI  
AD ALTA PRESSIONE

Made in Italy



# **Castello**<sup>®</sup>

High Pressure Cleaners



**PROFESSIONAL HIGH PRESSURE CLEANERS HOT WATER**  
**NETTOYEURS PROFESSIONNELS HAUTE PRESSION EAU CHAUDE**  
**LIMPIADORAS PROFESIONALES ALTA PRESION AGUA CALIENTE**  
**IDROPULTRICI PROFESSIONALI ALTA PRESSIONE ACQUA CALDA**



# Hot Spot

**AISI 304**

**new**



**BOILER C2/C3**  
**CHAUDIÈRES C2/C3**  
**CALDERA C2/C3**  
**CALDAIA C2/C3**

Model Modèle Modelo Modello	Pressure Pression Pression Pressione BAR	Water Delivery Débit Caudal Portata L/h	Temperature Température Temperature Temperatura °C	Power Supply Alimentation Alimentacion Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor Potenza Motore HP - RPM	Abs. Power Puis. Absorbée Potencia Abs. Potenz. Assorb. KW		
<b>HOT SPOT 12/10</b>	120 BAR	600 L/h	30-120	Mono 230-50	3 HP - 1450 RPM	3	80X120X110	205 Kg
<b>HOT SPOT 15/15</b>	150 BAR	900 L/h	30-120	Tri 230-400-50	5,5 HP - 1450 RPM	5	80X120X110	215 Kg
<b>HOT SPOT 15/21</b>	150 BAR	1260 L/h	30-120	Tri 230-400-50	7,5 HP - 1450 RPM	6,5	80X120X110	225 Kg
<b>HOT SPOT 20/15</b>	200 BAR	900 L/h	30-120	Tri 230-400-50	7,5 HP - 1450 RPM	6,5	80X120X110	225 Kg
<b>HOT SPOT 20/21</b>	200 BAR	1260 L/h	30-120	Tri 230-400-50	10 HP - 1450 RPM	8,5	80X120X110	250 Kg



PROFESSIONAL HIGH PRESSURE CLEANERS HOT WATER  
 NETTOYEURS PROFESSIONNELS HAUTE PRESSION EAU CHAUDE  
 LIMPIADORAS PROFESIONALES ALTA PRESION AGUA CALIENTE  
 IDROPULTRICI PROFESSIONALI ALTA PRESSIONE ACQUA CALDA

# Urano *Big* AISI 430



**BOILER C3**  
 CHAUDIÈRES C3  
**CALDERA C3**  
 CALDAIA C3

## **SUPER PROFESSIONAL**

Model Modèle Modelo Modello	Pressure Pression Pressione BAR	Water Delivery Debit Caudal Portata L/H	Temperature Temperature Temperatura Temperatura °C	Power Supply Alimentation Alimentacion Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor Potenza Motore HP-RPM	Abs. Power Puissance Abs. Potencia Abs. Potenza Ass. Kw		
<b>URANO BIG 15/21</b>	<b>150 BAR</b>	<b>1260 L/h</b>	<b>30-120</b>	<b>Tri 230-400-50</b>	<b>7,5 HP - 1450 RPM</b>	<b>6,5</b>	<b>105x69x108</b>	<b>190 Kg</b>
<b>URANO BIG 20/21</b>	<b>200 BAR</b>	<b>1260 L/h</b>	<b>30-120</b>	<b>Tri 230-400-50</b>	<b>10 HP - 1450 RPM</b>	<b>8,5</b>	<b>105x69x108</b>	<b>200 Kg</b>



**PROFESSIONAL HIGH PRESSURE CLEANERS HOT WATER**  
**NETTOYEURS PROFESSIONNELS HAUTE PRESSION EAU CHAUDE**  
**LIMPIADORAS PROFESIONALES ALTA PRESION AGUA CALIENTE**  
**IDROPULTRICI PROFESSIONALI ALTA PRESSIONE ACQUA CALDA**

# Urano

**AISI 430**  
**AISI 304**



# Urano

Model Modèle Modelo Modello	Pressure Pression Presion Pressione BAR	Water Delivery Débit Caudal Portata L/h	Temperature Température Temperatura Temperatura °C	Power Supply Alimentation Alimentacion Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor Potenza Motore HP - RPM	Abs. Power Puiss. Absorbé Potencia Abs. Potenz. Assorb. KW		
URANO 12/10	120 BAR	600 L/h	30-120	Mono 230V 50Hz	3-1450	3	105x69x108	145 Kg
URANO 10/12	100 BAR	720 L/h	30-120	Mono 230V 50Hz	3-1450	3	105x69x108	145 Kg
URANO 15/15	150 BAR	900 L/h	30-120	Tri 230V/400V 50Hz	5,5-1450	5	105x69x108	150 Kg
URANO 15/21	150 BAR	1260 L/h	30-120	Tri 230V/400V 50Hz	7,5-1450	6,5	105x69x108	160 Kg
URANO 20/15	200 BAR	900 L/h	30-120	Tri 230V/400V 50Hz	7,5-1450	6,5	105x69x108	160 Kg
URANO 20/21	200 BAR	1260 L/h	30-120	Tri 230V/400V 50Hz	10-1450	8,5	105x69x108	175 Kg
URANO 25/15	250 BAR	900 L/h	30-120	Tri 230V/400V 50Hz	10-1450	8,5	105x69x108	175 Kg



**PROFESSIONAL HIGH PRESSURE CLEANERS HOT WATER**  
**NETTOYEURS PROFESSIONNELS HAUTE PRESSION EAU CHAUDE**  
**LIMPIADORAS PROFESIONALES ALTA PRESION AGUA CALIENTE**  
**IDROPULTRICI PROFESSIONALI ALTA PRESSIONE ACQUA CALDA**

# Orion

**AISI 430**



# Orion

Model Modèle Modelo Modello	Pressure Pression Pression Pressione BAR	Water Delivery Débit Caudal Portata L/h	Temperature Température Temperature Temperatura °C	Power Supply Alimentation Alimentacion Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor Potenza Motore HP - RPM	Abs. Power Puiss. Absorbè Potencia Abs. Potenz. Assorb. KW		
ORION 12/10	120 BAR	600 L/h	30-120	Mono 230-50	3 HP - 1450 RPM	3	105x69x108	1455 Kg
ORION 10/12	100 BAR	720 L/h	30-120	Mono 230-50	3 HP - 1450 RPM	3	105x69x108	145 Kg
ORION 15/15	150 BAR	900 L/h	30-120	Tri 230-400-50	5,5 HP - 1450 RPM	5	105x69x108	150 Kg
ORION 15/21	150 BAR	1260 L/h	30-120	Tri 230-400-50	7,5 HP - 1450 RPM	6,5	105x69x108	160 Kg
ORION 20/15	200 BAR	900 L/h	30-120	Tri 230-400-50	7,5 HP - 1450 RPM	6,5	105x69x108	160 Kg
ORION 20/21	200 BAR	1260 L/h	30-120	Tri 230-400-50	10 HP - 1450 RPM	8,5	105x69x108	175 Kg
ORION 25/15	250 BAR	900 L/h	30-120	Tri 230-400-50	10 HP - 1450 RPM	8,5	105x69x108	175 Kg

PROFESSIONAL HIGH PRESSURE CLEANERS HOT WATER  
 NETTOYEURS PROFESSIONNELS HAUTE PRESSION EAU CHAUDE  
 LIMPIADORAS PROFESIONALES ALTA PRESION AGUA CALIENTE  
 IDROPULTRICI PROFESSIONALI ALTA PRESSIONE ACQUA CALDA





**DOUBLE BOILER**  
 DOUBLE CHAUDIERE  
**CALDERA DOBLE**  
 DOPPIA CALDAIA

# Vulcan

**AISI 304**



## SUPER PROFESSIONAL

Model Modèle Modelo Modello	Pressure Pression Presion Pressione BAR	Water Delivery Débit Caudal Portata L/h	Temperature Température Temperature Temperatura °C	Power Supply Alimentation Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor Potenza Motore HP - RPM	Abs. Power Puiss. Absorbè Potencia Abs. Potenz. Assorb. KW		
VULCAN 15/30	150 BAR	1800 L/h	30-140	Tri 230V/400V 50Hz	10 - 1450	8,5	120x90x120	280 Kg
VULCAN 20/25	200 BAR	1500 L/h	30-140	Tri 230V/400V 50Hz	12,5 - 1450	11	120x90x120	290 Kg
VULCAN 20/30	200 BAR	1800 L/h	30-140	Tri 230V/400V 50Hz	15 - 50	13	120x90x120	300 Kg

**PROFESSIONAL HIGH PRESSURE CLEANERS HOT WATER**  
**NETTOYEURS PROFESSIONNELS HAUTE PRESSION EAU CHAUDE**  
**LIMPIADORAS PROFESIONALES ALTA PRESION AGUA CALIENTE**  
**IDROPULTRICI PROFESSIONALI ALTA PRESSIONE ACQUA CALDA**

# Premium Hot





**AISI 430**

**AISI 304**

**BOILER C2 OR C3**  
**CHAUDIÈRES C2 OU C3**  
**CALDERA C2 O C3**  
**CALDAIA C2 O C3**



Model Modèle Modelo Modello	Pressure Pression Presion Pressione BAR	Water Delivery Débit Caudal Portata L/h	Temperature Température Temperatura Temperatura °C	Power Supply Alimentation Alimentacion Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor Potenza Motore HP - RPM	Abs. Power Puiss. Absorbée Potencia Abs. Potenz. Assorb. KW		
<b>PREMIUM HOT 12/10</b>	120 BAR	600 L/h	30-120	Mono 230-50	3 - 1450	3	89X64X200	205 Kg
<b>PREMIUM HOT 10/12</b>	100 BAR	720 L/h	30-120	Mono 230-50	3 - 1450	3	89X64X200	205 Kg
<b>PREMIUM HOT 15/15</b>	150 BAR	900 L/h	30-120	Tri 230-400-50	5,5 - 1450	5	89X64X200	215 Kg
<b>PREMIUM HOT 15/21</b>	150 BAR	1260 L/h	30-120	Tri 230-400-50	7,5 - 1450	6,5	89X64X200	225 Kg
<b>PREMIUM HOT 20/15</b>	200 BAR	900 L/h	30-120	Tri 230-400-50	7,5 - 1450	6,5	89X64X200	225Kg
<b>PREMIUM HOT 20/21</b>	200 BAR	1260 L/h	30-120	Tri 230-400-50	10 - 1450	8,5	89X64X200	250 Kg



**PROFESSIONAL HIGH PRESSURE CLEANERS HOT WATER**  
**NETTOYEURS PROFESSIONNELS HAUTE PRESSION EAU CHAUDE**  
**LIMPIADORAS PROFESIONALES ALTA PRESION AGUA CALIENTE**  
**IDROPULTRICI PROFESSIONALI ALTA PRESSIONE ACQUA CALDA**

# Fire - Fire *Big*

**LOW OR HIGH HOT WATER GENERATOR**

GENERATEUR EAU CHAUDE BASSE OU HAUTE PRESSION

**GENERATOR AGUA CALIENTE BAJA O ALTA PRESION**

GENERATORE ACQUA CALDA BASSA O ALTA PRESSIONE



**MOBILE BOILER**  
**CHAUDIÈRES MOBILES**  
**CALDERA MÓVIL**  
**CALDAIA MOBILE**



Model Modèle Modelo Modello	Pressure Pression Pressione bar	Water Delivery Débit Caudal Portata LT/h	Temperature Température Temperature Temperatura	Abs. Power Puiss. Absorbé Potencia Abs. Potenz. Assorb. KW		
<b>FIRE</b>	3 - 200 BAR	300/900 LT/h	30° - 100° C	350 WATT	105x69x108	100 Kg
<b>FIRE BIG</b>	3 - 200 BAR	300/1260 LT/h	30° - 100° C	350 WATT	105x69x108	115 Kg



# Hydra - Hydra *Plus*

**AISI 430**



Model Modèle Modelo Modello	Pressure Pression Pressione BAR	Water Delivery Débit Caudal Portata L/h	Temperature Température Temperature Temperatura °C	Power Supply Alimentation Alimentacion Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor Potenza Motore HP - RPM	Abs. Power Puiss. Absorbé Potencia Abs. Potenz. Assorb. KW		
<b>HIDRA 12/10</b>	120 BAR	600 L/h	30-100	Mono 230-50	3 - 1450	3	98X61X100	135 Kg
<b>HIDRA 10/12</b>	100 BAR	720 L/h	30-100	Mono 230-50	3 - 1450	3	98X61X100	135 Kg
<b>HIDRA 15/11</b>	150 BAR	660 L/h	30-100	Tri 230-400-50	4 - 1450	3.8	98X61X100	140 Kg
<b>HIDRA 17/13</b>	170 BAR	780 L/h	30-100	Tri 230-400-50	5,5 - 1450	5	98X61X100	140 Kg

**PROFESSIONAL HIGH PRESSURE CLEANERS COLD WATER**  
**NETTOYEURS PROFESSIONNELS HAUTE PRESSION EAU FROIDE**  
**LIMPIADORAS PROFESIONALES ALTA PRESION AGUA FRIA**  
**IDROPULTRICI PROFESSIONALI ALTA PRESSIONE ACQUA FREDDA**

**AISI 304**





**Cometa**

Model Modèle Modelo Modello	Pressure Pression Presion Pressione BAR	Water Delivery Débit Caudal Portata L/h	Power Supply Alimentation Alimentacion Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor Potenza Motore HP - RPM	Abs.Power Puis.Absorbé Potencia obs. Potenza assorb. KW		
COMETA 12/10	120 BAR	600 L/h	Mono 230-50	3-1450	3	90x66x78	90 Kg
COMETA 10/12	100 BAR	720 L/h	Mono 230-50	3-1450	3	90x66x78	90 Kg
COMETA 15/15	150 BAR	900 L/h	Tri 230-400-50	5,5-1450	5	90x66x78	95 Kg
COMETA 15/21	150 BAR	1260 L/h	Tri 230-400-50	7,5-1450	6,5	90x66x78	98 Kg
COMETA 20/15	200 BAR	900 L/h	Tri 230-400-50	7,5-1450	6,5	90x66x78	98 Kg
COMETA 20/21	200 BAR	1260 L/h	Tri 230-400-50	10-1450	8,5	90x66x78	110 Kg
COMETA 25/15	250 BAR	900 L/h	Tri 230-400-50	10-1450	8,5	90x66x78	110 Kg



**Artic**





Model Modèle Modelo Modello	Pressure Pression Presion Pressione BAR	Water Delivery Débit Caudal Portata L/h	Power Supply Alimentation Alimentacion Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor Potenza Motore HP - RPM	Abs.Power Puis.Absorbé Potencia obs. Potenza assorb. KW		
ARTIC 12/10	120 BAR	600 L/h	Mono 230-50	3-1450	3	89X64X78	80 Kg
ARTIC 10/12	100 BAR	720 L/h	Mono 230-50	3-1450	3	89X64X78	80 Kg
ARTIC 15/15	150 BAR	900 L/h	Tri 230-400-50	5,5-1450	5	89X64X78	85 Kg
ARTIC 15/21	150 BAR	1260 L/h	Tri 230-400-50	7,5-1450	6,5	89X64X78	88 Kg
ARTIC 20/15	200 BAR	900 L/h	Tri 230-400-50	7,5-1450	6,5	89X64X78	88 Kg
ARTIC 20/21	200 BAR	1260 L/h	Tri 230-400-50	10-1450	8,5	89X64X78	100 Kg
ARTIC 25/15	250 BAR	900 L/h	Tri 230-400-50	10-1450	8,5	89X64X78	100 Kg

**PROFESSIONAL HIGH PRESSURE CLEANERS COLD WATER**  
**NETTOYEURS PROFESSIONNELS HAUTE PRESSION EAU FROIDE**  
**LIMPIADORAS PROFESIONALES ALTA PRESION AGUA FRIA**  
**IDROPULTRICI PROFESSIONALI ALTA PRESSIONE ACQUA FREDDA**





Model Modèle Modelo Modello	Pressure Pression Presion Pressione BAR	Water Delivery Débit Caudal Portata L/h	Power Supply Alimentation Alimentacion Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor Potenza Motore HP - RPM	Abs.Power Puiss.Absorbè Potencia obs. Potenza assorb. KW		
PUMA 12/10	120 BAR	600 L/h	Mono 230-50	3-1450	3	80x61x75	75 Kg
PUMA 10/12	100 BAR	720 L/h	Mono 230-50	3-1450	3	80x61x75	75 Kg
PUMA 15/15	150 BAR	900 L/h	Tri 230-400-50	5,5-1450	5	80x61x75	80 Kg
PUMA 15/21	150 BAR	1260 L/h	Tri 230-400-50	7,5-1450	6,5	80x61x75	83 Kg
PUMA 20/15	200 BAR	900 L/h	Tri 230-400-50	7,5-1450	6,5	80x61x75	83 Kg
PUMA 20/21	200 BAR	1260 L/h	Tri 230-400-50	10-1450	8,5	80x61x75	90 Kg



Model Modèle Modelo Modello	Pressure Pression Presion Pressione BAR	Water Delivery Débit Caudal Portata L/h	Power Supply Alimentation Alimentacion Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor Potenza Motore HP - RPM	Abs.Power Puiss.Absorbè Potencia obs. Potenza assorb. KW		
LEON 12/10	120 BAR	600 L/h	Mono 230-50	3-1450	3	61X50X48	40 Kg
LEON 10/12	100 BAR	720 L/h	Mono 230-50	3-1450	3	61X50X48	40 Kg
LEON 15/11	150 BAR	660 L/h	Tri 230-400-50	4-1450	3,8	61X50X48	40 Kg
LEON 17/13	170 BAR	780 L/h	Tri 230-400-50	5,5-1450	5	61X50X48	40 Kg



Model Modèle Modelo Modello	Pressure Pression Presion Pressione BAR	Water Delivery Débit Caudal Portata L/h	Power Supply Alimentation Alimentacion Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor Potenza Motore HP - RPM		
PULSAR 15/11	150 BAR	660 L/h	Petrol engine	5,5-3400	50x30x50	30 Kg
PULSAR 20/15	200 BAR	900 L/h	Moteur essence	13-1450	105x69x108	100 Kg
PULSAR 18/21	180 BAR	1260 L/h	Motore gasolina	13-1450	105x69x108	100 Kg
PULSAR 25/15	250 BAR	900 L/h	Motore a scoppio	13-1450	105x69x108	100 Kg



**PROFESSIONAL HIGH PRESSURE CLEANERS COLD WATER**  
**NETTOYEURS PROFESSIONNELS HAUTE PRESSION EAU FROIDE**  
**LIMPIADORAS PROFESIONALES ALTA PRESION AGUA FRIA**  
**IDROPULTRICI PROFESSIONALI ALTA PRESSIONE ACQUA FREDDA**

# Tandem

**new**



**DOUBLE GROUP PUMP AND MOTOR**  
**DOUBLE GROUPE POMPE ET MOTEUR**  
**DOBLE GRUPO BOMBA Y MOTOR**  
**DOPPIO GRUPPO POMPA E MOTORE**

Model Modèle Modelo Modello	Pressure Pression Presion Pressione BAR	Water Delivery Débit Caudal Portata L/h	Power Supply Alimentation Alimentacion Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor Potenza Motore HP - RPM	Abs.Power Puiss.Absorbè Potencia obs. Potenza assorb. KW		
TANDEM 12/10	120 BAR	600 L/h	Mono 230-50	3-1450	3	90x66x190	190 Kg
TANDEM 10/12	100 BAR	720 L/h	Mono 230-50	3-1450	3	90x66x190	190 Kg
TANDEM 15/15	150 BAR	900 L/h	Tri 230-400-50	5,5-1450	5	90x66x190	210 Kg
TANDEM 15/21	150 BAR	1260 L/h	Tri 230-400-50	7,5-1450	6,5	90x66x190	220 Kg
TANDEM 20/15	200 BAR	900 L/h	Tri 230-400-50	7,5-1450	6,5	90x66x190	220 Kg
TANDEM 20/21	200 BAR	1260 L/h	Tri 230-400-50	10-1450	8,5	90x66x190	240 Kg
TANDEM 25/15	250 BAR	900 L/h	Tri 230-400-50	10-1450	8,5	90x66x190	240 Kg



PROFESSIONAL HIGH PRESSURE CLEANERS COLD WATER  
 NETTOYEURS PROFESSIONNELS HAUTE PRESSION EAU FROIDE  
 LIMPIADORAS PROFESIONALES ALTA PRESION AGUA FRIA  
 IDROPULTRICI PROFESSIONALI ALTA PRESSIONE ACQUA FREDDA

# Niagara

new





**UP TO 500 BAR**  
**JUSQU'AU 500 BAR**  
**HASTA 500 BAR**  
**FINO A 500 BAR**

Model Modèle Modelo Modello	Pressure Pression Presion Pressione BAR	Water Delivery Débit Caudal Portata L/h	Power Supply Alimentation Alimentacion Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor Potenza Motore HP - RPM	Abs.Power Puiss.Absorbé Potencia obs. Potenza assorb. KW		
NIAGARA 20/30	200 BAR	1800 LT/h	Tri 230-400-50	15	13	105x69x108	180 Kg
NIAGARA 30/20	300 BAR	1200 LT/h	Tri 230-400-50	15	13	105x69x108	180 Kg
NIAGARA 40/18	400 BAR	1080 LT/h	Tri 230-400-50	20	17	105x69x108	200 Kg
NIAGARA 50/15	500 BAR	900 LT/h	Tri 230-400-50	20	17	105x69x108	200 Kg

**PROFESSIONAL HIGH PRESSURE CLEANERS COLD WATER**  
**NETTOYEURS PROFESSIONNELS HAUTE PRESSION EAU FROIDE**  
**LIMPIADORAS PROFESIONALES ALTA PRESION AGUA FRIA**  
**IDROPULTRICI PROFESSIONALI ALTA PRESSIONE ACQUA FREDDA**



**Spot**  
**AISI 304**



Model Modèle Modelo Modello	Pressure Pression Presione BAR	Water Delivery Débit Caudal Portata L/h	Power Supply Alimentation Alimentacion Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor Potenza Motore HP - RPM	Abs.Power Puiss.Absorbè Potencia obs. Potenza assorb. KW		
SPOT 12/10	120 BAR	600 L/h	Mono 230-50	3 - 1450	3	90x66x78	85 Kg
SPOT 10/12	100 BAR	720 L/h	Mono 230-50	3 - 1450	3	90x66x78	85 Kg
SPOT 15/15	150 BAR	900 L/h	Tri 230-400-50	5,5 - 1450	5	90x66x78	90 Kg
SPOT 15/21	150 BAR	1260 L/h	Tri 230-400-50	7,5 - 1450	6,5	90x66x78	95 Kg
SPOT 20/15	200 BAR	900 L/h	Tri 230-400-50	7,5 - 1450	6,5	90x66x78	95 Kg
SPOT 20/21	200 BAR	1260 L/h	Tri 230-400-50	10 - 1450	8,5	90x66x78	100 Kg
SPOT 25/15	250 BAR	900 L/h	Tri 230-400-50	10 - 1450	8,5	90x66x78	100 Kg




**Speed**

Model Modèle Modelo Modello	Pressure Pression Presione BAR	Water Delivery Débit Caudal Portata L/h	Power Supply Alimentation Alimentacion Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor Potenza Motore HP - RPM	Abs.Power Puiss.Absorbè Potencia obs. Potenza assorb. KW		
SPEED 10/7	100 BAR	400 L/h	Mono 230-50	2-2800	2	40X20X20	20 Kg

## GROUPS PUMP AND MOTOR - GROUPES PUMPE ET MOTEUR GRUPOS BOMBA Y MOTOR - GRUPPI POMPA E MOTORE



Model Modèle Modelo Modello	Pressure Pression Pression Pressione BAR	Water Delivery Débit Caudal Portata L/h	Power Supply Alimentation Alimentacion Alimentazione VOLTS-HZ	Motor Power Puissance Moteur Potencia Motor HP - RPM	Abs. Power Puiss. Absorbè Potencia Abs. Potenz. Assorb. KW	
GROUP 12/10	120 BAR	600 L/h	Mono 230-50	3 HP - 1450 RPM	3	60 Kg
GROUP 10/12	100 BAR	720 L/h	Mono 230-50	3 HP - 1450 RPM	3	60 Kg
GROUP 15/15	150 BAR	900 L/h	Tri 230-400-50	5,5 HP - 1450 RPM	5	65 Kg
GROUP 15/21	150 BAR	1260 L/h	Tri 230-400-50	7,5 HP - 1450 RPM	6,5	75 Kg
GROUP 20/15	200 BAR	900 L/h	Tri 230-400-50	7,5 HP - 1450 RPM	6,5	75 Kg
GROUP20/21	200 BAR	1260 L/h	Tri 230-400-50	10 HP - 1450 RPM	8,5	85 Kg
GROUP 25/15	250 BAR	900 L/h	Tri 230-400-50	10 HP - 1450 RPM	8,5	85 Kg
GROUP 20/30	200 BAR	1800 L/h	Tri 230-400-50	15 HP - 1450 RPM	11	100 Kg
GROUP 30/20	300 BAR	1200 L/h	Tri 230-400-50	15 HP - 1450 RPM	11	100 Kg

## BOILERS - CHAUDIERES - CALDERAS - CALDAIE

### Mod. C1



Fuel Pump Pompe Fuel Bomba Gasolio Pompa Gasolio	Fuel Consumption Consom. Gasoil Consumo Gasoleo Consumo Gasolio	Power Puissance Potenzia Potenza Kw	Fuel Nozzle Gigleur Gigleur Gasoleo Ugello Gasolio	Temperature Temperature Temperatura Temperatura °c	Water Delivery Debit Eau Portata Agua Portata Acqua Lt/h	Dimensions Dimensions Dimensiones Ingombro Cm	Weight Poids Peso Pero Kg
	3-5 l/h	57	1,25 - 1,35 60°	30° - 90°	600 - 780	L 54 x H52 Diam. 33	46

### Mod. C2

Fuel Pump Pompe Fuel Bomba Gasolio Pompa Gasolio	Fuel Consumption Consom. Gasoil Consumo Gasoleo Consumo Gasolio	Power Puissance Potenzia Potenza Kw	Fuel Nozzle Gigleur Gigleur Gasoleo Ugello Gasolio	Temperature Temperature Temperatura Temperatura °c	Water Delivery Debit Eau Portata Agua Portata Acqua Lt/h	Dimensions Dimensions Dimensiones Ingombro Cm	Weight Poids Peso Pero Kg
	4-6 l/h	66	1,50 - 1,75 60°	30° - 100°	600 - 900	L 54 x H62 Diam. 33	55



### Mod. C3

Fuel Pump Pompe Fuel Bomba Gasolio Pompa Gasolio	Fuel Consumption Consom. Gasoil Consumo Gasoleo Consumo Gasolio	Power Puissance Potenzia Potenza Kw	Fuel Nozzle Gigleur Gigleur Gasoleo Ugello Gasolio	Temperature Temperature Temperatura Temperatura °c	Water Delivery Debit Eau Portata Agua Portata Acqua Lt/h	Dimensions Dimensions Dimensiones Ingombro Cm	Weight Poids Peso Pero Kg
	5-7 l/h	76	1,75 - 2 45°	30° - 100°	900 - 1260	L 54 x H72 Diam. 33	65

**BY-PASS VALVE**  
VALVOLA BY-PASS



**FUEL FILTER**  
FILTRO GASOLIO



**LANC**  
LANZE

Length
Can 80
Can 110
Can 130
Can 170
Can 200



**ROTATING NOZZLES**  
UGELLI ROTANTI

**KIT RIPARAZIONE INTERPUMP**  
INTERPUMP REPAIR KIT



**FLOW SWITCH**  
FLUSSOSTATO



**STAINLESS STEEL FILTER**  
FILTRO INOX



**PRESSURE SWITCH**  
PRESSOSTATO



**PRESSURE GAUGE**  
MANOMETRO



**NOZZLES**  
UGELLI



**HOSE REEL**  
AVVOLGI TUBO



**BY-PASS VALVE WITH MICRO SWITCH**  
VALVOLA BY-PASS CON MICROINTERRUTTORE



**SANDBLASTING KIT**  
KIT SABBIANTE



**AUTOMATIC GUNS**  
PISTOLE



**ROTATING BRUSHES**  
SPAZZOLE ROTANTI



**FOAM LANCE**  
LANCIA SCHIUMA

**FOAMERS / SPRAYERS**  
SCHIUMOGENI / NEBULIZZATORI



**SANDBLASTING KIT**  
TESTINA SABBIANTE


**DRAIN CLEANING KIT**  
KIT PULIZIA TUBAZIONI



**H.P. HOSE**  
TUBO ALTA PRESSIONE

**DETERGENTS**  
DETERGENTI

**ANTISCALE**  
ANTICALCARE



**HIGH PRESSURE CLEANERS**  
NETTOYEURS HAUTE PRESSION  
LIMPIADORAS ALTA PRESSION  
IDROPULITRICI ALTA PRESSIONE

**LASLO S.r.l.**  
via L. Da Vinci, 5 - 26020 Ticengo (CREMONA) - ITALY  
Tel.: +39 0374.83207 - fax: +39 0374.84264

**info@castello-srl.com - www.castello-srl.com**