® FREEDOM

simpler faster better

Parking Guidance Monitoring System







«It is more than just controlling bays!»

«From end user to manufacturer, amazing!»

«I left parking lot on friday night and on monday morning it was all installed!

«This is the system we were looking for»

«Every detail counts»

«everything competitors do but completely different»

«Very simple to configure, amazing!»

«They dont know Freedom yet»



DEVICES

ADVANTAGES

FREEDOM 3 IS A SET OF DEVICES COMPLETELY UNIQUE DEVICES IN THE PARKING GUIDANCE MARKET.

CONSISTING OF 4 WAY HUB, SENSOR, MASTER, DIGIT CONTROLLER, DIGITS, SIGNAGE CASE, POWER SUPPLY, HANDHELD, HANGERS AND TELESCOPIC CONDUIT WITH INTERNAL CABLES.

NO EXTERNAL PARTS ARE REQUIRED AS ALL DEVICES WERE DEVELOPED TO MAKE FREEDOM 3 THE EASIEST, FASTEST, MOST SIMPLE AND BEST PARKING GUIDANCE IN THE WORLD.

FREEDOM 3 MEANS IT ALL: FREEDOM.



HANDHELD





TECHNICAL DATA

01. OS Microsoft Windows CE 6.0

O2. CPU Cortex - A8 1.0 GHz

03. MEMORY RAM: 512 MB / ROM: 512 MB **04.** EXTENDED MEMORY Micro SD (TF) 32 G at most

05. DISPLAY 3,5 inch IPS LCD, HVGA (320x480), resistive touch screen

06. KEYBOARD 24 keys

07. WIFI IEEE 802.11b/g

08. BLUETOOTH 2.0 + EDR

09. BATERY 4000mah rechargeable polymer lithium

10. AUDIO Speaker 1, miv 1, earphone 1

10. DIMENSIONS 156 x 72 x 31

11. NET WEIGHT 290 gr

12. STANDART Charger, Rechargeable batery, usb cable, wrist rope, handwritting pen

13. BARCODE READER

15. CAMERA 5 megapixel with auto focus and flashlight

16. INFRARED

17. GPS

18. 3G WCDMA 3G **19.** APP FREEDOM III

ADVANTAGES

01. EASY TO CONFIGURE ALL DEVICES

02. EASY TO GET INFORMATION FROM ALL DEVICES

03. LIGHT TO HANDLE AND EASY TO OPERATE

04. WIFI, BLUETOOTH, INFRARED CONECTIONS

05. NO NEED FOR A PC OR DEDICATED SERVER

06. NO NEED TO HAVE CONECTION WITH AN EXTERNAL SERVER

07. COMPLETE INTERACTION WITH ALL DEVICES



HUB

TECHNICAL DATA

01. 5X6-WAY TO COMM PORTS

02. DIMENSIONS: 130X35 MM

03. AUTOMOTIVE ABS

ADVANTAGES

01. GLOW IN THE DARK STRUCTURE

02. EASY TO INSTALL

03. FITS ALL DEVICES (MASTER, SENSORS)

04.4 DIFERENT WAYS FOR INSTALATION

05. EASY TO REMOVE







CONDUIT

TECHNICAL DATA

01. AWG 18 WIRING PURE COOPER

02. AWG 22 WIRING PURE COOPER

03. EXTENDABLE DIMENSIONS:

600 - 1000 MM

1000 - 1800 MM

1800 - 3200 MM

04. AUTOMOTIVE ABS FLEXIBLE JOINTS

05. POWDER COATED PURE ALUMINIUM PIPES

ADVANTAGES

01. FLEXIBLE WIRING INSIDE THE CONDUIT

02. WIRE PROTECTION

03. 360 DEGREES MOVEMENTS

04. ACCIDENT PROOF

05. ONE PERSON REQUIRED TO INSTALL

06. ADJUSTABLE LENGHT

07. POWDER COATED PAINTED ALUMINIUM

08. PRECISE POSITIONING OF SENSORS

09. EASIER TO PREPARE OUOTES

10. EXACT NUMBER OF PARTS REQUIRED

11. NO MISTAKE ON QUOTING





TECHNICAL DATA

O1. MOUNTING 4 PORT HUB AND ABS CASE
O2. EXTENDED MEMORY MICRO SC (TF) 32G AT MOST

O3. DIMENSIONS 130 X 20 MM

04. WEIGHT 180 GR / FULLY ASSEMBLED ON HUB

05. CONTROLS UP TO 250 SENSORS

UP TO 250 SIGNAGES

CAN BE CLONED TO CONECT MORE SIGNAGES

06. COMUNICATION SPEED 100 MILLISECONDS

 07. WORKING CONDITIONS
 -40 + 80 C

 08. CURRENT
 5V 0,25A

09. CONSUMPTION 2W

10. OPTIONAL THERMOMETER / HUMIDITY CONTROL
11. MICRO STATUS LED 1 GREEN / 1 RED / 1 ORANGE / 1 BLUE

11. MICRO STATUS LED 1 GREEN / 1 REI
12. COMPLIANCE ROHS

13. CONECTIONS WIFI

ADVANTAGES

01. CONTROLS UP TO 250 SENSORS

02. SIGNAGES UPTADE IN 100 MILLISECONDS

03. EASY TO CONFIGURE

04. CONECTS TO WIFI WITH LOGIN AND PASSWORD

05. UNIQUE CONTROLLER TO THE SYSTEM

06. UPDATES SIGNAGES WITH CABLE OR WIFI

07. INSTALLED IN THE SAME LEVEL AS SENSORS AND SIGNAGES

08. USED ON SMALL, MEDIUM OR BIG INSTALLATIONS

09. REDUCED COST FOR INSTALLATION

10. NO NEED PC OR SERVER

11. MICROCOMPUTER / MICROCONTROLLER

12. AVOIDS SAME CODING ON DEVICES

13. ELIMINATES SENSORS NOT WORKING AUTOMATICALLY

14. CODING ALLOWS EXPANDING INTO THE SAME OR DIFERENT LEVEL



SENSOR



*FREEDOM/// simpler | faster | better

TECHNICAL DATA

01. MOUNTING

02. DIMENSIONS

03. WEIGHT

04. CONTROLS

05. COMUNICATION SPEED

06. WORKING CONDITIONS

07. CURRENT

08. CONSUMPTION

09. OPTIONAL

10. MICRO STATUS LED

11. COMPLIANCE

12. DETECTION

13. CODING

4 PORT HUB/2 PORT HU AND ABS CASE

130 X 45 MM / 130 X 75 MM

250 GR / FULLY ASSEMBLED ON HUB

CAN BE CONECTED TO STREET LED

100 MILLISECONDS

-40 + 80 C

5V 0,25A

RED LED 70 MA

GREEN LED 58 MA

BLUE LED 58 MA

WHITE LED 136 MA

THERMOMETER / HUMIDITY CONTROL

1GREEN/1RED/1ORANGE/1BLUE

ROHS

5 METERS

NON SEQUENCIAL 1 TO 250

ZONE NUMBER

BAY NUMBER

ADVANTAGES

01.100 MILLISECONDS COMUNICATION

02. RGB ULTRA BRIGHT LEDS

03. EASY TO INSTALL

04. EASY TO CONFIGURE

05. 5 DIFERENT CALIBRATION SETTINGS

06. SAME CODE PREVENTION SETTINGS

07. HEALTH STATUS


08. STABILITY CONTROL

09. DEBOUNCE CALIBRATION

10. GLOW IN THE DARK CASE



DIGIT





TECHNICAL DATA

01. MOUNTING ADJUSTABLE TO ANY CASE + DIGIT CONTROLLER

02. DIMENSIONS 150 X 150 MM

03. WEIGHT **150 GR EACH DIGIT**

04. LEDS 35 ULTRA BRIGHT SMD RGD LEDS

05. WAVELENGHT COLOURS RED 620 NM

GREEN 520 NM

BLUE 455 NM

06. WORKING CONDITIONS -40 + 80 C

07. CURRENT 5V 0,25A

08. CONSUMPTION RED LED 70 MA

GREEN LED 58 MA

BLUE LED 58 MA WHITE LED 136 MA

09. COMMUNICATION **DIGIT CONTROLLER + MASTER**

09. CABLING **FLAT CABLE 150 MM**

DIRECTLY TO ANOTHER DIGIT


















ADVANTAGES

01. UP TO 6 DIFERENT FLIPS

02. TIME CONTROLLED MESSAGES

03. ASSEMBLED WITH AS MANY DIGITS DESIRED

04. DIFERENT SHAPES AND COMPOSITIONS

05. MESSAGE SPEED CONFIGURABLE


06. ASSEMBLED IN DIFFERENT TYPES OF CASES

07. CAN BE INSTALLED IN ANY POSITION ON THE SENSOR LINE


08. STAND ALONE WITH MASTER

09. EASY TO CONFIGURE USING HANDHELD

10. DAMAGED LED DIGIT EASILY REPLACED



SQUARE / RECTANGULAR



ROUND





CONNECTIONS

ADVANTAGES

FREEDOM 3 STRUCTURE AND FLEXIBLE CONNECTIONS ALLOWS THE PRECISE POSITIONING OF SENSORS, MASTERS, HUBS AND TOTALLY ADJUSTABLE TO GET AROUND EXISTING STRUCUTURES WITHOUT THE HASSLE OF CUTTING CABLE TRAYS.

THE ABILITY TO PROVIDE ACCURATE QUOTATIONS, THEREBY ELIMINATING THE NEED FOR ADDITIONAL HARDWARE WHEN DOING THE INSTALLATION, AS NORMALLY OCCURS WHEN WORKING WITH OTHER SYSTEMS.

FREEDOM 3 MEANS ONE THING: FREEDOM







4 WAY HUB ALLOWS ANY DIRECTION AND ANY KIND OF INSTALLATION.







INSTALLATION

ADVANTAGES

INDEPENDENTLY INSTALLED IN EACH AND EVERY LEVEL OF THE PARKING LOT. NO NEED TO HAVE A PC OR SERVER INSTALLED.
IS THE FASTEST INSTALLATION IN THE WORLD, REQUIRING ONLY 5 PEOPLE TO INSTALL 1000 BAYS IN 24 HOURS.

NO NEED TO HAVE ZONE CONTROLLERS, DATA CONCENTRATORS, SPECIAL CABLES, HEAVY METALLIC CABLE TRAYS, SPECIAL NETWORK, AND ALL THE OTHER DEVICES THAT COMPETITORS REQUIRE TO INSTALL SIMILAR SYSTEMS.

TOTALLY FLEXIBLE ALLOWS INCREASING OR DECREASING DEVICES EASILY IN EACH LEVEL IN CASE OF FUTURE IMPROVEMENTS OF THE PARKING LOT.

FREEDOM 3 MEANS: FREEDOM





INSTALLATION PROCESS IS THE SIMPLER, **FASTER AND BETTER IN THE WORLD**



STEPS:

ABS PART G ON CEILLING

THREADED BAR

ADJUST SIZE

ALINGMENT

ABS PART G AT THE BAR'S END

TRAINED TEAM OF TWO PEOPLE








STEPS:

SENSOR AND HUB ON PART G MASTER AND HUB ON PART G **HUB ON PART G**









STEPS:

CONDUIT SIDE 1 INTO HUB CONDUIT SIDE 2 INTO HUB CONFIGURE MASTER CONFIGURE SENSOR

CONFIGURE SIGNAGE

THREE PEOPLE









CASES

ALL OF OUR CUSTOMERS AGREE ON ONE THING:

«NOW WE KNOW WHAT FREEDOM MEANS»
























DASHBOARD

ADVANTAGES

EASY TO CONFIGURE DASHBOARD MANAGES ALL THE PARKING LOT WITHIN MINUTES OF CONFIGURATION.

EASY TO CONFIGURE DEVICES ON FLOORPLANS.

EASY ACCESS TO INFORMATION.

FREEDOM 3 MEANS: FREEDOM



WEB DASHBOARD

LIMITED ACCESS TO DIFFERENT LOGIN NAMES

PART OF THE SYSTEM

PARKING LOTS INSIDE THE SAME COMPANY

EASY TO CONFIGURE DIFFERENT LOGIN PROFILES

MONITORS ALL THE DEVICES AND EASY TO CONFIGURE REMOTELY

EASY TO CHECK FOR ALL TYPES OF REPORTS AND DATA COLLECTED

FOR ASSISTANCE



cassiano

Dashboard

Dashboard

le Companies

Parkings

Masters

Passages

Signages

Ticket Category

👛 Users

Masters

Bays

B Levels

Parking

Bays Events

Generated

Tickets





































章 ☆

0 :



WEB ADMIN

EASY TO CONFIGURE EVERY

ALLOWS DIFFERENT

WEB STATES

WEB REPORTS

WEB SUPPORT

ALLOWS MANAGERS AND OPERATORS TO REQUEST AND FOLLOW THE UPDATES

Dashboard




















0

Dashboard

Dashboard

Companies

Parkings

Masters

= Passages

Signages

Ticket Category

Users

Masters

Bays

B Levels

Parking

■ Bays Events
■ Generated

Tickets


PARKING STATE

EASILY CONFIGURED WITH ALL DEVICES ON THE FLOORPLAN

ALLOWS MANAGERS AND OPERATORS TO SEE IN REAL TIME ALL DEVICES AND ALL THE INFORMATION FROM ANY PARKING LOT

ALLOWS REMOTE CONTROLL
OF ALL DEVICES

EASILY IDENTIFIES PARKED CARS EXCEEDING PARKING LIMITS AND MUCH MORE








PARKING STATE

EASILY CONFIGURED WITH ALL DEVICES ON THE FLOORPLAN

ALLOWS MANAGERS AND OPERATORS TO SEE IN REAL TIME ALL DEVICES AND ALL THE INFORMATION FROM ANY PARKING LOT

ALLOWS REMOTE CONTROLL
OF ALL DEVICES

EASILY IDENTIFIES PARKED CARS EXCEEDING PARKING LIMITS AND MUCH MORE







CONTACT US:

UK AND EUROPE:

Cassiano Zanetti +44 7511 902889 cassiano@freedom3.uk Warren Hill +44 7895 632983 warren@freedom3.uk

SOUTH AMERICA:

Tatiana Dallacorte +55 41 99626 6892 tatiana@freedom3.uk www.freedom3.com.br

Rafael Gonçalves +55 41 99222 9250 rafael@freedom3.uk



YOU DESERVE FREEDOM





PATENT UK